

KANSAS

STATE CORPORATION COMMISSION

CONSERVATION DIVISION AGENT'S REPORT

J. Lewis Brock
Administrator
245 North Water
Wichita, KS 67202

API Number 15 -055 20,429 (of this well) ✓

Operator's Full Name Anaconda Copper Co, Division of Anaconda Copper Co.

Complete Address 555 Seneca St, Denver Colo. 80202

Lease Name Tricks Well No. K-12

Location SW 1/4 - 500 FSL - 50 FWL Sec. 23 Twp. 24 Rge. 31 (E) (W) ✓

County Finney Total Depth 1080

Abandoned Oil Well Gas Well Input Well SWD Well D & AX

Other well as hereafter indicated

Plugging Contractor B+B Drilling

Address Casper, Wyo. License No.

Operation Completed: Hour 2:45 PM Day 13 Month Nov Year 1980

The above well was plugged as follows:

There was 350' of 2 7/8 surface casing. C.C.
Filled with mud to 350; 1st plug at 350'
with 10 lbs cement. Filled with mud to
50. 2nd plug at 50-0 with 3 lbs cement.

RECEIVED
STATE CORPORATION COMMISSION

11-17-80

NOV 17 1980

CONSERVATION DIVISION
Wichita, Kansas

I hereby certify that the above well was plugged as herein stated.

Signed: Clarence Thomas
Well Plugging Supervisor

INVOICED

DATE 12-15-80

INV. NO. 3794-W

KANSAS

WELL COMPLETION REPORT AND DRILLERS LOG


API No. 15 - 055 - 20429-0000
County Number

S. 23 T. 24S R. 31 ^{EX} W

Loc. SW 1/4 of SW 1/4

County Finney

640 Acres
N



Locate well correctly

Elev.: Gr. 2870

DF KB

Operator
Anaconda Copper Company, a Division of The Anaconda Co.

Address
555 17th Street - Denver, CO 80217

Well No. K-12 Lease Name Irsik

Footage Location
73 feet from XX (S) line 75 feet from XX (W) line

Principal Contractor B & B Drilling Geologist William C. Feirn

Spud Date 11/2/80 Date Completed 11/13/80 Total Depth 1080' P.B.T.D. 1080'

Directional Deviation Unknown Oil and/or Gas Purchaser None

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
P/A	5 1/8"	2 7/8"	6.50	350	Portland	57	--

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production Producing method (flowing, pumping, gas lift, etc.)

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold) Producing interval(s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator: Anaconda Copper Company, a Division of The Anaconda Co. DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: Exploratory Hole

Well No. K-12 Lease Name Irsik

S 23 T 24S R 31 ~~W~~

WELL LOG
 Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Dk. brown, sandy loam - soil	0	15		
Lt. tan to pinkish tan, med-course to gritty sandstone loosely cemented	15	270		
Dk. gray, soft, calcareous shale	270	526		
Med to dk. gray, soft, non-calareous pasty shale	526	652		
Dk. gray, silty shale w/beds up to 5' of fine sandstone	652	725		
Dk. gray pyritic shale	725	780		
Lt. to dk. gray fissile, flaky, silty shale to shale ith minor siltstone	780	995		
Dark reddish brown, soft silty clay	995	1080		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	Signature
	Title
	Date