

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission,
800 Bitting Building,
Wichita, Kansas

RECEIVED
10-28-36
OCT 28 1936
H

WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

15-009-15164-0000

X			

Locate well correctly on above
Section Plat

Barton County. Sec. 10 Twp. 16 Rge. 11 (E) N. (W)
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines 2nd location nw $\frac{1}{4}$ nw $\frac{1}{4}$ nw $\frac{1}{4}$
Lease Owner. Geo H. Rose & Son.
Lease Name. Redetzke. Well No. 1
Office Address. 222 East 2nd St Hoisington, Kansas.
Character of Well (Completed as Oil, Gas or Dry Hole) Dry.
Date, well completed. Oct. 4 1936
Application for plugging filed. Oct. 8 1936
Application for plugging approved. Oct 13 5 1936
Plugging Commenced. Oct. 7 1936
Plugging Completed. 1936
Reason for abandonment of well or producing formation. Dry.

If a producing well is abandoned, date of last production. X 193
Was permission obtained from the Conservation Division or its agents before plugging was com-
menced? Yes.

Name of Conservation Agent who supervised plugging of this well. State Pluggger of Great Bend, Kansas.
Producing formation. 3330 Salicious Depth to top. 3330 Bottom 3343 Total Depth of Well 3346 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Kansas City	Show	3095	3105	8od	2878	2878
Salicious	Show	3330	3343	5 3/16	3326	3000
					Cemented	

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from.....feet to.....feet for each plug set. Mud from 3346 to 2375 Barrel and pails.

~~Truck and steam power sand reel.~~
~~Ran a fifteen foot cement plug at 350 feet to protect top water and filled with mud to cellar top bridged atten feet from cellar filled with dry dirt 7 feet and ran three foot cement plug at top of hole even with floor of cellar.~~

Well plugged according to instructions left by State Pluggger

PLUGGING
FILE SEC-10T-16-11-11
BOOK PAGE 64 LINE 21--

(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to Geo. H. Rose & Son.
Address. 222 East 4th St Hoisington, Kansas.

STATE OF Kansas, COUNTY OF Barton, ss.

Geo. H. Rose & Son. (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) G. H. Rose and Son
222 E. 4th St. Hoisington, Ka.
(Address)

SUBSCRIBED AND SWORN to before me this 27 day of October, 1936.

My commission expires 4-24-1937

Log of Redetzke Well No. 1 Drilled by Geo H. Rose & Son,
 110-16-11 Barton, County, Kansas.

15-009-15164-0000

Cellar	10	Red rock	1915	Lime	3312	
Clay	40	Lime	1945	Cong.	3320	Show of oil
Shale Br	92	Red rock	1950	Lime	3343	" " "
Lime	96	Lime	2000	Lime	3346	Water,
Shale	100	Red rock	2005			
ShaleLime	130	Lime	2065			
Lime	137	Shale	2075			
Shale	144	Red rock	2085			
Lime	146	Lime	2110			
Shale 2	220	Shale	2125			
Red Rock	245	Lime	2135			
Sand	255	Shale	2140			
Lime	260	Lime & shale	2165			
Red Rock	265	Shale	2175			
LimeBroken	275	Lime	2200			
Red rock	355	Shale	2225			
Shale	365	Lime	2228			
Red rock	380	Shale	2240			
Lime Gray	388	Lime, Shale	2250			
Shale	470	Red rock	2280			
Sand	475	Lime	2290			
Shale	520	Shale	2315			
Red rock	655	Red rock	2350			
Shale	665	Lime, shale	2370			
Red rock	700	Shale	2375			
Anhydrite	740	Lime	2390			
Red rock	742	Slate	2430			
Shale	745	Lime	2450			
Lime	750	Slate	2460			
Red rock	940	Lime	2463			
Shale	985	Slate	2466			
Red rock	1032	Shale shells	2505			
Shale	1055	Lime	2520			
Red rock	1060	Slate	2525			
Shale	1135	Shale	2575			
Salt	1368	Lime	2600			
Shale	1390	Shale	2615			
Lime	1395	Lime	2630			
Sh & Lime	1415	Shale	2637			
Lime	1465	Lime	2765			
Red rock	1471	Shale	2770			
Lime	1500	Lime	2862			
Red rock	1510	Sand	2865			
Lime	1550	Lime	2905	Water		
Red rock	1565	Shale	2917			
Lime	1600	Lime	2922			
Red rock	1612	Shale	2927			
Lime	1618	Lime	2940			
Red rock	1660	Red rock	2945			
Shale	1670	Shale	3003			
Lime	1800	Lime	3010			
Shale	1815	Red rock	3020			
Lime	1817	Lime	3115	Show		
Red rock	1822	Shale	3120	Oil		
Lime	1850	Lime	3255	Water		
Shale	1865	Shale	3259			
Red rock	1870	Lime	3280			
Lime	1890	Shale varig.	3292			
Red rock	1895	Red rock	3295			
Lime	1910					

PLUGGING
 FILE SERIAL 16R11U
 BOOK PAGE 64 LINE 21