

15-009-07187-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Barton County, Sec. 7 Twp. 16S Rge. 11W (E) (W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SE SE SW

Lease Owner 3 "B" Oil Company

Lease Name Staudinger Well No. 3

Office Address Oklahomaz City, Oklahoma

Character of Well (completed as Oil, Gas or Dry Hole) abandoned oil well

Date well completed May 30, 1943 19

Application for plugging filed September 1, 1951 19

Application for plugging approved September 4, 1951 19

Plugging commenced 11-12-51 19

Plugging completed 11-18-51 19

Reason for abandonment of well or producing formation oil depleted

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. D. Stough

Producing formation Depth to top Bottom Total Depth of Well 3316 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				5-1/2"	3312	2611'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Ran 5 sacks of cement at 3316'. Hole bridged at 305'. Rocked hole to 290' and ran 25 sacks of cement. Checked bridge to 260', rocked hole to 245', mudded hole to 30' and ran 10 sacks of cement. Plugging completed.

RECEIVED
DEC 3 1951
CONSERVATION DIVISION
WICHITA, KANSAS

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor West Supply Company

Address Chase, Kansas

STATE OF Oklahoma, COUNTY OF Oklahoma, ss.

(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Walter B. Bendorf

Box 4671 (Address)

SUBSCRIBED AND SWORN to before me this 1 day of December, 1951

J. B. Bendorf Notary Public.

My Commission Expires Jan. 16, 1955

My commission expires

23-8390-s 6-51-20M

PLUGGING
FILE SEC 7 T 16 R 11 W
BOOK PAGE 1-7 LINE 5

WELL NO. 3 LEASE V. Staudinger COMPANY Gulf Oil Corporation A.F.E. 3151
 DATE—DRILLING BEGAN 5-3-43 WELL COMPLETED 5-30-43 FIRST PRODUCTION 5-23-43
 SAND RECORD Arbuckle Lime 3311' - 3316' 5' TOTAL DEPTH 3316'
 INITIAL PRODUCTION OIL: Pumped 49 barrels (6-3-43) Corrected Gravity: 41.7
 WATER: None

CASING RECORD

SIZE	WEIGHT	THD.	CLASS	MAKE	SET AT DEPTH	SACKS CEMENT	LBS. CAL. CHLO.	PULLED	LEFT IN
8-5/8"	32	10	B	Smls. St.	221'	125	200	-	221'
Grade C									
5-1/2"	*	*	*	Smls. St.	3312'	100	-	-	3312'
* 9 joints 17# 11-1/2 thd Grade C, Class C-1									
3 joints 14# 8RT Grade H, Class B									
94 joints 14# 8RT Grade H, New									

S-7 T-16S R-11W

Barton County,					
		Kansas			
			C		
			SE		
			SE		
		o	SW		

(*) "F." FLOWING NATURALLY; "L." AIR GAS LIFT; "S." SWABBING; "P." PUMPING.

ELEVATION— 1859' DF
RT 5' above 5-1/2" casing.

ACIDIZED: 5-26-43 with 1,000 gallons.
 ACIDIZED: 5-30-43 with 2,000 gallons.

0 -	9'	Cellar
	70	Shale and shells
	100	Sand and gravel
	310	Shale and shells
	500	Shale, sand & shells
	730	Red beds
	850	Anhydrite
	950	Shale and shells
	1160	Shale and lime
	1400	Salt, shale & shells
	1460	Shale and shells
	1505	Lime
	1605	Broken lime
	1685	Shale and lime
	1705	Sand
	1780	Lime and shale
	1880	Lime, sand and shale
	1960	Lime and shale
	2080	Shale
	2475	Lime and shale
	2495	Lime
	2605	Shale and shells
	2625	Lime
	2740	Lime and shale
	3020	Lime
	3110	Lime, Kansas City
	3305 $\frac{1}{2}$	Lime
	3311	Conglomerate
	3316	Arbuckle Lime (Total Depth)

JW