


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Biting Building
Wichita, Kansas

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Barton County. Sec. 17 Twp. 16 Rge. 11 (E) W (W)

Location as "NE¼NW¼SW¼" or footage from lines. C-SW-SE-NE
Lease Owner. Black Marshall Oil Co.
Lease Name. C. Ney Well No. 1-East
Office Address. Great Bend, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed. March 27, 1946
Application for plugging filed. March 27, 1946
Application for plugging approved. April 3, 1946
Plugging commenced. 3-27-1946
Plugging completed. 3.30-1946
Reason for abandonment of well or producing formation. Dry- No Oil
If a producing well is abandoned, date of last production. None
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well. H.W. Kerr
Producing formation. None Depth to top. Bottom. Total Depth of Well. 3300' Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Sand	Water	155	175	13 3/8"	375'	375'
Sand & Shale	Water	220	295	10 3/4"	667'	667'
Sand	Water	405	420	8 5/8"	2397'	2397'
Sandy Lime	Water	3045	3070'	7"	3106'	3106'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Dumped 10 Sacks of cement on bottom, filled hole with heavy mud to 195' Set plug and bridged with rock. Cemented on top of bridge with 20 sacks of cement, from 195 to 175'. Filled hole with heavy mud to 20', set bridge and cemented into cellar.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Black Marshall Oil Co.
Address. Great Bend, Kansas

STATE OF Kansas, COUNTY OF Barton
Walter C Roberts (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Walter C Roberts
Claflin, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 4th day of April
Edwin [Signature] Notary Public.

My commission expires Feb. 5, 1947



15-009-06487-0000

COMPANY - Black-Marshall Oil Co.
 CONTRACTOR - Earl Wakefield

FARM - C. Noy "East" #1
 LOCATION - SW SE NE 17-16-11,
 Barton County, Kansas

COMMENCED - 2-9-46
 Completed - 3-30-46

ELEVATION - 1815'
 PRODUCTION - D&A

CASING RECORD -
 13 3/8" 382 (Pulled)
 10" 671 (Pulled)
 8" 2397' (Pulled)
 7" 3103' (Pulled)

FORMATION	DEPTH	FORMATION	DEPTH
Shale	14	Lime	2050
Post Rock	18	Shale	2070
Shale	30	Lime	2080
Blue Shale	115	Shale	2090
Black "	135	Shale & shells	2190
White "	145	Shale	2196
Red rock	155	Lime	2205
Sand	175	Shale & shells	2230
Red rock	220	Red rock	2235
Sand, shale	240	Shale & shells	2260
Blue "	255	Shale	2275
Red rock	265	Lime	2280
Blue shale	290	Shale	2320
Sand	295	Shale & shells	2335
Blue shale	405	Lime	2338
Sand	428	Shale	2350
Blue shale	510	Lime	2352
Red rock	659	Sandy Shale	2380
Chalk	663	Shale	2392
Anhydrite	695	Lime	2400
Red rock	885	Shale	2415
Blue shale	935	Lime	2420
Red rock	990	Shale	2430
Shale	1035	Lime	2450
Blue shale	1100	Shale	2465
Lime	1105	Lime	2475
Salt	1330	Shale	2525
Shale & shells	1345	Lime	2540
Lime	1380	Shale	2555
Shale	1390	Lime	2565
Lime	1490	Shale	2570
Shale	1510	Lime	2585
Lime	1530	Shale	2590
Shale	1535	Lime	2600
Lime	1570	Shale	2605
Shale	1580	Lime	2655
Red rock	1590	Shale	2665
Lime	1735	Lime	2865
Red rock	1740	Shale	2872
Lime	1775	Lime	2890
Shale	1785	Red rock	2900
Lime	1815	Shale	2950
Shale	1825	Lime	3028
Lime	1850	Shale	3033
Shale	1855	Lime (Sandy)	3045
Lime	1567	Water	3050
Red shale	1875	Lime (soft)	3070
Shale	1880	Lime	3100
Lime	1895	Shale	3103
Shale	1920	Lime	3115
Lime	1950	Shale	3117
Red rock	1963	Lime	3225
Lime	1975	Shale	3235
Shale & shells	2030	Lime	3248
Shale	2045	Broken Lime	3260
		Conglomerate	3280
		Total Depth	3300

DRILLING
 FILE 17 16-114
 BOOK 47 45

APR 6 - 1946
 8

Show of Water

15 BWH 155'
 Water 220' - 235'
 15 BWH 270'
 HFW 295'
 HFW 405' - 420'
 2 BWH 1660' - 1665'
 1 BWH 2360' - 2370'
 1 1/2 BWH 2635' - 45'
 10 BWH 3045' - 50'
 HFW 3070'

Show of Oil

Small Show of Oil @ 3201'
 Show of Oil @ 3165'

TOPS:

Anhydrite 663
 Lansing 2950
 Base KC 3240
 Conglomerate 3251
 Total Depth 3300

STATE OF KANSAS)
) SS
 COUNTY OF BARTON)

We hereby certify this to be a correct and accurate log of the above described well as shown by daily drilling reports.

BLACK-MARSHALL OIL COMPANY

BY *Dean J. Munn*
 Assistant Secretary Treasurer

Subscribed and sworn to before me this 2nd day of April, 1946.

FILE 17 16 1110
 BOOK 47 45

Carmen Reinhardt Leifer
 Notary Public

My Commission Expires: February 19, 1949.

APR 6 - 1946
 NOTARY PUBLIC

BLACK-MARSHALL OIL CO.

1910 Broadway
GREAT BEND, KANSAS

April 5, 1946

State Corporation Commission
Conservation Division
800 Bitting Bldg.
Wichita 2, Kansas

Gentlemen:

The plugging of our C. Ney "East" #1 well has now been completed and we enclose executed well plugging record and drilling log covering same.

Yours very truly,

BLACK-MARSHALL OIL CO.

Leon F. Huff
Leon F. Huff

zlb
Enclosures

PLUGGING
FILE 8-16244
BOOK PAGE 47 LINE 45

