


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bliding Building
Wichita, Kansas

~~WELL PLUGGING RECORD~~

Strike out upper line
when reporting plugging
of formations.

NORTH



Barton County, Sec. 17 Twp. 16 Rge. (E) 11 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines SE 1/4, 330' from Nth & East lines

Lease Owner Sinclair Prairie Oil Co

Lease Name Edward Oeser

Well No. 1

Office Address Box 521, Tulsa, Okla.

Character of Well (Completed as Oil, Gas or Dry Hole) dry hole

Date, well completed February 15 1938

Application for plugging filed " 17 1938

Application for plugging approved " 19 1938

Plugging Commenced March 3 1938

Plugging Completed " 6 1938

Reason for abandonment of well or producing formation dry when drilled in

If a producing well is abandoned, date of last production -- 193

Was permission obtained from the Conservation Division or its agents before plugging was commenced?

yes

Name of Conservation Agent who supervised plugging of this well C.T. Alexander, Great Bend, Kas.

Producing formation Kans City Depth to top 2975 Bottom 3268 Total Depth of Well 3122 Feet.

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Kans City Lima	slight oil saturation at 3088			8 1/2"	243'	none
"		top 2975 base 3268		5-5/16"	3020	1756'
Note; well was drilled to 3272' or top of Cambrian, & to a TD 3277' cemented back to 3050' w/60 sax cement, then drilled to 3122 where shut down to plug & abandon..						

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

TD 3122'


Mud pumped in filled from 3122' - 2500'

" " " from 2500' - 295'

Wooden plug bridge at 295'

Cement dumped filled to 20'

Cement to top of hole 0'



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to O.E. Randolph

Address Box 650, McPherson, Kas.

STATE OF Kansas COUNTY OF McPherson ss.

O.E. Randolph (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature)

O.E. Randolph
McPherson Kas

(Address)

SUBSCRIBED AND SWORN to before me this 18 day of March 1938

My commission expires

5/12/1944

[Signature]

Notary Public.

WELL LOG

15009-151750000

Sinclair Prairie Oil Co. #1, Edward Oeser
 330' from the North & 330' from East lines
 SE/4, Sec.17-16S-11W, Barton Co. Kansas
 Elevation 1848'

Drilling Begun Dec.20-1937 drilled w/Franks Portable Rotary
 Completed Jan.28-1938 - dry hole

		Casing Record
Shale	4'	243' 8 $\frac{1}{2}$
Lime-Shale	12	3020' 5-3/16"OD
Blue Shale	245	
Gray Sand	327	
Gray Sandy Shale	405	
Gray Shale	427	
Hood Sand	452	
Red Shale	685	
Anhydrite	714	
Red Shale	990	
Shale & Gyp	1095	
Salt & Shale	1105	
Gyp & Shale	1130	
L. Stone	1570	
Shale	1580	
L. Stone	1634	
Sandy Shale	1640	
L. Stone	1675	
Shale	1694	
Lime	1715	
Shale, Broken Lime	1742	
Flint	1753	
Shale	1798	
Lime & Shale	1820	
Lime	1873	
Lime & Shale	1913	
Lime	1945	
Blue Shale	1995	
Shale & Lime	2054	
Lime	2090	
Lime & Shale	2391	
Sandy Shale	2414	
Lime	2444	
Shale & Lime streaks	2477	
Lime	2516	
Shale	2575	
Lime	2650	
Broken Lime	2662	
Lime	2770	
Shale & Lime Streaks	2792	
Lime	2828	Top Topeka 2813 base 2829' show oil
Lime & Shale	2904	
Shale & Lime	2977	Top K.C. 2975 base 3268'
Lime	3277	TD show oil 3066-81'
		Top Conglomerate 3268, No Arbuckle
		Top Cambrian or Quartzite 3272'

PLUGGING
 FILE 17-16-11W
 BOOK PAGE 8 LINE 8

Drilled in w/ portable cable tool from 3050'
 Rainbow oil, 200' water 3063-65 At 3068' filled up 800' water
 in 9 hrs. At 3088' show oil bailed 1 $\frac{1}{4}$ bbl water an hr.
 Acidized w/1000 gal. acid swabbed 8 $\frac{1}{2}$ bbl water 2 gal. oil an hr
 At 3107' swabbed 2 bbl oil 21 bbl water after swabbed down.
 Drilled to 3122' no increase, Shut down to Plug.
 Well was first drilled to 3277' then cemented back to 3050'