


15.167.00050.00.00

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

WELL PLUGGING RECORD



Locate well correctly on above
Section Plat

Russell County, Sec. 26 Twp. 13 Rge. 15 (X) (W)
Location as "NE/CNW/SW" or footage from lines NE NE NE
Lease Owner Addis & Hills
Lease Name Boxberger "B" Well No. 1
Office Address Russell - Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed November 7, 19 53
Application for plugging filed November 9, 19 53
Application for plugging approved November 9, 19 53
Plugging commenced November 10, 19 53
Plugging completed November 12, 19 53
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well C. D. Staugh
Producing formation Depth to top Bottom Total Depth of Well 3324 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Kansas City		3043		12 1/2	400	400
Arbuckle	Water	3310	3324	10	924	924
				8 5/8	2514	2514
				7	3056	3056

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Method used Mud Jet with pump

Start 7" filled with mud
Start 8 5/8" filled with mud
Start 10" filled with mud
Start 12" to 200' - set rock bridge
Cement with 40 sacks
Filled to 35' with mud
Put in rock bridge at 35'
Cement with 15 sacks to bottom of cellar

RECEIVED
STATE CORPORATION COMMISSION

NOV 16 1953

11-16-53

CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)


Name of Plugging Contractor Shields Oil Producers
Address Box 248 - Russell, Kansas

STATE OF KANSAS, COUNTY OF RUSSELL, ss.
Neil Nye (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Neil Nye
Box 248 - Russell, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 14th day of November, 19 53

Je Anne Logsdon
Notary Public.



24-7368-S 3-93-204

PLUGGING
FILE SEC 26 T 13 R 15W
BOOK PAGE 142 LINE 45

WELL LOG

ADDIS & HILLS
Boxberger B #1

NE/4 NE/4 NE/4
Sec. 36, Twp. 13 S, Rge. 15 W
Russell County, Kansas

Total Depth: 3324'
Commenced: October 1, 1953
Completed: November 7, 1953
Drilled with Shields' BE Spudder

CASING RECORD

Size	Run	Pulled
12 1/2"	400'	Pulled
10 3/4"	924'	Pulled
8 5/8"	2514'	Pulled
7 "	3056'	Pulled

Surface Elevation: 1880'
Treatment:
Production: D & A

-----Figures Indicate Bottom of Formations-----

Cellar	8	Lime	1800
Yellow Clay	40	Red rock	1825
Shale, dark	75	Lime	1850
Shale, gray	85	Lime, broken	1865
Shale, blue	135	Lime	1934
Shale, dark	150	Shale	1936
Shale, blue	200	Lime	1942
Sand	208	Shale, dark	1947
Shale, dark	230	Red rock	1960
Sand 11 BWPB	240	Lime, broken	1980
Shale, dark	278	Lime	2015
Red rock	300	Lime, broken	2030
Shale, gray	330	Shale, blue	2038
Sand HFW	365	Lime, broken	2050
Shale, gray	390	Lime	2070
Sand, hard	405	Lime, broken	2080
Shale, blue	415	Lime	2085
Sand	419	Red rock	2090
Iron	420	Lime	2100
Sand	435	Red rock	2105
Shale, blue	500	Lime	2147
Sand	508	Red rock Cave	2165
Shale, blue	515	Lime	2205
Shale, sandy	530	Lime, broken	2215
Shale, black	540	Shale, blue	2220
Sand	560	Red rock	2228
Red rock	923	Lime	2248
Anhydrite Lime	960	Shale, blue	2255
Red rock	1100	Lime	2290
Shale, dark	1140	Shale, blue	2300
Red rock	1200	Lime	2310
Shale, blue	1208	Shale	2320
Red rock	1220	Lime, broken	2345
Shale, blue	1305	Shale, blue	2355
Lime	1312	Lime	2360
Shale	1318	Shale, blue	2373
Salt	1548	Lime	2382
Shale, blue	1553	Shale, blue	2395
Lime	1570	Lime	2400
Slate	1575	Shale, black	2405
Lime	1620	Shale, blue	2415
Lime, broken	1670	Lime	2429
Lime	1685	Lime, broken	2435
Red rock	1694	Lime	2446
Lime	1740	Red rock	2448
Shale, blue	1745	Shale, sandy SG	2465
Red rock	1755	Shale, black	2475

PLUGGING
FILE SEC 36 T 13 R 15W
BOOK PAGE 142 LINE 45

STATE CORPORATION COMMISSION
NOV 16 1953
CONSERVATION DIVISION
Wichita, Kansas

Tarkio Sand	SSO	2481	Lime	2965
1/2 BWPH			Shale, blue	2969
Shale, sandy		2486	Lime	2993
Shale, black		2510	Shale, black, Heebner	2997
Lime		2528	Lime	3001
Shale & Shells		2535	Shale, blue Cave	3011
Shale, blue		2566	Lime, Dodge	3028
Lime		2587	Red rock	3032
Shale, blue		2590	Blue Slate SSO & G	3043
Lime		2600	K C Lime	3066
Shale		2610	Slate	3071
Lime, broken		2642	Lime	3168
Lime		2650	Lime, hard, sharp	3177
Shale & Shells		2665	Lime	3220
Shale, blue		2705	Red rock	3223
Lime		2721	Lime	3284
Shale & Shells		2730	Blue Slate	3253
Lime		2752	Lime, broken	3260
Shale, blue		2768	Lime	3280
Lime, Topeka		2847	Shale	3283
Shale, blue		2850	Lime	3301
Lime		2900	Blue Slate	3310
Shale		2903	Arbuckle Lime HFW	3324 TD

TOPS

Anhydrite	923
Tarkio	2475
Topeka	2768
Heebner	2993
Dodge	3011
Kansas City	3043
Arbuckle	3310

Arbuckle
Shale
Onion