RECEIVED

STATE OF KANSAS RECEIVED COMMISSION COMMISSION CONSERVATION COMMISSION KANSAS CORPORATION COMMISSION CONSERVATION COMMISSION CONSERVATION CONS

CONSERVATION DIVISION 200 Colorado Derby Building Wichita, Kansas 67202

DEC 20 1994 CONSERVATION DIVISION

WELL PLUGGING APPLICATION FORM

15-047-20,15-x (PLEASE TYPE FORM and File ONE Copy) WICHITA, KS API # D-17,685 SWD (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date. F. G. Holl Company L.L.C. KCC LICENSE # 5056 ADDRESS 6427 E Kellogg P.O. Box 780167 (operator's) Wichita CITY ZIP CODE 67278-0167 CONTACT PHONE # (316) 684-8481STATE Kansas LEASE NIXON WELL# 2-8 SEC. 8 T. 24 R. 17W (East/West) - SPOT LOCATION/QQQQ Edwards COUNTY 3080 FEET (in exact footage) FROM(S/N (circle one) LINE OF SECTION (NOT Lease Line) 440' FEET (in exact footage) FROM(E)W (circle one) LINE OF SECTION (NOT Lease Line) Check One: OIL WELL GAS WELL DGA SWD/ENHR WELL X DOCKET# D-17,685 CONDUCTOR CASING SIZE NONE SET AT CEMENTED WITH SACKS SURFACE CASING SIZE 8 5/8 SET AT 209' 200 CEMENTED WITH SACKS PRODUCTION CASING SIZE 4 1/2 SET AT 790' 200 CEMENTED WITH SACKS 657 to 681 Cedar Hills LIST (ALL) PERFORATIONS and BRIDGEPLUG SETS: T.D. 2410' PBTD 790 ANHYDRITE DEPTH (Stone Corral Formation) GOOD POOR CASING LEAK X JUNK IN HOLE CONDITION OF WELL: PROPOSED METHOD OF PLUGGING ___ Heavy Mud, Hulls, Cement and Halliburton Plug. (If additional space is needed attach separate page) IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? Yes IS ACO-1 FILED? Yes If not explain why? PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seg. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION. LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO HE IN CHARGE OF PLUGGING OPERATIONS: PHONE# 616) 995-3171 Art Merrick P.O. Box 158 City/State Belpre, Ks. 67519 ADDRESS PLUGGING CONTRACTOR Pratt Well Service ____ KCC LICENSE # _ (company name) 67124 (contractor's) ADDRESS P.O. Box 847 Pratt, KS PHONE # (316) _672-2531 PROPOSED DATE AND HOUR OF PLUGGING (If Known?) NA_ PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT AUTHORIZED OPERATOR/AGENT:



Kansas Corporation Commission

Joan Finney, Governor Susan M. Seltsam, Chair F.S. Jack Alexander, Commissioner Rachel C. Lipman, Commissioner Judith McConnell, Executive Director Brian Moline, General Counsel

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

December 21, 1994

F G Holl Company L L C 6427 E Kellogg P O Box 780167 Wichita KS 67278-0167

Nixon #2-8 API 15-047-20,158→0000 3080 FSL 440 FEL Sec. 08-245-17W Edwards County

Dear Art Merrick,

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging.

Please contact the district office for approval of your proposed plugging method at least at five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

~) · apa

David P. Williams
Production Supervisor

District: #1 304 W. McArtor Dodge City KS 67801 (316) 225-6760

P. O. Box 129 Sterling, Kansas 67579

WELL LOG - - - - - - NIXON #2
Located: 440' FEL, 440' FSL, NE/4, Section 8-24S-17W,
Edwards County, Kansas

OWNER: F. G. Holl
ROTARY DRIGLING CONTRACTOR: Sterling Drilling Company

COMMENCED: November 12, 1974 COMPLETED: November 18, 1974

TOTAL DEPTH: 2110'

LOG		CASING RECORD
0 - 210	Sand and Shale	Ran 6 joints 8 5/8" 28# used casing, 224.59' set at 209 G.L. Cemented with 200 sacks 60/40 Pozmix with 3% cc, 2% gel. Plug down at 4:45 AM, 11-13-74.
210 - 1150	Shale	
1150 - 1273	Anhydrite and Shale	
1273 - 1935	Shale	
1935 - 2279	Shale and Lime	
2279 - 2340	Lime	
2340 - 2410	Iime and Shale	Ran 25 joints h 1/2", 9.5# used seamless casing, 790.75' set at 790 C.L. Cemented with 175 sacks Howco Light, followed with 25 sacks regular with 3% cc. Plug down at h:10 PM, 11-18-7h.

CONSERVATION DIVISION

DEC 5 0 1884

KENSES CORPORATION COMMISSION