STATE OF KANSAS STATE CORPORATION COMMISSION Well Plugging Record K.A.R. -82-3-117

API NUMBER LEASE NAME

WELL NUMBER

15-155-21445-0000

Singleton

130 S. Market, Room 2078

. .

Wichita, Kansas 67202


TYPE OR PRINT

NOTICE: Fill out <u>completely and return</u> to Cons. Div. office within 30 days.

600 Ft. from 1320 Ft. from North Line of Section
West Line of Section

No. 1-20

LEASE OPERATOR	Hesse Petroleum Company, LLC S				SPOT LOCATIÓN 60'		' N, N. 1/2, NW			
ADDRESS	400 N. Woodlawn #7			Section	20	Townshp	24s	Range	9w	
CITY, STATE, ZIP	Wichita, Kansas 67208				County	Reno				
PHONE #	316-685-4746				_	Date Well Co	mpleted	Septemb	er 3, 200	
Character of Well	Well Dry and Abandoned				_ 	ate Plugging Com	menced	Septemb	er 3, 200	
		(Oil, Gas, D&A, SWE), Input, Water Supply We	11)		Date Plugging Co				
The plugging propo	sal was approv	red on	September 1, 2000	at 4:15 pm		_	•		date)	
by	Ralph Tittel	I				()	KCC Disti	ict Agen	t's Name	
Is ACO-1 Filed?	?		If not, is well log a	If not, is well log attached?		Yes				
Producing Formation(s)		D&A Depth to		h to Top	Тор Е			T.D.	3880	
-		ater, oil and gas formation		·		• –		_		
OIL, GAS OR WAT		,				CASING RECOR	:D			
FORMATION		CONTENT	FROM	то	SIZE	PUT IN		PULL OI	JT .	
Surface Soil and Sar	nds	Water sands	0	<u> </u>	3 and				_	
Redbeds		Shale	103	240 KB	8-5/8"	237		0'		
					1					
methods used in int	roducing it into	o the hole. If cement or	ed, indicating where the mother plugs were used, state							
		feet each set.								
			ed 12:30 pm 9/3/00 using		<u></u>					
			mud to 850', then 35sx, I							
			to surface. Cement did ci	rculate.						
	-	sx, mousehole 10sx. By								
Name of Plugging C			rilling Company			•				
Licence No.	51									
Address	P.O. Box 1	 	City: Pratt	State: Kansas	_	67124				
NAME OF PARTY F	RESPONSIBLE	FOR PLUGGING FEES:		Hesse Petro	leum Company	y, LLC		(Operator	
STATE OF	KANSAS COUNTY OF PRATT ,ss.					DECE	UCD			
						RECEIVED f above described well, Alexander Commission				
	albott, Agent					ribed well', 'bein'g' (first " a	r deve victory)	MOGION	
		-	cts, statements, and matter		and the log of	c	SFP N	8 200	ก	
the above described	l well as filed t	hat the same are true and	d correct, so help me God.			•	טרג ט	0 2000	J	
(Signature) <u>Jay M. J</u>			4			CON	CONSERVATION DIVISION			
		(Gary M. Talbott ,Vic	e-President of Sterling Dril	ling Company)			· minea.			
(Address)		P.O. Box 1006		City	r: Pratt	State: <u>K</u>	Cansas	Zip_	67124	
	SUBSCRIBI	ED AND SWORN TO mo	e this	day of <u>Le</u>	2 4 19	2000				



amela S. Fields)
(Notary Public)

Revised 12-92

Sterling Drilling Company, Rig #4

Box 1006, Pratt, Kansas 67124-1006 Office Phone (316) 672-9508, Fax 672-9509

SAMPLE LOG

Singleton No. 1-20

LOCATION:

60' N, N. 1/2, NW

Section T 24s R 9w

API:

15-155-21445-0000

Reno County, Kansas

OWNER: Hesse Petroleum Company, LLC

COMMENCED:

08/28/00

CONTRACTOR: Sterling Drilling Company, Rig #4

COMPLETED:

09/03/00

TOTAL DEPTH: DRILLER 3880 FEET **Ground Elevation:**

1680

LOGGER

3878 **FEET**

KB Elevation:

1689

LOG

103 FEET

1385 FEET

Top Soil and Sand Shale, Redbeds, Ahnhydrite and Salt

103 -1385 -

3880 FEET

Shale, Limestone and Chert

CASING RECORDS

Spud @ 7:45 am on 08-28-00. Drilled 12-1/4" hole to 240'. Ran 8 joints of used 20# 8-5/8" surface casing 226.73' set at 237' KB. Cemented with 190 sacks 60/40 Poz, 2% Gel, 3% CC. Cement did circulate. Plug down at 1:00 pm on 08-28-00 by Allied. Ticket # 4258.

Plugged well as follows:

Plugging began at 10:15 am 9/3/00, completed 12:30 pm 9/3/00 using 60/40 Poz-4% Gel Heavy mud 3880' to 1450', then 35sx, heavy mud to 850', then 35sx, heavy mud to 300', then 25sx, heavy mud to 60', then 20sx to surface. Cement did circulate. Plug rathole with 15sx, mousehole 10sx. By Allied ticket #4262.

DEVIATION SURVEYS

1/2 degree(s) at 240 feet 3/4 degree(s) at 3792 feet

> RECEIVED STATE CORPORATION COMMISSION

> > SEP 0 8 2000

CONSERVATION DIVISION Jickin, Kangue