

STATE OF KANSAS
STATE CORPORATION COMMISSION
Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division,
State Corporation Commission,
800 Bittling Building,
Wichita, Kansas.

RECEIVED
SEP 19 1935
me

15-079-00376-0000
WELL PLUGGING RECORD

Amended
D+17

OR
FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging of formations.

NORTH

+			

Locate well correctly on above 640 A. Plat

BY Harvey County. Sec. 15 Twp. 24 Rge. 3 (W)
Lease Name Elberson WELL NO. 1
Lease Owner J. C. Shaffer, Inc., & Hartman & Blair.
Office Address 913 Ramsey Tower, Oklahoma City, Oklahoma.
Character of Well (Oil, Gas or Dry) Dry Total Depth of Well 4015 Feet
Date, well, completed September 10th. 1935
Application for plugging and log of well filed September 14th., 1935
Application for plugging approved September 17th., 1935
Plugging Commenced September 17th., 1935
Plugging Completed September 17th., 1935
Reason for abandonment of well or producing formation Dry

If a producing well is abandoned, date of last production..... 193.....
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Officer who supervised plugging of this well.....

Producing formation None Depth to top..... Bottom.....

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				15 1/2"	136'3"	None
				12 1/2"	606'4"	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from.....feet to.....feet for each plug set.

Hole filled with mud laden fluid to bottom of 12 1/2" casing at a depth of 606 feet. 12 1/2" Casing pumped full of cement to top of hole.

PLUGGING
FILE SEC 15-T-24R-34
BOOK PAGE 19 LINE 1

(If additional description is necessary use BACK of this sheet)

Does the above conform strictly to the Conservation Division regulations? Yes

Was exception made?..... If so describe.....

Correspondence regarding this well should be addressed to J. C. Shaffer, Inc.,
Address 913 Ramsey Tower,
Oklahoma City, Oklahoma.

STATE OF Oklahoma. COUNTY OF Oklahoma. SS.

H. V. Middleton, (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) H. V. Middleton

913 Ramsey Tower, Oklahoma City, Okla.

(Address)

SUBSCRIBED AND SWORN to before me this 18th. day of September, 19 35

My commission expires.....

Notary Public.

J. C. SHAFER, INC. & HARTMAN & BLAIR

Elberson # 1, NW $\frac{1}{4}$ -NW $\frac{1}{4}$ -NW $\frac{1}{4}$, Section 15
 Township 24 South Range 3 West,
 Harvey County, ~~Okla~~ Kansas.

Gravel	0	90	Shale	2965	2970
Shale & Sandy Shells	90	525	Lime	2970	2980
Salt	525	650	Lime & Shale	2980	3030
Anhydrite	650	690	Shale	3030	3050
Shale	690	710	Lime	3050	3075
Shale & Anhydrite	710	740	Shale	3075	3090
Shale	740	780	Lime	3090	3100
Anhydrite	780	790	Shale	3100	3120
Shale	790	810	Lime & Shale	3120	3130
Lime	810	820	Shale	3130	3140
Shale	820	840	Lime	3140	3180
Lime	840	890	Broken Shale & Lime	3180	3379
Shale	890	1000	Lime	3379	3500
Lime	1000	1070	Lime & Chert	3500	3800
Shale	1070	1140	Shale & Lime	3800	3825
Lime	1140	1160	Shale	3825	3837
Shale	1160	1180	Sand & Shale	3837	3844
Lime	1180	1190	Lime	3844	3885
Lime & Shale	1190	1240	Lime & Shale	3885	3890
Lime	1240	1250	Shale	3890	3937
Lime & Shale	1250	1300	Lime	3937	3962
Shale	1300	1330	Sandy Lime & Sand	3962	3969
Lime	1330	1360	Sand	3969	4010
Lime & Shale	1360	1390	Sand & Green Shale	4010	4015TD
Shale	1390	1645			
Lime	1645	1660			
Shale	1660	1690			
Lime & Shale	1690	1710			
Shale	1710	1720			
Lime	1720	1730			
Shale	1730	1740			
Lime	1740	1755			
Shale	1755	1770			
Lime	1770	1885			
Shale	1785	1812			
Lime	1812	1817			
Shale	1817	1910			
Shale & Lime	1910	1940			
Shale	1940	1990			
Sand & Shale	1990	2000			
Shale	2000	2030			
Lime & Shale	2030	2065			
Lime	2065	2075			
Lime & Shale	2075	2090			
Shale	2090	2100			
Lime	2100	2110			
Shale	2110	2120			
Lime & Shale	2120	2150			
Shale	2150	2225			
Lime	2225	2450			
Shale	2450	2560			
Lime	2560	2570			
Shale	2570	2600			
Shale	2600	2615			
Lime	2615	2880			
Shale	2880	2890			
Lime	2890	2900			
Lime & Shale	2900	2920			
Shale	2920	2945			
Lime	2945	2965			

Casing Record:

Ran 172' of 16" OD Casing
 Cemented with 250 Sacks of Cement.

Ran 620' of 13" OD Casing
 Cemented with 135 Sacks of Cement.

