

STATE OF KANSAS  
 STATE CORPORATION COMMISSION  
 200 Colorado Derby Building  
 Wichita, Kansas 67202

WELL PLUGGING RECORD

K.A.R. 82-3-117

9-25-97

1997 SEP 25  
 KANSAS CORP COM

TYPE OR PRINT  
 NOTICE: Fill out completely  
 and return to Cons. Div.  
 office within 30 days.

API NUMBER 15-195-20,731-0001

LEASE NAME Honas A

WELL NUMBER 3

2970 Ft. from S Section Line

990 Ft. from E Section Line

SEC. 28 TWP. 11 RGE. 22 (XXX) (W)

COUNTY Trego

Date Well Completed 1/15/81

Plugging Commenced 8-28-97

Plugging Completed 9-5-97

LEASE OPERATOR Vess Oil Corporation  
 ADDRESS 8100 E. 22nd St. N, Bldg 300 Wichita, KS  
67226

PHONE# (316) 682-1537 OPERATORS LICENSE NO. 5030

Character of Well \_\_\_\_\_

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on 8-13-97 (date)

by Dennis Hamel (KCC District Agent's Name).

Is ACO-1 filed? yes If not, Is well log attached? \_\_\_\_\_

Producing Formation injection Depth to Top 3622 Bottom 3625 T.D. 4025  
Lansing B

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS | CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled out
Lansing B	oil & sw	3613	25	8-5/8	249	none
				4-1/2	4003	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.

Pump 10 sx 60/40 Poz mix, 10% gel down 8-5/8 & 4-1/2 annulus-600# max.  
SI @ 500#. Pumped down 4-1/2 casing with 185 sx 60/40 Poz mix, 10% gel,  
400#hulls, 1000# max. SI @ 500#. Cmt close to surface. Cut off 8-5/8  
and 4-1/2" and weld on cap.

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Allied Cementing License No. \_\_\_\_\_

Address P.O.Box 31, Russell, KS 67665

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: Vess Oil Corporation

STATE OF Kansas COUNTY OF Sedgwick, ss.  
W.R. Horigan

(Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) WR Horigan

(Address) \_\_\_\_\_

SUBSCRIBED AND SWORN TO before me this 23rd day of September, 1997

MICHELLE D. HENNING  
 NOTARY PUBLIC  
 STATE OF KANSAS  
 My Appt. Exp. 7/16/2001

Michelle D. Henning  
 Notary Public

# Electra Log Inc.

SEC. 28 TWP. 11S RGE. 22W.

## Radiation Guard Log

COMPANY KANSAS OIL CORPORATION

15-195-20731-0060

WELL HONAS "A" # 3

FIELD SHAW CREEK

COUNTY TREGO STATE KANSAS

Location SW-SE-NE Other Services:

Sec. 28 Twp. 11S Rge. 22W

Permanent Datum: GROUND LEVEL Elev. 2316 Elev. K.B. 2324  
 Log Measured From: K.B. FIVE Ft. Above Perm. Datum D.I. 2321  
 Drilling Measured From: KELLY BUSHING G.I. 2316

Date: 12-9-80  
 Run No.: ONE  
 Depth - Driller: 4025  
 Depth - Logger: 4028  
 Bit Log Int: 4027  
 Top Log Int: 0  
 Casing - Driller: 8 5/8" 250  
 Casing - Logger:  
 Bit Size: 7 7/8  
 Log Band in Hole: DRISPAC  
 Dens. | Visc.: 9.4 | 48  
 PH | Fluid Loss: 8.5 | 9.6 ml  
 Source of Sample: FLOWLINE  
 Re. @ Meas. Temp.: .71 @ 44 | @ | @  
 Re. @ Meas. Temp.: .53 @ 44 | @ | @  
 Re. @ Meas. Temp.: 1.06 @ 44 | @ | @  
 Source Re. K.: CHARTS  
 W. @ Bill: .269 @ 116 | @ | @  
 Time Since N: 4 HOURS  
 Max. Re. Temp.: 116  
 Log # Location: 138 KANSAS  
 Reported By: D. HERMAN  
 Written By: MR. STEWART

### EQUIPMENT DATA

GAMMA RAY  
 UN NO. ONE  
 LOG TYPE LOG TYPE  
 TUB. MODEL NO. GCN 56 X  
 DIAMETER 3 3/4"  
 SCINTILLATION APA  
 TYPE DUAL PROPORTIONAL  
 LENGTH 1"  
 STANCE TO SOURCE 56  
 GENERAL  
 138  
 138  
 509

NEUTRON  
 ONE  
 NEUTRON  
 GCN 56 X  
 3 3/4"  
 APA  
 DUAL PROPORTIONAL  
 1"  
 56  
 56  
 16.5"  
 Ra Be  
 300 M.G.

### LOGGING DATA

GAMMA RAY		NEUTRON	
UNIT	FROM	API GR. UNITS PER LOG DIV	API N. UNITS PER LOG DIV.
1	4027	10	100
1	3500	10	100
GAMMA RAY		NEUTRON	
TC	SEC	SENS. SETTINGS	ZERO DIV L OR R
2	1	220	7L
1	1	220	7L
GAMMA RAY		NEUTRON	
TC	SEC	SENS. SETTINGS	ZERO DIV L OR R
2	1	100	7L
1	1	100	7L