FORM MUST BE TYPED

CONFIDENTIAL

SIDE ONE

ORIGINAL

STATE CORPORATION COMMISSION OF KANSAS	API NO. 15 - <u>055-21694-0000</u>
OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM	County FINNEY
ACO-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE	E 10' SE/2W/2SW_Sec34Twp22Rge34XW
OPERATOR: License # 5363	1310 Feet from S N (circle one) Line of Section ELEASED
Name: BEREXCO INC.	990 Feet from E W (circle one) Line of Section
Address 100 N BROADWAY, STE 970	Footages Calculated from Nearest Outside Section Corner: NE SE NW SW (circle one)
City/State/Zip WICHITA, KS 67202 KCC	Lease Name CORMACK Well FROM CONFIDENTIAL
Purchaser: CENTRAL CRUDE	Field Name TERRY
Operator Contact Person: EVAN MAYHEW APR 0 4 200	Producing Formation ST Lows MARMATON, LANSING
Phone (316) 265-3311 CONFIDENTIA	Elevation: Ground: 2950' KB: 2961' Total Depth
Contractor: Name: NORSEMAN DRILLING INC.	
License: 3779	Amount of Surface Pipe Set and Cemented atFeet
Wellsite Geologist: CURTIS COVEY	Multiple Stage Cementing Collar Used? Yes X No
Designate Type of Completion you Evan Markon =	If yes, show depth setFeet
X New Well Re-Entry Workove	If Alternate II completion, cement circulated from
X Oil SWD SIOW Temp. Abd. W	Expet dep (Sto w/sx. cmt.
DryOther (Core, WSW, Expl., Cathodic, etc)	Odlling Find Management Plan (A) Bata must be collected from the Reserve Pit)
X Oil SWD SIOW Temp. Abd. SIGW On SIGW On SIGW SIGW ON SIGWON ON SIGMON SIGMON ON SIGMON O	ATIO.
Operator: $\mathcal{L}_{\mathcal{L}_{\mathcal{L}_{\mathcal{L}_{\mathcal{L}_{\mathcal{L}}}}}}$	nehloride⊋ortent 1050 ppm Fluid Volume 6000 bbls
Well Name:	Bewatering method used EVAPORATION,
Comp. DateOld Total Depth	Location of fluid disposal if hauled offsite:
Deepening Re-Perf Conv. to Inj / SWD Plug Back PBTD	Operator Name
Commingled Docket No. Dual Completion Docket No.	Lease Name
Other (SWD or Inj ?) Docket No.	FROM CONFIDENTIAL Quarter Sec Twp S Rge E W
12/14/00 1/5/01 2/20/01 Spud Date Date Reached TD Completion Date	County Docket No.
- Room .2078, Wichita, Kansas, 67202, within 120 days of Rule 82-2-130, 82-3-106 and 82-3-107 apply. Information on 12 months if requested in writing and submitted with the months). One copy of all wireline logs and geologist well re	Il be filed with the Kansas Corporation Commission, 130 S. Market the spud date, recompletion, workover or conversion of a well. In side two of this form will be held confidential for a period of the form (see rule 82-3-107 for confidentiality in excess of 12 apport shall be attached with this form. ALL CEMENTING TICKETS will be seen with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to reg with and the statements herein are complete and correct to the best of i	
Signature Won (May)	K.C.C. OFFICE USE ONLY
Title // VUTION ENGR: Date 4-4-0/	F Letter of Confidentiality Attached C Wireline Log Received
Title DIVITION ENGR. Date 4-4-01 Subscribed and sworn to before me this day of April	C Geologist Report Received
20 of .	Distribution KCC SWD/Rep NGPA
Notary Public Java E Flor	KGS Plug Other (Specify)
Date Commission Expires DIANA E PLOTNER	(оросну)
NOTARY PUBLIC STATE OF KANSAS My Appt. Exp.	Form ACO-1 (7-91)

1 /	111121	an	\$	SIDE TWO			MIT	EDEN	MUJ	'
Operator Name	BEREXCO'INC	110		Lease N	ame <u>(</u>	CORMACK	וות	Well	hida	_ '
Sec34Twp	22 Rge 34	East		County	FINN	EY				
		X West								
INSTRUCTIONS: S interval tested, time hydrostatic pressure if more space is no	tool open and cl	osed, flowing and perature, fluid rec	shut-in p	ressure, wh	ether shu	t-in pressure re	ached static level,			
Drill Stern Tests Take (Attach Addition		X Yes	□No	XLog	Form	ation (Top), Dep	th and Datum	Samp	le	_
·	•	☐ Yes	ΧNο	Name			Тор	Datum	า	
Samples Sent to Geo	ological Survey	_		Heet			3746	-785		
Cores Taken	·	∐ Yes	X No		as City		3798 4136 4276	-837 -1175	j.	
Electric Log Run (Submit Copy.)		X Yes	UNo	St. L	naton ouis	11.0	4679	-1315 -17 _. 18		
List All E. Logs Run:	(NB) KCC		- '	, -		{! ;{;	i'i,			
JuD Dual Induction (121	! <u>.</u>			
Neutron-Density Microlog	1 3 1 3 3			A SAG						
CBL	1 25									
				_						
		CASING REC	orn F	New	X Used		• ;			
	F	Report all strings se						NATA (NATA) Carabanan Ka	arright the co	Y W. S.
Purpose of String	Size Hole	Size Casing	Weigh			Type Of	# Sacks		pe and Percent	-
•	Drilled	Set (In O.D.)	Lbs/F	t Depti	1	Cement LITE	Used 650	3% (Additives CC 1/4# FLAKES	
Surface	12 1/4	8 5/8	24	1825		COMMON	- 125	3%.0	CC 1/4# FLAKES	_
决*	·	1.74	14# 8			400.1	220		# CII CONITE	
Production	7 7/8	5 1/2	15.5# DV	4838	_	LITE	220		# GILSONITE CC 1/4# FLAKES	
		<u></u>	Tool	3304		COMMON	50	- ' '		
	ADDITIONAL C	EMENTING / SQUI	EEZE REC	CORD		·r				
Purpose:	Depth Top Bot	tomi Type o	f Cement	# Sacks ent Used Type and Percent Additives						
Perforate	100 500		COLLICIA				. 950 0.10 1 0.10			7
Protect Casing					_					_
Plug Back TD Plug Off Zone				İ		•				
Fig Oil Zoile										
Shots Per Foot		RECORD - Bridge age of Each Inter					acture, Shot, Cem Kind of Material U		Record Depth	
4	,	4764-70	<u> </u>			15% HCL		-	4764-70	
4		4360-63 4297-4302			NONE_	15% HCL			4360-63 4297-4302	
4		4032-35				15% HCL_			4032-35	-
4		4000-4004				15% HCL			4000-4004	\neg
		3894-97			500 GALS	.15% HCL			3894-97	
ľ		. ,								
TUBING RECORD	Size	Set At	Packe	er At	Liner Run		X No			
	2 3/8	4785	N	ONE		Yes	X . No			
Date of First, Resu	med Production, S	SWD or Inj	Producin	g Method	Flowing	X Pumping	Gas Lift	Other (Ex	plain)	
5-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	3/22/01	NI DLI-	0							_
Estimated Production	on C	Oil Bbls	Gas	MCF	Water	Bbls	Gas - Oil Ratio	.\ Gravit	у .]
Per 24 Hours Disposition of Gas:	_	16	MÉTHOI	0 OF COMPI	ETION	50	<u> </u>		39 . ction Interval	
	. مما المما	an Longo				Dually Carry	Y Commission	•		
	oldUsed of submit ACO-18.)	on Lease	∪рей	Hole X	ren L	Dually Comp	X Commingle	ed <u>3894</u> ⊸	11.10	_
(ii veiked, s	addist NOO-10.)		Other	(Specify)						_

15-055-21694-0000

DRILL STEM TESTS

CORMACK #6

FINNEY COUNTY Sec. 34 - T22S - R34W ORIGINAL

RELEASED

MAY 1 5 2003

FROM CONFIDENTIAL

CONFIDENTIAL

3889'-99'
Rec 180' MCW, show of oil
IFP - 20-46# FFP - 50-91#

ISIP - 121# FSIP - 124#

DST#2 3990'-4003'

DST #1

>,7

Rec - 5' mud w/oil spots IFP - 33-33# FFP - 44-44#

ISIP - 94# FSIP - 97#

DST#3 4017'-4028'

Rec - 30' MCW

IFP - 10-20# FFP - 13-29# ISIP - 358# FSIP - 305#

KCC

APR 0 4 2001

CONFIDENTIAL

ALLIED CEMENTING C. , INC. Federal Tax I.D.# 48-0727860 OX 31 ELL, KANSAS 67665 OX 31 ELL, KANSAS 67665

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

15-055-21694-0000 SERVICE POINT:

Oakley

DATE 12-16-00 SEC. TWP. 5 R		CALLED OUT	ON LOCATIONAL 10:45	JOB STÄRT	JOB FINISH PA
10-10-00	34	20	4	COUNTY	STATE
	OCATION 1319)	ave Rol + 2in		Finnay	<u> Kan</u>
OLD OR NEW (Circle one)		2%	W-N.S]	
CONTRACTOR Norseman T	DIL CO#2	OWNER	Same		
TYPE OF JOB Suc Face	215	O WY ZEL			
HOLE SIZE 12'/4 T.D.	18291	CEMENT			
CASING SIZE 8 % DEPT	н 1825	AMOUNT ORI	DERED/25	SKs Com.	3%cc
TUBING SIZE DEPT	<u>H</u>	_650_5Ks	1.10,3%	cc <u>, ו/4</u> #¥1	2-5acl
DRILL PIPE DEPT		<u> </u>	•		
TOOL DEPT			10-	@ 7 <u>55</u>	943 25
PRES. MAX MINIS	MUM	COMMON	125 sks	_@ _@	
MEAS. LINE SHOE CEMENT LEFT IN CSG. 45,	JOINT 45.	EDPOZMIX	1\$	_	
PERFS.	<i></i>	CHLODIDE	25 5K2	@ 2800	700-
DISPLACEMENT	MAY 1 5 20	11.5	50 1/2	@ 705	4 58250
EQUIPMENT		- Felo-Sect	163#	@ 1.15	18745
EQUITMENT	FROM CONFID	EN INC		@	
DATE OF THE PROPERTY OF THE PR	alt	-			,
_	lait				
# 300 HELPER L	oyne	HANDLING_	840 SK3	@ <u> Øs</u>	8825
# 280 DRIVER Le	er M	MILEAGE	44 par 5K/	siilo	1,5/2=
BULK TRUCK					20.070
# 212-218 DRIVER And	rew- Dave	RECEIVE	=1)	TOTAL	8,80770
	<u>-</u>	, MAY 28 %	ԱՄ&		
REMARKS:		i i.e.a. way (*) 1/4	SERVI	CE .	
		KCC WICH			
		DEPTH OF JO)B	.,	
Margar DW Gr	2	PUMP TRUCK			1,08000
		EXTRA FOOT		_@	
Float Held		MILEAGE	45- miles	@ 3 <u>00</u>	135-50
		_ PLUG <u>8%</u>	8 Rubban		
	9 1 a -	_		_@	
	rete to		**	@	
			•		00
***				TOTAL	1,305
CHARGE TO: Beverco	Inc	_			
STREET			FLOAT EQU	IPMENT	The same of the sa
	•	_	8		
CITYSTATE	ZIP	1- /work	2 Shop	@	15 00
		1- AFU	N 2-54		325 00
		3- Cont	ralizes	@ <u>55 40</u>	165 00
			····································	@	
To Allied Cementing Co., Inc.		• • • •	<u>-</u>	@	
You are hereby requested to rent ceme	enting equipment				0 - 0
and furnish cementer and helper to as				TOTA	L <u>705 ^e</u>
contractor to do work as is listed. The					
done to satisfaction and supervision o	f owner agent or	TAX			
contractor. I have read & understand	the "TERMS ANI	D			
CONDITIONS" listed on the reverse		TOTAL CHAI	RGE		
		DISCOUNT -		IF PA	ID IN 30 DAYS
() A D AnsL		1		-00	
SIGNATURE ALL TOUR		Yah	Katel	4	
SIGNATURE VA IV		- <u> \\</u> \\\\	PRINT	ED NAME	
I *			1 10111		

ALLIED CEMENTING CO., INC.

15-055-21694-0000

PRINTED NAME

SERVICE POINT: REMIT TO P.O. BOX 31 Willy RUSSELL, KANSAS 67665 OAKLEY JOB START SEC. RANGE ON LOCATION JOB FINISH CALLED OUT 340 8200 AM 225 12:15AM DATE 8.50 A CORMACK COUNTY STATE LOCATION HOLCOMB 7N-23/4W NIAto FINNE LEASE OLD OR NEW Circle one) OWNER 5 AME NORSE MAN DRLG TYPE OF JOB PROductson straws" **CEMENT HOLE SIZE** 4840 **CASING SIZE DEPTH** AMOUNT ORDERED 2205KS ASC 5 #65L500= 10 765ALT 286EL **TUBING SIZE DEPTH** 500 64L WFK-2 DRILL PIPE DEPTH TOOL D-U PRES. MAX MINIMUM 200 PST. 1200 PSI MEAS. LINE **POZMIX** CEMENT LEFT IN CSG GEL **@** PERFS. **CHLORIDE** @ 100 H 37BBL WATER 6. Sonite DISPLACEMENT 80BBL MUD TOTAL 1176BL 5K-5 @ 541t **EQUIPMENT** @ 500 541 @ PUMP TRUCK **CEMENTER** @ # 300 **HELPER** HANDLING @ **BULK TRUCK** MILEAGE 218 DRIVER LOWINTE RELEASED **BULK TRUCK** JIM DRIVER DAUTO MAY 1 5 2003 FROM CONFIDENTIAL SERVICE **REMARKS:** WFR-2 Followes MIX 500 GAL 220 SKS ASC 5#6ILSONITE 10% SALT 290 DEPTH OF JOB PUMP TRUCK CHARGE 1.0800 GEL + DISPLACE WITH 37BBL WATER BO BOL MUDY PLUG DID INSERT HELD, EXTRA FOOTAGE @ MILEAGE 45 miles @ PLUG @ @ THANK YOU @ RECEIVED TOTAL 1.215 MAY 28 YUUL CHARGE TO: BEXEXCO , TNC, KCC WICHITA FLOAT EQUIPMENT STREET _ CITY_ STATE_ - 6 uzd E AFU INSERT @ <u>50 00</u> - CENTRALTZERS @ 12800 BASKETS @_ Tool To Allied Cementing Co., Inc. TREAD LOC You are hereby requested to rent cementing equipment TOTAL and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TAX_ contractor. I have read & understand the "TERMS AND TOTAL CHARGE -CONDITIONS" listed on the reverse side. DISCOUNT -IF PAID IN 30 DAYS

SIGNATURE W 🔊

ALLIECCEMENTING CD., INC. WULT REMIT TO P.O. BOX 31 **RUSSELL, KANSAS 67665** SEC 74 TWP. CALLED OUT

15-055-21694-0000 SERVICE POINT: OAKLEY ON LOCATION JOB START JOB FINISH 1:00 PM 12115 AM 12,00/1 COUNTY 1/4 # Flo-SLAL @ @ @ @ @ @ @ @ 4¢ Do SKI mi **SERVICE** 830 T 580 @ 43 @ @ @ FLOAT EQUIPMENT @ @ @ @ @ TOTAL _

RANGE 340 CORMACK LOCATION HOLCOMG 7N-23/W-NINTO OLD OR NEW (Circle one) CONTRACTOR NORSEMAN DILL RIG SAME OWNER TYPE OF JOB PRODUCTION STRING "TOP STAGE 77/8 4841 **CEMENT** T.D. **HOLE SIZE** 4840 AMOUNT ORDERED **CASING SIZE DEPTH** 255 SKS LIFE **TUBING SIZE DEPTH** DRILL PIPE DEPTH 3307 TOOL OU DEPTH MINIMUM 300 PSI 50 sks PRES. MAX 1500 PSI COMMON __ SHOE JOINT 42:16 POZMIX MEAS. LINE 42,16: CEMENT LEFT IN CSG. **GEL** PERFS. **CHLORIDE** 80 3/4 BBLI DISPLACEMENT **EQUIPMENT** TERRY **PUMP TRUCK** CEMENTER 300 **HELPER** WAYWE HANDLING BULK TRUCK # 2/2 **MILEAGE** MAUIN DRIVER RELEASED BULK TRUCK 260 DRIVER TIM MAY 1 5 2003 REMARKS: FROM CONFIDENTIAL D-U Took CIRC FOR 3 ARS MIX 10 5KS MOUSE Hole DEPTH OF JOB M±X 15 SKS RAT HOLE PUMP TRUCK CHARGE MIX 230 SKS LITE 1/4# F/6-SEAL 276 CC EXTRA FOOTAGE Followed BY 50 5Ks COM + DISPLACE WITH 803/4BBL, TOOL HELD MILEAGE PLUG THANK YOU. RECEIVED MAY 28 200% CHARGE TO: BEREY CO, TWC, KCC WICHITA STREET To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TAX contractor. I have read & understand the "TERMS AND TOTAL CHARGE ____ CONDITIONS" listed on the reverse side. DISCOUNT - IF PAID IN 30 DAYS **SIGNATURE** PRINTED NAME