RECEIVED

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

SEP 17 2001

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE ORIGINAL

KCC WICHITA	ONTOINAL
Operator: License # 32446	API No. 15 - 095-00903 - 0001
Name: Merit Energy Company	County: Kingman County, KS
Address: 12222 Merit Drive, Suite 1500	SW_NW_SE_sec26_Twp30_s. R. 08
City/State/Zip: Dallas, TX 75251	1650' feet from S N (circle one) Line of Section
Purchaser: Pioneer	1000' feet from E W (circle one) Line of Section
Operator Contact Person: Susan Austin-Morse	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>972</u>) <u>383-6526</u>	(circle one) NE (SE) NW SW
Contractor: Name:	Lease Name: West Spivey Unit Well #: 16
License:	Field Name: Spivey-Grabs Basil
Wellsite Geologist:	Producing Formation: Mississippi
Designate Type of Completion:	Elevation: Ground: 1628' Kelly Bushing: 1633'
New Well Re-Entry Workover	Total Depth: 4443' Plug Back Total Depth: 4368'
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 200' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ✔No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Musgrove Drilling	feet depth tosx cmt.
Well Name: Messenger - Boyle #1	
Original Comp. Date: 11/14/60 Original Total Depth: 4443'	Drilling Fluid Management Plan Whitever UN 5-13.03 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	, i
Other (SWD or Enhr.?) Docket No	Operator Name:
10-24-60 11-8-60 08-16-01	Lease Name: License No.:
Spud Date or Date Reached 1D Completion Date or	Quarter Sec TwpS. R 🗌 East 🗌 West
Recompletion Date Recompletion Date	County: Docket No.:
Correction of Well Record Only ?	
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, the control of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-3 and geologist well report shall be attached with this form. ALL CEMENTING S. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	
Signature: Auran Clush - Worse	KCC Office Use ONLY
Title: Regulatory analyst Date: 9/13/01	Letter of Confidentiality Attached
Subscribed and sworn to before me this 13 day of 5.	If Denied, Yes Date:
.1 2001	Wireline Log Received
19 min	Geologist Report Received
NOTARY PUBLIC	UIC Distribution
Comm. Exp. 11-24-2001	

Operator Name: Merit Energy Company Sec. 26 Twp. 30 S. R. 08 East West					County: Kingman County, KS				Well #: _16			
												NSTRUCTIONS:/Si ested, time tool ope emperature, fluid red Electric Wireline Log
Drill Stem Tests Taken ☐ Yes ☑No (Attach Additional Sheets)				es 🕡 No		₽L	og Formatio	on (Top), Depth	pth and Datum		Sample	
Samples Sent to Geological Survey			Пү	☐ Yes ☑ No			e '		Top Da			
Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run:		□	es 🛂 No	Lansing Heebne		_		3543' 3341'				
					Mississippi			4334' (-2700)				
ė												
		·	Repo	CASING I		Ne	ew Used ermediate, product	tion, etc.				
Purpose of String		te Hole Orilled		e Casing (In O.D.)		ight . / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent	
Surface	12-1/	/4"	8-5/8"		15#		200'	Pozmix	175sx			
Long String	7-7/8	3"	5-1/2"		14#		4442'	Common	125sx			
· ·							<u> </u>					
		Depth Bottom				#Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone												
Shots Per Foot	PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perfora)	Acid, Fracture, Shot, Cement Squeeze Rec (Amount and Kind of Material Used)				Depth	
4 4374-84'							original com	nal completion 11/60				
	52' (52 h	oles)				2/61 perfs a	dded	lded				
BP @ 4368'							2/61					
TUBING RECORD	Size		Set At		Packer	At	Liner Run					
Date of First, Resume	7/8 d Production	, SWD or E	4354' nhr.	Producing Meth		Flowin		Yes V N		er (Explain	.1	
8-16-01 Estimated Production		Gas	Mcf Wate				Gas Lift Other		Gravity			
					10	,		2,500:1		31.5		
	ME Used		COMPLETIC	ON Open Hole Other (Speci	v Per	rf. 🔲 1	Production Inter	. Commingled .				
					-7/				Military Marie Care Military Military		:	