


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

Barton County, Sec. 26 Twp. 16S Rge. (E) 11 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$
Lease Owner The Ohio Oil Company
Lease Name L. V. Kraft Well No. 1
Office Address Box 710, McPherson, Kansas.
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed May 22, 1943 19
Application for plugging filed May 23, 1943 19
Application for plugging approved May 24, 1943 19
Plugging commenced May 24, 1943 19
Plugging completed May 24, 1943 19
Reason for abandonment of well or producing formation Non Productive



Locate well correctly on above Section Plat.

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. C. T. Alexander
Producing formation Depth to top Bottom Total Depth of Well 3458 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Kansas City Lime	Non Productive			8-5/8"	332'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet, for each plug set.
Filled with mud from 3461 to 329'. Set Bridge 329 and used 15 sacks cement to 284'.
Filled hole with mud from 284 to 26'. Bridged hole at 26'. Cemented with 10 sacks from 26' to 6'

PLUGGING
FILE SEC 26 16-R11W
BOOK PAGE 75 LINE 30

07-07-43



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The Ohio Oil Company
Address Box 710, McPherson, Kansas.

STATE OF Kansas, COUNTY OF Sedgwick, ss.
Barton C. Dunn (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Barton C. Dunn
Box 86 Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 6th day of July, 1943

My commission expires January 8, 1947
Jane Call Notary Public.

THE OHIO OIL COMPANY.
 L. V. Kraft #1.
 Elevation: 1912'.


Sec. 26-166-11W
 NE 1/4 NE 1/4 SW 1/4
 Barton County, Kansas.

Total Depth: 3461 = 3458 D.F.
 Commenced: May 4, 1943.
 Completed: May 24, 1943.

Formation	Depth
Shale and lime	258
shale and broken lime	368
shale and shells	690
shale and streaks of lime	715
Anhydrite, shale and shells	815
Shale and shells	1400
lime and shale	1665
Broken lime and shale	1700
Shale w/streaks of lime and sand	1810
Lime and shale	1886
Shale - streaks of sand	1944
Lime and shale	2050
Sand	2068
Broken lime and shale	2108
Lime and sand	2305
Lime, shale streaks of sand	2410
Sandy shale	2418
Lime and shale	2436
Shale w/streaks of lime	2530
Broken lime and shale	2645
Lime and shale	2800
Broken lime	2855
Broken lime and shale	2924
broken lime and shale	3060
Lime	3080
Oolitic Lime	3090
Cherty Lime	3114
Crystalline Lime	3116
Shale and lime	3127
Cherty lime	3130
Lime	3160
Lime and shale	3171
Finely crystalline, coarse oolitic, good porosity, NS	3191
Lime, trace oolitic chert	3201
Cherty lime	3210
Gray and green shale and dense lime	3222
Red shale and lime	3226
Dense lime	3237
Gray and black shale	3242
Lime	3256
Crystalline, oolitic, poor porosity, no shows	3264
Dense lime	3291
Various colored shale, pyrite, trace of sand	3296
White cherty lime	3297
Pyrite, lime, trace sand	3304
Dark maroon and gray shale, and dense broken lime	3340
Ditto and Chert	3346
Cherty white lime	3358
Red Shale	3365
Cherty Lime	3380
Various colored shale, sandy	3387
Various colored shale and chert	3412
White chert and white sandy sh.	3421
Coarsely crystalline white dol.	3430
White cherty dolomite, porous	3461

Top Lansing 3087
 Top Penn. Conglomerate 3384
 " Arbuckle 3418
 Derrick Floor Mens.

PLUGGING
 FILE SEC. 26-166-11W
 BOOK PAGE 75 LINE 30



T.D. 3461 = 3458 Derrick Floor.