TO: /-8-	96 API Number: 15 04-30-50
STATE CORPORATION COMMISSION	
CONSERVATION DIVISION - PLUGGING	<u>W2 NW NE</u> /4 SEC. <u>29</u> , <u>16</u> S, <u>11</u> W
130 SOUTH MARKET, SUITE 2078 WICHITA, KANSAS 67202	4655 feet from S section line
WICHITA, KANSAS 67202	2265 feet from E'section line
Operator license# 4252	Lease: Seyfert "A" Well # 10
Operator: Kahan & Associates, Inc.	County: Barton
Address: P.O. Box 700780 Tulsa, OK 74170	Well total depth 3281 106.63 feet Conductor Pipe: 0 inch @ 0 feet Surface pipe 10 3/4 Inch @ 330 feet
Aband. oil well_x_, Gas well, Input well	, SWD, D & A
Plugging contractor: Mike's Testing and Sa	lvage, Inc. License# 31529
Address: P.O. Box 209 - Chase, Kansas 6752	4
Company to plug at: Hour: 9:00 A.M. Day: 8 Month: January Year: 1996	
Plugging proposal received from: Mike Kelso	·
Company: Mike's Testing and Salvage, Inc.	Phone: 316-938-2943
Were: Order 330 sxs 60/40 posmix - 10% gel	
Plug while pulling casing.	
<u> </u>	
Plugging Proposal Received by: Herb Deines	
Plugging operations attended by agent? All[	
Completed: Hour: 1:00 P.M. , Day: 8 ,	Month: January , Year: 1996
Actual plugging report: 10 3/4" to 330' with 2	200 sxs. 7" to 3276' with 150 sxs. Sanded to
2890' and spotted 7 sxs cement with dump ba	iler. Shot casing at 1400' and 800' with no
	200# hulls. Pressured up to 1500# and locked
	. Mixed and pumped 30 sxs cement with pressure
No casing recovered . Casing had been squeez	and circulated cement to surface with 40 sxs.
NO Casing recovered . Casing had been squeez	red pilot to praggang.
	<del></del>
Remarks: Allied Cementing.	AD Anhy.plug: YESX NO
Condition of casing(in hole): GOOD X BABOTTO BOTTO BOTTO BETTE BATTON BETTE BOTTO BETTE BATTON B	
Plugged through TUBING, CASING_X	E) C2 C have
I din V 10 lic FatDx ] observe the pluggin	STATE CORDONATION COMMISSION
DATE US 44686	.IAN 1 0 1995 px (agent) Form CP-2/3
DATE - (//LEC)	1 FOLM CF-2/3
INY NO 4400 b	CONSERVATION DIVISION Wichita, Kansas (-(0-96