

1 070141

To: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15- 083-20,229-A . 00.01

C SE SW, SEC. 1, T 21 S, R 24 W/2
660 feet from S section line
3300 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 9860
Operator: Castle Resources
Name & Address: R. R. 1, Stonewood Estates
Slot 8, Hays, KS 67601
OWWO

Lease Name Humberg Well # 1
County Hodgeman 145.28
Well Total Depth 4470 feet
Conductor Pipe: Size _____ feet
Surface Casing: Size 8 5/8 feet 261

Abandoned Oil Well Gas Well _____ Input Well _____ SWD Well _____ D&A _____

Other well as hereinafter indicated _____

Plugging Contractor Express Well Service License Number 6426

Address P. O. Box 426, Victoria, KS 67671

Company to plug at: Hour: 10:00 am Day: 21 Month: February Year: 19 86

Plugging proposal received from Steve Robben

(company name) Express Well Service (phone) 913-735-9405

were: 4 1/2" at 4479' PBTD 4448' Perfs at 4376-4483'
1st plug sand back to 4250' and dump 4 sx cement on top of sand through bailer

2nd plug squeeze well with 3 sx hulls, 15 sx gel, 50 sx cement, 10 sx gel, 1 sack hulls,
release 8 5/8" rubber plug and pump 150 sx cement.

Plugging Proposal Received by Steve Durrant (TECHNICIAN)

Plugging Operations attended by Agent?: All Part _____ None _____

Operations Completed: Hour: 11:00 am Day: 21 Month: February Year: 19 86

ACTUAL PLUGGING REPORT 1st plug sanded back to 4250' and dumped 4 sx cement on top of
sand through bailer, 2nd plug squeezed well with 3 sx hulls, 15 sx gel, 50 sx cement, 10
sx gel, 1 sack hulls, released 8 5/8" wiper plug and pumped 150 sx cement.

Maximum pressure 800 psi and shut in 250 psi

Remarks: Used 60/40 Pozmix 6% gel by Allied.
(If additional description is necessary, use BACK of this form.)

observe this plugging.

STATE CORPORATION COMMISSION Signed Dan Gordon (TECHNICIAN)

INVOICED
MAR 04 1986

DATE MAR 4 1986
INV. NO. 12841 APR 10 1986

CONSERVATION DIVISION AUG 7 1986
Wichita, Kansas