

STATE OF KANSAS
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plugging
off formations.

NORTH



Locate well correctly on above
Section Plat

Stafford County. Sec. 3 Twp. 22 Rge. 11W (E) (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines S/2 SE/4 NE/4
Lease Owner Nadel and Gussman
Lease Name R. O. White Well No. 1
Office Address Box 996, Tulsa, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) dry hole
Date, well completed February 9 19 42
Application for plugging filed February 10th 19 42
Application for plugging approved February 10th 19 42
Plugging Commenced February 10th 19 42
Plugging Completed February 10th 19 42
Reason for abandonment of well or producing formation dry

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well C. T. Alexander
Producing formation none Depth to top Bottom Total Depth of Well 3611 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Lansing	no oil	3161				
Arbuckle	no oil	3581				

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Heavy mud circulated through drill pipe at 500 ft. intervals from 3611 ft. to surface.


Wood plug was then placed bottom of surface pipe and cement run through drill pipe to 248 ft. from 278 ft.

Heavy mud was then put in to 35 ft. below surface.

Cement was then run to 5 ft. from surface.

Hole then filled with mud from 5 ft. to surface.

2-13-42



3-22 11W
24 39

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Veeder Supply & Development Company
Address P. O. Box 270, Cherryvale, Kansas

STATE OF Kansas, COUNTY OF Montgomery, ss.
Veeder Supply & Development Company (employer of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God. VEEDER SUPPLY & DEVELOPMENT COMPANY
(Signature) Leonard A. Veeder President
Cherryvale, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 12th day of February, 1942

My Commission Expires Oct. 14, 1944

My commission expires

Leo L. Veeder


Notary Public.



DRILLER LOG

Hadel & Gussman
 White #1 - E 3/2 of SE of NW
 Section 8, Twp. 22 S, Rge. 11 W
 Stafford County, Kansas

0	110	Sand
110	185	Red bed - shaly
195	275	Shale & lime
275	292	Red bed & lime
292	460	Red bed
460	475	Red bed & shale
475	525	Red bed & shale
525	780	Red bed & shale
780	1015	Salt shells & shale
1015	1260	Shale & shells
1260	1380	Shale & shells
1380	1415	Lime
1415	1500	Anhydrite
1500	1562	Lime
1562	1670	Lime
1670	1625	Shale
1625	1668	Lime - broken
1668	1715	Lime & shale
1715	1726	Lime & Chert
1726	1755	Sandy lime
1755	1765	Lime & shale
1765	1830	Sandy lime
1830	1840	Sandy lime
1840	1870	Shale - sticky
1870	1900	Lime
1900	1915	Sandy lime
1915	1970	Lime
1970	2060	Lime
2060	2072	Shale & shells
2072	2118	Red bed & shale
2118	2155	Shale & sandy lime
2155	2210	Lime - broken
2210	2225	Lime - broken
2225	2275	Shale
2275	2320	Shale
2320	2350	Lime
2350	2390	Shale
2390	2440	Lime
2440	2460	Shale & shells
2460	2490	Lime
2490	2515	Shale & shells
2515	2585	Lime & shale
2585	2627	Lime & shale
2627	2655	Shale
2655	2710	Lime - broken, sandy
2710	2730	Lime
2730	2810	Lime
2810	2887	Lime
2887	2910	Broken lime
2910	3005	Lime
3005	3070	Lime
3070	3140	Shale & shells
3140	3184	Shale
3184	3173	Lime - top of K. C. line 3171
3173	3215	Lime, K. C.
3215	3285	Lime
3285	3360	Lime & shale
3360	3396	Lime
3396	3437	Lime
3437	3479	Broken Lime



3 22 11W
 24 39

Continued - Page 2

3479	3517	Conglomerate
3517	3533	Lime & chert
3533	3548	Lime - top Simpson 3548
3548	3583	Shale - top Arbuckle 3581
3583	3612	Lime

TOTAL DEPTH 3611 Feet.

I hereby certify that this is a true and correct copy of the formations penetrated in this well and that the same was completed to a depth of 3611 feet on the 9th day of February, 1942; that requests for information regarding this well should be addressed to HENRY G. VEDDER, CENNYVALE, KANSAS.

VEDDER SUPPLY & DEVELOPMENT COMPANY

By Henry G. Vedder
Henry G. Vedder, Pres.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 11th day of February, 1942.

Leo L. Vedder
Notary Public

My Commission Expires Oct. 14, 1944

3.22.42 W
24 39