

HOMER HOCH, CHAIRMAN
JESSE W. GREENLEAF
ERNEST W. BLINCOE
COMMISSIONERS

PHONES 2-0488—L. D. 78

DIRECTOR
T. A. MORGAN, WICHITA
OIL ADVISORY COMMITTEE
RALPH J. PRYOR, CHAIRMAN,
WICHITA
WALTER S. FEES, IOLA
E. W. PYLE, WICHITA
LEE SCOTT, WICHITA
H. M. WILLIAMS, WICHITA
MARVIN LEE, SECRETARY AND
TECHNICAL ADVISER


C. H. BENSON, SECRETARY
STATE CAPITOL
TOPEKA, KANSAS



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION

800 BITTING BUILDING
WICHITA, KANSAS

IN REPLY PLEASE
REPLY TO THIS
SUBJECT



March 11, 1938

Well No. 1
Lease Hitz
Description NE, NW 23-22-13W
County Stafford
File 8-15

Parker Drilling Co.
Tulsa, Oklahoma

Dear Sir:

The Rules and Regulations of the
KANSAS STATE-CORPORATION COMMISSION,
relative to well plugging, require the
item or items listed below to be filed
with this office.

Please furnish us with the _____

WELL LOG

for the above well.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

E. G. DAHLGREN, Director

HCS:ha By

D. B. Johns
ha

PLUGGING
FILE SEC-23-22-R-13W
BOOK PAGE-8-LINE-15



WELL LOG

Well #1

Frank Hitz lease.

NE/4,NE/4, NW/4, of 23-22S-13W, Stafford Co., Kans.

FROM	TO	NO. FEET	FORMATION	REMARKS
0	9' 11"	9' 11"	Cellar	
9' 11"	75	65' 1"	Clay and sand	
75	85	10	Sand	
85	190	105	Shale and sand	
190	290	100	Shale	
290	740	450	Shale and shells	
740	780	40	Lime	
780	850	70	Red shale	
850	962	112	Shale and shells	
962	1230	268	Shale and lime	
1230	1390	160	Salt, shale and shells	
1390	1450	60	Salt and shale	
1450	1550	100	Shale and shells	
1550	1595	45	Broken lime	
1595	1615	20	Shale and shells	
1615	1690	75	Lime	
1690	1795	105	Shale and broken lime	
1795	1855	60	Broken lime	
1855	1945	90	Lime and shale	
1945	1990	45	Broken lime shale	
1990	2016	26	Sand	
2016	2035	19	Shale	
2035	2150	115	Shale and shells	
2150	2195	45	Lime	
2195	2300	105	Broken lime	
2300	2390	90	Shale and shells	
2390	2450	60	Broken lime	
2450	2465	15	Broken lime and shale	
2465	2540	75	Shale and shells	
2540	2660	120	Shale and lime	
2660	2680	20	Lime	
2680	2760	80	Shale and shells	
2760	2780	20	Shale	
2780	2855	75	Broken lime	
2855	2905	50	Lime	
2905	2935	30	Broken lime	
2935	2980	45	Shale and shells	
2980	3125	145	Lime	
3125	3230	105	Broken lime	
3230	3330	100	Lime	
3330	3412	82	Shale and lime	
3412	3475	63	Kansas City lime	
3475	3700	225	Lime	
2700	3720	20	Shale	
3720	3727	7	Shale and chert	
3727	3732	5	Shale	
3732	3755	23	Lime	
3755	3777	22	Lime cherty	
3777	3827	50	Shale	
3827	3842	15	Shale green sandy	
3842	3851	9	Dolomite grey	

PLUGGING
FILE SEC 23 22 13W
BOOK PAGE--8--LINE 15--

The above is a complete log of the above described well which was dry and plugged on Feby. 20th, 1938.

PARKER DRILLING CO.

BY *[Signature]*

State of Oklahoma

County of Tulsa

Subscribed and sworn to before me, a Notary Public in and for the above County & State this 3rd. day of March 1938.

[Signature]
NOTARY PUBLIC

My Commission expires

May 22, 1941