Taj:,	1040061	API NUMBER 15- Drill Completion Date 10/21/57			
STATE CORF	PORATION COMMISSION				
CONSERVATION DIVISION - PLUGGING SECTION 200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202 TECHNICIAN'S PLUGGING REPORT		NW NW SW , SEC. 20 , T 22 S, R 13 w/E 2310			
			Operator l	License / 5310	Lease Name Keenan Well # F #1
			Name& Address	Four-Way Operating, Inc.	County_ Stafford 125.61
Box 698	Well Total Depth 3865 feet				
Great Bend, KS 67530	Conductor Pipe: Sizefeet				
	Surface Casing: Size 8 5/8 feet 245				
Oll Well X Gas Well	Input Well D&A				
Other well	l as hereinafter indicated				
Plugging (Contractor Rockhold Engineering,	Inc. License Number 5111			
	Box 698, Great Bend, KS 67530				
		8 Month: 3 Year:19 88			
	proposal received from James Ro				
	•	· · · · · · · · · · · · · · · · · · ·			
		(phone) 316-792-2506			
were:	'at 3680' PBTD 3623' Perfs at	3572-78' Elevation 1908' DF			
lst plug	sand back to 3520 and dump 5 sx	cement on top of sand through bailer,			
2nd plug	pump 4 sx hulls, 10 sx gel, 50 s	x cement, 10 sx gel, 1 sx hulls, release 8 5/8"			
	ng and pump 100 sx cement.				
<u> </u>		4			
	Plugging Pros	posal Received by Steve Pfeifer			
	, rugging , rop	(TECHNICIAN)			
Plugging (Operations attended by Agent?: A	AllPart,None			
Operations	s Completed: Hour: 2 p.m. Day:	8 Month: 3 Year:19 88			
ACTUAL PL	UGGING REPORT 1st plug sanded b	ack to 3520' and dumped 5 sx cement on top of			
sand thro	ough bailer,				
2nd nlug	numbed down 8 5/8" with 400 lbs	of hulls, 10 sx gel, 50 BECENVED , 10 sx gel, g and pumped 100 sx cement.			
100 1hs.	hulls, released 8 5/8" wiper plu	and numbed 100 sx cement			
200 1001	nazzo, rereaded o 370 wiper più	2 48			
Marris	250 1 1 1 2 200	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	pressure 250 psi and shut in 200				
Remarks:	Used 60/40 Pozmix 6% gel by B.J	CONSERVATION DIVISION Titan. Recovered 200 Chicafkana's casing.			
NON	observe this plugging.	s necessary, use BACK of this form.)			

FORM CP-2/3 Rev.01-84