


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Reno County, Sec. 32 Twp. 23S Rge. 10W (E) (W)
C SW NW SE

Location as "NE/CNW/SW" or footage from lines
Lease Owner The Texas Company
Lease Name F. C. Hornbaker Well No. 2
Office Address 614 Bitting Building
Character of Well (completed as Oil, Gas or Dry Hole) Oil
Date well completed November 11, 19 43
Application for plugging filed March 16, 19 53
Application for plugging approved March 17, 19 53
Plugging commenced March 21, 19 53
Plugging completed March 22, 19 53
Reason for abandonment of well or producing formation Ceased to be a commercial producer.



Locate well correctly on above Section Flat

If a producing well is abandoned, date of last production December 24, 19 51
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Ruel Durkee
Producing formation Arbuckle Depth to top 3720 Bottom 3747 Total Depth of Well 3747 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	261'	0
				5-1/2"	3722'	3121'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Plugged as follows:
3747-3712' sand; 3712-3682'
6 sacks cement; 3682-210' heavy
mud; 210-200 rock bridge; 200-
155' 15 sacks cement; 155-15'
heavy mud; 15-bottom of cellar
15 sacks cement.

3-27-53



Name of Plugging Contractor R & S Pipe Pulling Co.
Address Box 192 - Ellinwood, Kansas


STATE OF Kansas COUNTY OF Sedgwick, ss.
M. C. Harrell (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *M. C. Harrell*
614 Bitting Building, Wichita, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 26 day of March, 1953

H. Howard Kestler
Notary Public.

My commission expires September 20, 1956



LOG OF WELL

Form PO-214, Sheet 1 (12-50)20M

15-155-01483-0000

SHEET 1

OWNER The Texas Company DIVISION Oklahoma DATE MADE 12-14/43
 DISTRICT Kansas LEASE F. C. Hornbaker WELL NO. 2
 STATE Kansas COUNTY OR PARISH Reno TWP. 23S RANGE 10W SEC. 32
 LOCATION OF WELL Center SW NW SE - 1650' from South Line & 330' from West Line
 COMMENCED RIGGING UP 10/8/43 COMMENCED DRILLING 10/10/43 COMPLETED DRILLING 11/11/43
 DAY DRILLER _____ NIGHT DRILLER _____ CONTRACTOR Parker Drlg. Co.
 CABLE FROM Drlg. Plug only w/ cable tools TO _____ ROTARY FROM 0 TO 3747 COMPANY RIG No. _____
 TOTAL DEPTH 3747 MEASURED BY M. C. Harrell ELEVATION 1786

CASING RECORD

SIZE	WEIGHT	PUT IN WELL		PULLED OUT		LOST IN WELL		SHOES		PACKERS		
		FEET	INS.	FEET	INS.	FEET	INS.	LENGTH	MAKE	KIND	LENGTH	SET AT
8-5/8"OD	32# SS	261										FT.
5-1/2"OD	14# E.W.	3222										FT.
5-1/2"OD	14# SS	500										FT.
Total	5-1/2"OD	3722										FT.
												FT.
												FT.
												FT.
												FT.
Set 8-5/8" Casing with 200 Sacks Cement - 5-1/2" set w/ 100 sacks Cement.												FT.

WAS CASING CEMENTED? _____ IF SO, HOW MANY SACKS OF CEMENT USED? _____
 LINER: STATE SIZE AND WEIGHT _____ WHERE SET _____ FT. AND INS. BLANK _____ FT. AND INS. PERFORATED _____
 HOW PUT TOGETHER _____ COUPLING _____ FLUSH-JOINT _____ INSERTED _____
 REMARKS: _____

EQUIPMENT RECORD

TUBING				SUCKER RODS				PUMPING OUTFIT			
SIZE	WEIGHT	FEET	INS.	FEET	INS.	SIZE AND KIND		DESCRIPTION, KIND, SIZE, ETC.			

FLOWING, PUMPING, GASSER OR DRY Pumping PRODUCTION FIRST 24 HOURS 133bbls. oil in 24 hrs. - No water
 IF GAS WELL, OPEN FLOW CAPACITY _____ SHUT IN PRESSURE _____ ROCK PRESSURE _____
 KIND OF SHOT _____ SIZE OF SHOT, QUARTS _____
 NUMBER OF SHELLS _____ SIZE OF SHELLS _____ INCHES, DIAMETER _____
 LENGTH OF SHELLS _____ FEET _____ INCHES _____ TOP OF SHOT _____
 BOTTOM OF SHOT _____ ANCHOR _____ WELL BRIDGED TO _____
 TOTAL DEPTH OF WELL _____ NUMBER OF SHOT _____ PRODUCTION BEFORE SHOT _____ BBL. PER DAY _____
 PRODUCTION AFTER SHOT _____ BBL. PER DAY _____ SHOT FURNISHED BY _____
 NAME OF SHOOTER _____ SHOT INSPECTED _____ BY Commission (COMPANY EMPLOYEE)
 COMMENCED DRILLING DEEPER _____ COMPLETED _____ DRILLING DEEPER _____
 TOTAL DEPTH _____ PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 REMARKS: Acidized with 2 shots: - 500 gal.
1000 gal.
Total Acid: 1500 gal.

RECEIVED
 STATE COMMISSION

NOTE: IF WELL WAS DRY, STATE UNDER REMARKS, WHEN, HOW, AND BY WHOM PLUGGED.

STATE UNDER REMARKS ANYTHING OF INTEREST NOT COVERED IN LOG.

IF SPACE PROVIDED FOR REMARKS IS NOT SUFFICIENT WRITE ON BOTTOM OF LAST SHEET OF LOG.

PLUGGING

FILE SEC 32T33R 104
 BOOK PAGE 87 LINE 12

TOTAL NUMBER OF SHEETS 2

LOG OF WELL

SHEET No. 2

District Reno Owner The Texas Company Farm F. C. Hornbaker Well No. 2

FORMATION		AMOUNT	COLOR	HARD OR SOFT	DEPTH CORES TAKEN	REMARKS
Cellar	8	8				
Clay & sand	165	157				
Red Bed	180	15				
Red bed & sand	273	93				
Red Bed	450	177				
Shale	580	130				
Shale & shells	1005	425				
Lime	1050	45				
Shale & shells	1400	350				Tops:
Lime Broken	1515	115				Lansing - 3290'
Lime & shale	1615	100				Conglomerate - 3621'
Lime	1645	30				Viola - 3654'
Lime & shale	2115	470				Simpson - 3702'
Shale & shells	2200	85				Arbuckle - 3720'
Lime & shale	2776	576				
Lime	3175	399				
Shale & lime	3336	161				
Lime	3358	22				
Lime & shale	3370	12				
Lime hard	3526	156				
Lime & Chert	3550	24				
Lime	3578	28				
Lime & shale	3646	68				
Lime	3654	8				
Lime & Chert	3676	22				
Lime	3684	8				
Lime shale & Chert	3708	24				
Lime	3710	2				
Sandy shale	3712	2				
Shale	3722	10				
Lime & shale	3732	10				
Sand	3746	14				
Lime	3747	1				
TOTAL DEPTH	3747'					