

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission,
800 Biting Building,
Wichita, Kansas

RECEIVED RECEIVED
JAN 13 1937 JAN 16 1937
NORTH BY 1-16-37


15-185-02056-0000

WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging of formations.

Stafford County, Sec. 21 Twp. 22 Rge. 11 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines NW $\frac{1}{2}$ SW $\frac{1}{4}$
Lease Owner C. E. Skiles
Lease Name Leidigh Well No. 1
Office Address 206 Exchange Nat'l Bank Bldg., Hutchinson
Character of Well (Completed as Oil, Gas or Dry Hole) Dry Hole
Date, well completed December 18 1936
Application for plugging filed December 23 193. 6
Application for plugging approved December 24 193. 6
Plugging Commenced December 24 193. 6
Plugging Completed January 4 193. 7
Reason for abandonment of well or producing formation Dry



Locate well correctly on above Section Flat

If a producing well is abandoned, date of last production 193...
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Alexander
Producing formation Depth to top Bottom Total Depth of Well 3653 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Water	small	60		15 $\frac{1}{2}$ "	74'	
Water	5 B. hr.	140	150	12 $\frac{1}{2}$ "	567'	
Water	5 B. hr.	430	440	10"	1868'	
Water	$\frac{1}{2}$ B	1525	1550	8 $\frac{1}{2}$ "	2060'	
Water	6 B	1830	1840	U.D.	2081'	
Water	HF	2055		U.R.	2175'	
Water	1 B	2120		U.D.	2212'	
Water	HF	2193	2199	U.D.	2560'	

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from...feet to...feet for each plug set.

Water	B	2223		U.D.	2570'	
Water	B	2590		U.R.	2973'	
Gas	2 $\frac{1}{2}$ Million	2767		U.D.	3010'	
Water	1 B	2785		U.D.	3050'	
Water	HF	2840	2850	U.R.	3260'	
Water	small	2885		7"	3420'	
Water	"	2935	2945	S.R.	3625'	
Water	HF	3005	3015	5" liner	3650'	

Mud pumped into hole, cementing plug above each water formation.

PLUGGING
FILE SEC 21 TWP 22 R 11W
BOOK PAGE 94 LINE 38

(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to C. E. Skiles
Address 206 Exchange National Bank Building, Hutchinson, Kansas

STATE OF Kansas, COUNTY OF Reno, ss.

C. E. Skiles (Employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. E. Skiles
Hutchinson, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 12th day of January, 19 37

My commission expires April 1, 1940

Well Log Record

15-185.02056-0000

NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 21-22-11 W
Stafford County, Kansas

Casing Record:
(See other side)

Farm: Leidigh No. 1
Company: Skiles, C. E. & Hinerman, O. F.
Commenced: September 11, 1936
Completed: December 18, 1936

Sand	18	Shale	1650	Shale Blue	2375
Yellow Clay	20	Shale Blue	1655	Lime Gray	2380
Yellow Clay	22	Lime Lt. Sandy	1670	Shale Blue	2390
Sand light	50	Lime Gray	1700	Shale Blue	2400
Sand Light W at 60	70	Lime Gray Broken	1725	Lime Brown	2405
Brown Sand	74	Sandy Lime $\frac{1}{2}$ BW	1750	Shale Blue	2410
Gray Sand	80	Sandy Lime	1800	Lime Gray	2415
Shale Blue & Green	84	Sandy Lime 6 BW	1850	Shale Blue	2425
Gray Lime	87	Lime Sandy	1855	Lime Gray	2430
Lime Blue Shale	94	Red Rock	1865	Blue, Red &	
Red Rock	104	Lime Brown	1868	Green Shells	2435
Shale & Shells	140	Lime Brown	1873	Shale Blue	2455
Sandy Lime 5 BW hr.	150	Shale Blue	1876	Shale Blue	2480
Slate & Shells	200	Lime	1880	Lime Gray	2495
Red Rock	210	Lime Light	1920	Lime Gray	2496
Shale Light	220	Shale Blue	1925	Shale Blue	2500
Red Rock	265	Shale Blue	1932	Shale Blue	2520
Red Rock Shelly	285	Lime Broken	1935	Lime Gray	2525
Red Rock	300	Lime Gray	1945	Slate & Shells	2550
Red Rock 4 BW hr.	360	Red Rock	1955	Lime Gray	2560
Sand	380	Lime Gray	1965	Lime Gray	2570
Red Rock	430	Lime Light	1970	Lime Gray	2572
Sand 5 BW hr.	440	Red Rock	1980	Shale Blue	2574
Red Rock	475	Lime Light	2000	Lime Gray Broken	2580
Red Rock	520	Lime Gray	2010	Lime Gray BW	2580
Red Rock	540	Shale Blue	2013	Lime	2605
Blue Shale	560	Lime Gray	2025	Lime Gray	2615
Gyp. Lime	567	Lime Gray	2050	Red & Grey Shale	2617
Anhydrite	580	Lime Gray HFW	2055	Grey Lime	2625
Lime	585	Lime Sandy	2060	Shale Blue	2630
Lime Brown	595	Lime Gray Sandy	2065	Lime	2645
Shale Red	605	Lime Gray	2070	Lime	2665
Shale Blue	640	Shale Blue	2073	Shale	2667
Shale Blue	725	Lime Gray	2075	Lime	2670
Shale Blue	765	Lime Gray	2090	Shale Blue	2680
Red Rock	800	Lime Gray	2095	Grey Lime	2685
Red Rock	855	Red Rock	2100	Blue Shale & Shells	2705
Shale Blue	925	Lime Gray	2110	Lime Gray	2715
Shale Blue	975	Lime	2118	Lime Broken	2720
Shale Blue	980	Lime 1 BW	2120	Lime Gray	2750
Shale Light	985	Lime Gray	2122	Lime	2740
Shale White	1010	Shale Blue	2124	Shale	2745
Shale Blue	1020	Lime Gray	2140	Lime Gray	2760
Shale Blue	1060	Lime Gray	2155	Shale Blue	2765
Salt	1085	Shale Blue	2164	Lime Broken	2790
Salt Broken	1115	Lime Shells	2165	Lime Broken	2815
Salt	1120	Red Rock	2173	Lime	2825
Salt	1165	Lime Light	2180	Lime Gray	2840
Salt	1215	Lime Gray HFW	2185	Lime Sandy HFW	2850
Salt	1260	Gray Sandy Lime	2200	Lime Gray	2870
Salt	1290	Sandy Lime	2204	Sandy Lime Grey	2890
Salt	1310	Gray Sandy Lime	2210	Sandy Lime	2900
Salt	1315	Gray Lime	2212	Sandy Lime	2910
Salt	1340	Lime Gray	2220	Sandy Lime	2915
Salt	1365	Shale Blue	2228	Sandy Lime	2925
Salt	1405	Lime Gray Broken	2235	Lime Sandy	2930
Salt	1430	Lime Gray BW	2255	Lime Sandy	2935
Shale Blue	1435	Slate & Shells	2270	Sandy Lime W	2945
Gyp	1445	Lime Gray	2275	Sandy Lime	2970
Lime & Broken Shale	1480	Lime Gray	2285	Lime Sandy	2980
Lime Broken	1500	Shale Blue	2290	Sandy Lime	2985
Shale Light	1505	Lime Gray	2292	Lime Gray	3000
Lime Gray	1535	Shale Blue	2295	Sand Lime HFW	3020
Gray Lime	1560	Shale Blue	2300	Water Sand	3025
Shale Blue	1570	Shale Blue	2315	Sand	3030
Lime Gray	1587	Shale Blue	2320	Lime Gray	3035
Shale Blue	1590	Lime Brown	2324	Lime Gray	3040
Lime Gray	1600	Shale Blue	2330	Black Slate	3042
Shale Blue	1605	Shale Blue	2355	Lime Gray	3045
Shale Blue	1615	Lime Gray	2365	Lime Gray	3050
Lime Gray	1625	Lime Gray	2366	Lime Gray	3060
Shale Blue	1635	Shale Blue	2370	Lime Gray	3065
Lime Gray	1645			Lime Gray	3075

Gas
2767'

DRILLING
SEC 21 T 22 R 11 W 4 S
LINE 382760

Lime Grey	3085	Brown Shale	3250	Lime & Shale Breaks	3408
Lime Grey	3095	Shale Blue	3260	Red, Green & Blue	3410
Lime Grey	3100	Lime Brown BW	3262	Lime Grey	3419
Slate Black	3103	Shale Blue	3267	Lime & Slate Brks.	3425
Lime Grey &	3109	Lime Grey	3285	Lime Brown BW	3430
Black Shale Brkn.	3115	Lime Grey	3295	Lime Grey	3435
Shale & Shells Blue	3120	Lime Grey with	3305	Lime Sandy	3440
Lime Grey	3130	Shale Breaks	3310	Lime Broken	3445
Lime Grey	3134	Lime Grey	3325	Lime Grey with	3450
Red Rock	3135	Lime Grey	3332	Slate Breaks	3465
Red Rock & Shells	3150	(Show of oil from	3338	Lime Grey	3472
Red Rock Shelly	3155	3300 to 3305)	3340	Lime Brown	3480
Shale Blue	3175	Lime Grey W	3355	Lime Brown	3495
Shale Blue	3180	Sandy Lime	3370	Lime Brown	3497
Lime Broken Grey	3189	Lime Grey	3375	Black Shale	3500
and Brown	3188	Lime Grey HFW	3385	Brown Shale BW	3505
Shale Blue	3195	Lime Grey	3392	Broken Lime	3520
Blue Shale	3225	Shale Dark	3400	Red Rock	3525
Shale Blue	3233	Lime Grey	3405	Red Rock	3540
Shale Blue Shelly	3245			Conglomerate	3550

Casing Record:

15 1/2"	74'	U.D.	2081'
12 1/2"	567'	U.R.	2175'
10 1/2"	1868'	U.D.	2212'
8 1/2"	2060'	U.D.	2560'
6 7/8"	3420'	U.D.	2570'
5"	Liner	U.R.	2973'
		U.D.	3010'
		U.D.	3050'
		U.R.	3260'
		S.R.	3625'

3570	3570	3570	3570	3570	3570
3580	3580	3580	3580	3580	3580
3590	3590	3590	3590	3590	3590
3600	3600	3600	3600	3600	3600
3610	3610	3610	3610	3610	3610
3620	3620	3620	3620	3620	3620
3630	3630	3630	3630	3630	3630
3640	3640	3640	3640	3640	3640
3650	3650	3650	3650	3650	3650
3660	3660	3660	3660	3660	3660
3670	3670	3670	3670	3670	3670
3680	3680	3680	3680	3680	3680
3690	3690	3690	3690	3690	3690
3700	3700	3700	3700	3700	3700
3710	3710	3710	3710	3710	3710
3720	3720	3720	3720	3720	3720
3730	3730	3730	3730	3730	3730
3740	3740	3740	3740	3740	3740
3750	3750	3750	3750	3750	3750
3760	3760	3760	3760	3760	3760
3770	3770	3770	3770	3770	3770
3780	3780	3780	3780	3780	3780
3790	3790	3790	3790	3790	3790
3800	3800	3800	3800	3800	3800
3810	3810	3810	3810	3810	3810
3820	3820	3820	3820	3820	3820
3830	3830	3830	3830	3830	3830
3840	3840	3840	3840	3840	3840
3850	3850	3850	3850	3850	3850
3860	3860	3860	3860	3860	3860
3870	3870	3870	3870	3870	3870
3880	3880	3880	3880	3880	3880
3890	3890	3890	3890	3890	3890
3900	3900	3900	3900	3900	3900
3910	3910	3910	3910	3910	3910
3920	3920	3920	3920	3920	3920
3930	3930	3930	3930	3930	3930
3940	3940	3940	3940	3940	3940
3950	3950	3950	3950	3950	3950
3960	3960	3960	3960	3960	3960
3970	3970	3970	3970	3970	3970
3980	3980	3980	3980	3980	3980
3990	3990	3990	3990	3990	3990
4000	4000	4000	4000	4000	4000

State of Kansas)
County of Reno)

I hereby certify that the above is a true and exact copy of the driller's log.

C. E. Skiles

Subscribed and sworn to before me this 24th day of December, 1936.

M. D. Harris
Notary Public

My commission expires April 1, 1940.

3995	3995	3995	3995	3995	3995
4000	4000	4000	4000	4000	4000
4010	4010	4010	4010	4010	4010
4020	4020	4020	4020	4020	4020
4030	4030	4030	4030	4030	4030
4040	4040	4040	4040	4040	4040
4050	4050	4050	4050	4050	4050
4060	4060	4060	4060	4060	4060
4070	4070	4070	4070	4070	4070
4080	4080	4080	4080	4080	4080
4090	4090	4090	4090	4090	4090
4100	4100	4100	4100	4100	4100
4110	4110	4110	4110	4110	4110
4120	4120	4120	4120	4120	4120
4130	4130	4130	4130	4130	4130
4140	4140	4140	4140	4140	4140
4150	4150	4150	4150	4150	4150
4160	4160	4160	4160	4160	4160
4170	4170	4170	4170	4170	4170
4180	4180	4180	4180	4180	4180
4190	4190	4190	4190	4190	4190
4200	4200	4200	4200	4200	4200
4210	4210	4210	4210	4210	4210
4220	4220	4220	4220	4220	4220
4230	4230	4230	4230	4230	4230
4240	4240	4240	4240	4240	4240
4250	4250	4250	4250	4250	4250
4260	4260	4260	4260	4260	4260
4270	4270	4270	4270	4270	4270
4280	4280	4280	4280	4280	4280
4290	4290	4290	4290	4290	4290
4300	4300	4300	4300	4300	4300
4310	4310	4310	4310	4310	4310
4320	4320	4320	4320	4320	4320
4330	4330	4330	4330	4330	4330
4340	4340	4340	4340	4340	4340
4350	4350	4350	4350	4350	4350
4360	4360	4360	4360	4360	4360
4370	4370	4370	4370	4370	4370
4380	4380	4380	4380	4380	4380
4390	4390	4390	4390	4390	4390
4400	4400	4400	4400	4400	4400
4410	4410	4410	4410	4410	4410
4420	4420	4420	4420	4420	4420
4430	4430	4430	4430	4430	4430
4440	4440	4440	4440	4440	4440
4450	4450	4450	4450	4450	4450
4460	4460	4460	4460	4460	4460
4470	4470	4470	4470	4470	4470
4480	4480	4480	4480	4480	4480
4490	4490	4490	4490	4490	4490
4500	4500	4500	4500	4500	4500

RECORDED: DECEMBER 28 1936
 INDEXED: DECEMBER 28 1936
 COUNTY: DEPT. OF REVENUE
 STATE: KANSAS