


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

Stafford County. Sec. 28 Twp. 22 Rge. 13 (~~XXX~~) (W)

Location as "NE/CNW%SW%" or footage from lines SW NW SW  
Lease Owner Stanolind Oil and Gas Company  
Lease Name Alice Hingey Well No. 1  
Office Address P. O. Box 1654, Oklahoma City, Oklahoma  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed 1-20- 19 53  
Application for plugging filed 12-24- 19 56  
Application for plugging approved 12-26- 19 56  
Plugging commenced 12-31- 19 56  
Plugging completed 1-7- 19 57  
Reason for abandonment of well or producing formation Uneconomical



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production 5-1- 19 56  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well R. M. Brundage  
Producing formation Arbuckle Depth to top 3857 Bottom 3860 Total Depth of Well 3860 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT     | FROM | TO   | SIZE  | PUT IN | PULLED OUT |
|-----------|-------------|------|------|-------|--------|------------|
| Lansing   | Water       | 3440 | 3719 | 8-5/8 | 671    | None       |
| Arbuckle  | Oil - Water | 3857 | 3860 | 5-1/2 | 3898   | 1968 ✓     |
|           |             |      |      |       |        |            |
|           |             |      |      |       |        |            |
|           |             |      |      |       |        |            |
|           |             |      |      |       |        |            |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Dumped Sand 3860-3848  
5 Sx Cement 3848-3810  
Hvy Mud 3810- 250  
Crushed Rock 250- 240  
20 Sx Cement 240- 180  
Hvy Mud 180- 35  
Crushed Rock 35- 25  
10 Sx Cement 25 To base of cellar

RECEIVED  
STATE CORPORATION COMMISSION

1-12-67  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor R & D Casing Pulling Company  
Address Ellinwood, Kansas

STATE OF KANSAS COUNTY OF BARTON, ss.  
I, G. A. Reynolds (employee of owner) or (owner/operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) G. A. Reynolds  
Box 7, Ellinwood, Kansas  
(Address)

SUBSCRIBED AND SWORN TO before me this 11th day of January, 19 57

My commission expires November 12, 1958 [Signature] Notary Public.

PLUGGING  
FILE SEC 28 T. 22 R. 13W  
BOOK PAGE 127 LINE 38

STANOLIND OIL AND GAS COMPANY

CENTRAL DIVISION

FIELD PURCHASE ORDER

15-185-00823.0000

CE N° 91244

ORDERED FROM State Conservation Commission Const. Div.

DATE Dec 26, 1956

ADDRESS 211 North Broadway, Wichita, Kansas

RENDER INVOICE IN DUPLICATE FOR EACH ORDER, SHOW ORDER NUMBER ON ALL COPIES OF INVOICE AND MAIL TO STANOLIND OIL AND GAS COMPANY  
Ellinwood Kansas  
CITY STATE

TERMS \_\_\_\_\_ FOB \_\_\_\_\_

DELIVER TO \_\_\_\_\_

| QUANTITY | DESCRIPTION                                | FEA | SYM | UNIT PRICE | AMOUNT |
|----------|--|-----|-----|------------|--------|
|          | <u>State Fee and plugging instructions</u> |     |     |            |        |
|          |  |     |     |            |        |
|          |  |     |     |            |        |
|          |  |     |     |            |        |
|          |  |     |     |            |        |
|          |  |     |     |            |        |
|          |  |     |     |            |        |
|          |  |     |     |            |        |
|          |  |     |     |            |        |

RECEIVED  
STATE CORPORATION COMMISSION  
DEC 27 1956  
CONSERVATION DIVISION  
Wichita, Kansas

PLUGGING  
FILE SEC 28 T 27 R 13W  
BOOK PAGE 127 LINE 38

CHARGE TO Alice Hingey #1 abrid

ORIG. OR CHNG. CONST.  OPERATIONS OR REPAIRS  
 REPLACEMENT

USED FOR Plug & abrid  
BY ACCEPTANCE OF THIS ORDER SELLER OR CONTRACTOR AGREES TO AND SHALL BE BOUND BY THE TERMS AND CONDITIONS PRINTED ON THE BACK HEREOF.

STANOLIND OIL AND GAS COMPANY  
BY E.B. Schneider

STANDARD OIL AND GAS COMPANY

CENTRAL DIVISION

SELLER

FIELD PURCHASE ORDER

CE No. 81844

No. 1. This order is given on the express condition and agreement that the Seller, its heirs, successors, assigns and legal representatives, shall forever protect, indemnify and save harmless the Buyer against any and all claims, suits in law or equity, judgments, court costs, attorneys' fees, and other liabilities, demands or losses in any manner arising out of alleged infringement of any patent, copyright and trade mark rights because of the possession, use or sale by the Buyer or its agents of the subject matter to which this agreement relates, it being understood that said Buyer will promptly notify said Seller of the bringing of said suits, and that Seller shall have the right to be represented in the defense thereof by counsel of its own selection and at its own expense; it is further of the essence of this agreement and a part of the consideration for entering into it by the Buyer that the Buyer shall have a free and unrestricted right and license to use said subject matter in any and all arts and under all patents in or under which Seller may now or hereafter have an interest.

No. 2. In the event Buyer and Seller have heretofore entered into a written agreement providing for the purchase and sale of the products mentioned in this order and the period covered by such prior agreement has not expired, then this order shall be considered as made by Buyer and accepted by Seller on the same terms and conditions set forth in said prior agreement and nothing herein contained shall be held in any manner to be a modification of such prior agreement of purchase.

No. 3. Seller represents that the sale of the article or articles referred to herein, and the price therefore and delivery thereof will conform to all applicable federal and state laws, orders, rules and regulations.

CONTRACTOR

By acceptance of this order contractor agrees that in the performance of the above work, contractor shall act solely as an independent contractor and as such is solely responsible for all contributions and taxes imposed under unemployment compensation or insurance laws covering employees of contractor. Contractor guarantees that all material sold and delivered hereunder has been or will be produced, and all work, labor and services performed hereunder has been or will be performed and prices therefor have been or will be charged in strict accordance with all applicable state and federal laws, rules, regulations and orders.

CREDIT OR CHARGE COMPANY

REPLACEMENT

STANDARD OIL AND GAS COMPANY

CHARGED TO \_\_\_\_\_

USE FOR \_\_\_\_\_

BY \_\_\_\_\_

THIS ORDER IS THE PROPERTY OF STANDARD OIL AND GAS COMPANY AND SHALL BE RETURNED TO THE OFFICE OF ORIGIN UPON REQUEST.

STANOLIND OIL AND GAS COMPANY

WELL RECORD

SUPPLEMENTAL (ENTER "X" WHEN APPLICABLE)

Grid for well location with handwritten '28' in the center.

LEASE Alice Hingey WELL NO. 1
LOCATION OF WELL: 1650 FT. NORTH SOUTH OF THE SOUTH LINE AND 330 FT.
EAST WEST OF THE WEST LINE OF THE SW NW SW
OF SECTION 28 TOWNSHIP 22 NORTH SOUTH RANGE 13 EAST WEST.

Stafford Kansas
COUNTY STATE

ELEVATION: RDB - 1909

COMPLETED AS: OIL WELL GAS WELL WATER WELL DRY HOLE

DRILLING: COMMENCED 12-19 1952 COMPLETED 1-20 1953

P. O. Box 1654

OPERATING COMPANY Stanolind Oil and Gas Company ADDRESS Oklahoma City, Oklahoma

OIL OR GAS SANDS OR ZONES

Table with columns: NAME, FROM, TO, NAME, FROM, TO. Includes Lansing - K. C. and Arbuckle.

WATER SANDS

Table with columns: NAME, FROM, TO, WATER LEVEL, NAME, FROM, TO, WATER LEVEL. Includes 'not known'.

CASING RECORD (OVERALL MEASUREMENT)

LINER-SCREEN RECORD

Tables for casing and liner-screen records with columns for size, weight, description, quantity, size, quantity, set at, make and type.

PACKER RECORD

Table for packer record with columns: size, length, set at, make and type.

CEMENTING RECORD

MUDDING RECORD

Tables for cementing and mudding records with columns for size, where set, cement, method, final press, method, results.

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED?

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED.

ROTARY TOOLS WERE USED FROM 0 FEET TO 3860 FEET, AND FROM FEET TO FEET

CABLE TOOLS WERE USED FROM to complete FEET TO FEET, AND FROM FEET TO FEET

24-HOUR PRODUCTION OR POTENTIAL TEST 40 BO

PLUGGING
FILE, SEC 22 T. 22 R. 12W
BOOK PAGE 127 LI WATER 38 24 BBLs.

IF GAS WELL, CUBIC FEET PER 24 HOURS SHUT-IN PRESSURE LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 29th DAY OF January, 1955
MY COMMISSION EXPIRES May 2, 1955

Field Supt.
Notary Public

FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

| FORMATION  | TOP  | BOTTOM | FORMATION | TOP | BOTTOM |
|--|------|--------|-----------|-----|--------|
| surface clay                                     | 0    | 100    |           |     |        |
| sand   | 100  | 325    |           |     |        |
| shale  | 325  | 605    |           |     |        |
| shale - sand                                     | 605  | 678    |           |     |        |
| red bed - anhydrite                              | 678  | 800    |           |     |        |
| shale - shells                                   | 800  | 1600   |           |     |        |
| lime   | 1600 | 1820   |           |     |        |
| lime - shale                                     | 1820 | 2010   |           |     |        |
| lime   | 2010 | 2045   |           |     |        |
| lime - shale                                     | 2045 | 3180   |           |     |        |
| lime   | 3180 | 3289   |           |     |        |
| <u>Top Heebner</u>                               | 3289 |        |           |     |        |
| shale  | 3289 | 3416   |           |     |        |
| <u>Top Iatan</u>                                 | 3416 |        |           |     |        |
| brown lime                                       | 3416 | 3440   |           |     |        |
| <u>Top Lansing - K. C.</u>                       | 3440 |        |           |     |        |
| lime   | 3440 | 3719   |           |     |        |
| <u>Top Conglomerate</u>                          | 3719 |        |           |     |        |
| conglomerate                                     | 3719 | 3737   |           |     |        |
| cherty conglomerate                              | 3737 | 3751   |           |     |        |
| <u>Top Viola</u>                                 | 3751 |        |           |     |        |
| cherty conglomerate                              | 3751 | 3780   |           |     |        |
| viola conglomerate                               | 3780 | 3798   |           |     |        |
| cherty conglomerate                              | 3798 | 3804   |           |     |        |
| <u>Top Simpson</u>                               | 3804 |        |           |     |        |
| simpson  | 3804 | 3809   |           |     |        |
| shale  | 3809 | 3857   |           |     |        |
| <u>Top Arbuckle</u>                              | 3857 |        |           |     |        |
| lime, oil shows                                  | 3857 | 3860   |           |     |        |
| Schlumberger Elec. Logs to TD                    |      |        |           |     |        |
| <u>Total Depth</u>                               |      |        |           |     |        |
| By Schlumberger                                  |      | 3861   |           |     |        |
| By Rotary Drill                                  |      | 3860   |           |     |        |
| plugged back depth                               |      | 3834   |           |     |        |
| producing from perforations                      | 3564 | 3568   |           |     |        |
|  | 3595 | 3601   |           |     |        |
|  | 3622 | 3630   |           |     |        |
| well completed: 1-20-53<br>as a Lansing Producer |      |        |           |     |        |