

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging off formations.

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

NORTH

		x	

Locate well correctly on above  
Section Plat

Pawnee County. Sec. 32 Twp. 22 Rge. (E) 15 (W)  
 Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SW SW NE  
 Lease Owner Kiowa Drilling Company, Inc. & J. M. Huber Corporation  
 Lease Name Barstow Well No. 1  
 Office Address 717 Union National Bank Building, Wichita 2, Kansas  
 Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
 Date, well completed March 20, 19 46  
 Application for plugging filed March 20, 19 46  
 Application for plugging approved March 20, 19 46  
 Plugging Commenced March 20, 19 46  
 Plugging Completed March 20, 19 46  
 Reason for abandonment of well or producing formation Dry

If a producing well is abandoned, date of last production 19  
 Was permission obtained from the Conservation Division or its agents before plugging was com-  
 menced? Yes

Name of Conservation Agent who supervised plugging of this well H. W. Kerr  
 Producing formation None Depth to top          Bottom          Total Depth of Well 4048 Feet  
 Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
<u>Kansas City</u>	<u>Dry</u>	<u>3569</u>	<u>3619</u>			
<u>Simpson</u>	<u>Dry</u>	<u>3984</u>	<u>4024</u>			
<u>Arbuckle</u>	<u>Dry</u>	<u>4043</u>	<u>4048</u>	<u>8 5/8" OD</u>	<u>975</u>	<u>None</u>

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from          feet to          feet for each plug set.

Plugged by Halliburton. Mud from total depth to 250', set plug and cement with 15 sacks cement. Mud to 25', set plug and cement to surface.

32 22 15 W  
47 21

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Kiowa Drilling Company, Inc.  
 Address 717 Union National Bank Building, Wichita 2, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.

C. T. Honaker (employee of owner) or ~~owner~~ of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature)

C. T. Honaker

Great Bend, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 20 day of March, 1946.

Richard R Brack  
Notary Public.

My commission expires March 28, 1949



# KIOWA DRILLING COMPANY

717 UNION NATIONAL BUILDING  
WICHITA 2, KANSAS



J. M. Huber Corporation and

DISTRICT \_\_\_\_\_ OWNER Kiowa Drilling Co., Inc. FARM Barstow WELL No. 1

SW SW NE  
LOCATION: Section 32 Township 22S Range 15W County Pawnee State Kansas

### CASING RECORD:


Size <u>5/8"</u> O. D.	Weight _____ lbs.	Amount <u>978</u> ft.	Cemented <u>450</u> Sacks	Kind Cement _____	Bulk _____
Size _____ O. D.	Weight _____ lbs.	Amount _____ ft.	Cemented <u>200 #</u> Sacks	Kind Cement <u>Calcium Chloride</u>	_____
Size _____ O. D.	Weight _____ lbs.	Amount _____ ft.	Cemented _____ Sacks	Kind Cement _____	_____

### FORMATION RECORD:

0 - 100	Surface and sand	3560	Shale
100 - 285	Sand and clay	3610	Lime
285 - 350	Sand	3670	Lime and shale
350 - 435	Red Bed	3810	Lime
435 - 495	Sand	3845	Lime cherty
495 - 945	Red Bed	3940	Lime and shale
945 - 964	Shale	3975	Chert
964 - 975	Anhydrite	3992	Chert and shale
975 - 1005	Anhydrite	4030	Shale
1005 - 1090	Red Bed and shale	4048	Lime T.D. Dry and abandoned
1090 - 1110	Red Bed		
1110 - 1200	Shale and Red Bed		
1200 - 1370	Shale and shells		
1370 - 1470	Sand, salt and shale		
1470 - 1560	Shale and shells		
1560 - 1600	Lime and shale		
1600 - 1670	Shale, shells and sand		
1670 - 1875	Shale and shells		
1875 - 2075	Lime		
2075 - 2100	Shale and Red Bed		
2100 - 2305	Lime sandy		
2305 - 2370	Lime, shale and sand		
2370 - 2410	Lime and shale		
2410 - 2455	Lime broken		
2455 - 2530	Lime		
2530 - 2830	Lime and shale		
2830 - 2855	Shale and shells		
2855 - 2970	Shale and lime		
2970 - 3080	Lime		
3080 - 3150	Lime and pyrite		
3150 - 3170	Lime and sticky shale		
3170 - 3265	Lime		
3265 - 3280	Shale		
3280 - 3450	Lime		
3450 - 3510	Lime and shale		

I hereby certify the above a true and correct log of Barstow #1.

Ferry A. Thayer  
Ferry A. Thayer



Subscribed and sworn to before me this 22nd day of March, 1946.

W. A. Ross  
Notary Public

My commission expires February 19, 1949.

DRILLING  
FILE 32 22 15W  
BOOK PAGE 47 LINE 21