ORIGINAL

Ft. North from Southeast Corner of Section

East

West

SIDE CNE

API NO. 15- 185-22,699-000

NW NE NE Sec. 22 Twp. 12S Rge. 12

County Stafford

4950'

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # ___

| Name: L. D. Drilling, Inc. | 990 | · · · · · · · · · · · · · · · · · · · | Ft. West from (NOTE: Locate | Southeast Co | orner of Sec | ction |
|--|--|---|---|--|--|-----------------------------|
| Address R.R. 1 Box 183 B | | | • | | | |
| Great BEnd, Kansas 67530 | | | am | | | |
| City/State/Zip | _ | | 1 | | | |
| Purchaser: | - | _ | | | | |
| Operator Contact Person: | | | 1865' | | | |
| Phone (316) 793-3051 | Total Depth | 368 | 8' | PBTD | | |
| Contractor: Name: L. D. Drilling, Inc. | | | | 49 | 50 | |
| License:6039 | | | | 42 | 90 | |
| Wellsite Geologist: Kim Shoemaker | | | | 36 33 | CIL. | |
| Designate Type of Completion New Well Re-Entry Workover Oil SWD Temp. Abd. | | | | 23 | 40 10 80 50 | |
| Gas Inj Delayed Comp. X Dry Other (Core, Water Supply, etc.) | | | | 99 | | |
| If CMMO: old well info as follows: Operator: | | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 25,20,20,20,20,20,20,20,20,20,20,20,20,20, | 23 25 25 25 25 25 25 25 25 25 25 25 25 25 | AITI | 0+0 |
| Well Name: | Amount of Su | ırface Pip | pe Set and Cem | ented at 3 | 32 | _ Feet |
| Comp. Date Old Total Depth | Multīple Sta | ige Cement | ting Collar Us | ed? | _ Yes | No |
| Orilling Method: | If yes, show | depth se | et | | | Feet |
| _X Mud Rotary Air Rotary Cable 9-14-90 9-21-90 | If Alternate | : II compl | letion, cement | circulated 1 | from | |
| Spud Date Date Reached TD Completion Date | feet depth t | :o | w | / | s | x cmt. |
| INSTRUCTIONS: This form shall be completed in triplicate and Derby Building, Wichita, Kansas 67202, within 120 days 82-3-106 apply. Information on side two of this form will writing and submitted with the form. See rule 82-3-wireline logs and drillers time log shall be attached with form with all plugged wells. Submit CP-111 form with a conversion of a well requires filing of ACO-2 within 120 days | of the spud of the held confict 107 for confict this form. AL ll temporarily | date of ar dential fo dentiality L CEMENTI / abandone | ny well. Ru or a period of y in excess of ING TICKETS MU ed wells. An | le 82-3-130, 12 months in 12 months. IST BE ATTACHE by recompletion | 82-3-107 f requeste One copy o ED. Submit | and d in fall CP-4 |
| All requirements of the statutes, rules and regulations promul with and the statements herein are complete and correct to t | | | | | | _ ^ |
| \mathcal{L} | , | | | 10 | 9-11- | 90 |
| Signature 2000 ann | | | | FICE USE ONLY Confidential | | .4 |
| Title L. D. Davis <u>President</u> Date <u>10</u> | -8-90 | c | Wireline L | og Received imelog Receiv | | " |
| Subscribed and sworn to before me this 9th day of 0ct 19 90. Notary Public Bessie M. DeWerff | ober, | STATE | | tribution SUD/Rep Deflug | NGPA Othe | r |
| Date Commission Expires 5-20-93 | - | <u> </u> | · | " " " " " " " " " " " " " " " " " " " | | -1 6 |
| MOTARY PUBLIC - State of Kanga MOTARY PUBLIC - BESSIE A | State of Kansas | | Form A | .co-1 (7-89) | | |

SIDE TWO

| perator Name <u>L. D.</u> | <u>Drill:</u> | ing, Inc. | | _ Lease Name | Durham | l | Well # _ | 2 . | _ |
|--|---------------------------------------|----------------------------|--------------|--|------------------|--|--|-------------------------------|---------|
| | | East | | County | Staffo | rd | | | |
| ec. <u>22</u> Tup. <u>22</u> Rge. | 12 | West | | | | | | | _ |
| NSTRUCTIONS: Show import nterval tested, time too ydrostatic pressures, bot f more space is needed. | ol open an tom hole t | d closed, f emperature, | lowing and | shut-in pres | sures, whet | her shut-in pre | ssure reac | hed static level | ι, |
| rill Stem Tests Taken (Attach Additional Shee | ets.) | XX Yes | No No | | | Formation Desc | ription | | _ |
| amples Sent to Geological | Survey | XX Yes | | | | Log 🗓 | Sample | | |
| ores Taken | | Yes | | Name | | Тор | Botte | om | |
| lectric Log Run (Submit Copy.) | | Yes | No | Anhy. Heebner | | 643 3157 | 666 (-1287) |) | |
| · See Attac | ched | | | Toronto Douglas Brown L: L. K/C B. K/C Viola | ime | 3175 3191 3289 3307 3537 3567 | (-1305) (-1321) (-1419) (-1437) (-1667) (-1697) |))) | |
| | | | | S. Shale | 9 | 3618 | (-1748) | · | |
| , | · | CASING | RECORD | S. Sand Arbuckle | e sed | 3620 3681 | (-1811 | | (+1 |
| | Report al | l strings se | et-conducto | | | production, et | c. | | j |
| | ze Hole rilled | Size Cas Set (In | | Weight Lbs./Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives | t |
| surface . | 12 1/4 ' | 8 5/8' | | 28# | 332' | 60/40 Poz | 175 | 2% Ge1, 3% | ĈC _ |
| | | | | | | | | | - |
| | ERFORATION ify Footag | RECORD e of Each Ir | nterval Peri | forated | | i Fracture, Shot, d Kind of Mater | | i ueeze Record Depth | |
| | | | | | - | | | | _ |
| | · · · · · · · · · · · · · · · · · · · | | | | | | | _ | - |
| | | | | | | | | | - |
| | | | | | | | | | - |
| TUBING RECORD Size | | Set At | | Packer At | Liner Run | ☐ Yes ☐ | No | | - |
| Date of First Production | Producin | g Method | Flowing D | Pumping 🔲 G | as Lift 🗌 | Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf Wate | r Bbls. | Gas-Oil | Ratio | Gravity | |
| isposition of Gas: | 1 | | KETHO | DO OF COMPLETE | CHI | | P | roduction Interva | _ al |
| ☐ Vented ☐ Sold ☐ | Used on L | ease | Open Not | le 🗌 Perfo | ration \Box | Dually Complete | d Commi | ingled | |
| (If vented, submit A | | | _ · | Specify) | | • | | | |
| · | | | | - , , | | | _ | _ | _ |

Continuation Sheet: <u>L. D. Drilling, Inc.</u> Lease: <u>Durham #2</u>

Sec. 22 Twp 22 Rge. 12 West County: Stafford

DRILL STEM TESTS

DST #1 3316-3385

Times: 45-45-45-45 (slid 10')

Blow: 1st opening: blt. to bb in 22 min.

2nd opening: blt to bb in 1 min.

Rec. 130' gcm (some oil on tool)

IFP: 98-102 FFP: 104-104 ISIP: 412 FSIIP: 370

DST #2 3435-3495

Times: 45-45-45-45

Blow: 1st open: off bb in 2 min.

2nd open: off bb immediately

Recovery: 2600' gip, 40' SO&GCM 10% gas, 10% oil, 80% mud

60' MGO, 10% gas, 70% oil, 20% mud

IFP: 48-52 FFP: 74-74 ISIP: 513 FSIP: 445

DST #3 3497-3512

Times: 45-45-45-45

Blow: 1st open: 8" blow in 45 min.

2nd open: 9" blow througout

Rec. 270' GIP, 30' HOCM 25% oil 10% gas, 65% mud

IFP: 50-52 FFP: 62-62 ISIP: 210 FSIP: 190

DST #4 3586-3628

Times: 30-30-30-30

Blow: 1st open: $1\frac{1}{2}$ " blow decreased to 1/2"

2nd open: off bb in 10 min. blew throughout

Rec. 270' gip, 700' gmw W/oil skum

Ifp: tool plugged FFP: 290-352

ISIP: 907 FSIP: 816

DST #5 3672-3685 Mis-Run

MES 1 1 1990

C. 51 11 1

15-185-22699-0000

ORIGINAL

FARM Durhan COUNTY Strefford SEC 22TWP 22 RGE. 12 LOC. STATE CONTRACTOR Co. Took SIZE HOLE DRILL PIPE REMARKS: 1'Drlq Time 3000 - RTD 10' Dry Sumples 3000 - RTD SIZE PUMP LINERS LENGTH STROKE

| DEPTH | O'CLOCK | MIN. | REMARKS |
|----------------|--|--|--|
| 1000 | <i>29</i> 21 | 1/2 | 40vis |
| | | 4 | 8 cut |
| | Z | <u> </u> | |
| | | <u> </u> | 11 Ph |
| | | 2 | 9 WL |
| 05 | 25 | 15 | 5,000 Chl |
| | | 1- | ZHLCM |
| | | 1/2 | |
| | | 12 | |
| | | | |
| | | <u> </u> | |
| 3010 | <i>2</i> 8 | 1/2 | |
| | | | |
| | | T^{-} | |
| | | | |
| | | -+- | |
| | | | |
| 15 | | | |
| | | | _ |
| | | | |
| | | - | |
| | <u> </u> | | |
| | - | | |
| 3020 | | | |
| | | | |
| | <u> </u> | | |
| | <u> </u> | | |
| | | | |
| | | | |
| 25 | | | |
| | | | |
| | 111 | | |
| ' | 41 | - | |
| | 4-6 | 2 | |
| | 43 46 46 49 50 | 3 | |
| 3030 | 48 | ک | |
| | 49 | <i>-</i> | |
| | 50 | 1 | |
| | 100 | ' | |
| | 2 ' | | |
| | 22 | 1 | <u> </u> |
| <u> </u> | 53 | / | |
| | <i>5</i> 5 | Z . | |
| · · | 58 | 3 | 99 1 1 TOO |
| <u> </u> | 3 00 | 2 3 | |
| - | 7.00 | 7 - | CΩν, · |
| <u> </u> | 52 53 58 58 3:00 2 5 | 3 | 10. |
| 3040 | 1 5 | ک ا | |
| | 1 8 | _3 | İ |
| | 1/2 | 2_ | |
| | 12/18 | | |
| | 1 3 2 | 4 | |
| <u></u> | 22 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | |
| 1/5 | 25 | 3 | 」 . |
| | 27 | 2 | |
| | 2.0 | 1 | |
| | 27 28 30 32 33 | + | |
| } | 1-30 | 2 | |
| L | 132 | 2_ | |
| 320 | .। २३ | | |

| DEPTH | O'CLOCK | MIN. | REMARKS |
|---------------|--|--|---------------------------------------|
| 3000 | 3335 | 2 | |
| \ <u>0</u> -/ | 77 | 2. | |
| | 40 | | |
| | 43 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | |
| 0.5 | 46 | 3 | |
| | 2,0 | ۲., | |
| <u> </u> | 3ـُـک | _ ند_ | |
| | <i>J</i> 3- | -د | |
| | 57 | ~ | |
| 3030 | 98 | 7 | |
| <u> </u> | 59 | }- | |
| | 100 | - <i>-</i> | |
| | - | -(| |
| | | \ | |
| 65 | | | |
| | | - | |
| | | | |
| | | - - | |
| 7-03 | | $\vdash \vdash$ | |
| F020 | | | |
| - | | -/ | |
| | | | |
| | | / | |
| 25 | | | |
| | | \ | |
| | | | ! |
| | | | |
| | | | |
| 35A0 | | | |
| | | | |
| | | L\ | |
| <u> </u> | | <u> </u> | |
| <u></u> | | | |
| 85 | | | |
| | - | | |
| ļ | <u> </u> | | |
| <u> </u> | | | |
| 1-0- | | - | |
| 3090 | - | } | |
| | | | |
| | | | |
| | 35 | | |
| 25 | 37 | 1 | |
| | (V) | 3 | · · · · · · · · · · · · · · · · · · · |
| | 4/3 | 3 3 | |
| | 35 31 40 43 45 47 | 2 | |
| | 47 | 2_ | |
| 3100 | 47 | 4 | |
| | | | market free by |

FARM

RGE. LOC. COUNTY STATE YOU DOLLON SIZE HOLE DRILL PIPE JUINK

SIZE PUMP LINERS 40" LENGTH STROKE 120 SIZE HOLE TRACTOR WEX Sumples REMARKS Street

| DE | TIME | B.27-4 | |
|--|---|--|---------------------------------------|
| DEPTH | O,CTOCK | MIN. | REMARKS |
| 3100 | 54/ | 4 | |
| 01 | 56 | | |
| | 5.01 | | |
| | 10/2 | | |
| | 14 | 2 | |
| 05 | 16 | 2 | |
| | 18 | 2 | |
| | 20 | 7_ | |
| | 24 | 2 4 3 2 | |
| | | | · · · · · · · · · · · · · · · · · · · |
| 4117 | 27 | | |
| 3110 | | | |
| | 3/ | 2_ | |
| | 35 | 9 | |
| | 38 | 3 | |
| | 41 | 2 | |
| 15 | 43 | 2 | |
| | 44 | | |
| | | 3 | |
| | 49 | 2 | |
| | 52 | ر | · |
| | 54 | 2 | |
| 3/00 | 57 | 3 | |
| | 6:00 | 3 3 2 3 3 3 3 3 | |
| | 3 | . 3 | |
| | 6 | 3 | |
| | 10 | 4/ | |
| 25 | 1-1 | 4/ | |
| . 00 | | | |
| | 18 | <u> </u> | |
| | 2/ | _3 | |
| | 24 | 3 | |
| | 29 | _ 3 | |
| 3/30 | 3/ | 2 | |
| | 35 | 4 | |
| | 3542 | 3 | - |
| | 45 | 3 | |
| | 40 | 4 | |
| 35 | 77 | | |
| \ \ \J \\ \ | J / | | |
| | 18 21 29 31 35 35 35 49 54 58 7:02 5 | 4 3 3 3 3 4 3 3 4 4 3 2 3 5 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | |
| ļ.,. | 1:02 | 4 | |
| <u>,,</u> | 5 | 3 | |
| <u> </u> | 7 | 2 | |
| 2140 | 10 | 3 | |
| | 15 | 5 | |
| · [| 18 | -3 | |
| | 15 18 22 24 26 30 34 | 4 | |
| | 12/ | | |
| 15 | 126 | 1-4/ | |
| 1/5 | 30 | | |
| <u></u> | 34 | 4 | CCT- 1 1 1994 |
| | 3E 42 45 45 | 4 | |
| | 1/2 | 4 | |
| | 45 | 3 | |
| 3150 | II A | 4/ | |

| | | | <u> </u> |
|-------------|---|-----------------------|---------------------------------------|
| DEPTH | O'CLOCK | MIN. | REMARKS |
| 3150 | 7.149 | 4 | .UB |
| | 5.8 | -5- | 7.2 |
| | 8:03 | 5 | -1, 0 |
| | 8 | 3/10 | , 9.7 |
| | /2 | | 150 |
| 55 | | 4 | |
| | 16 | 4 | |
| | 20 | 3 | 1 1 |
| | 23 | 3 | |
| | 26 | | , , , , , , , , , , , , , , , , , , , |
| 3160 | 28 | 2_ | / - 0 0 |
| | 30 | 2 | |
| | 3-3-7 | 3 | |
| | 40 | 3 | |
| | 44 | 4 | |
| 65 | 46 | Y | |
| | 52 | 7 | |
| | 57 | 5 | 5/ 1% |
| | 900 | 3 | 77-1- |
| | 4 | ን | |
| 3/20 | 7 | 3 | ,- N |
| | 12 | 5 | 3, |
| | 17 | <u> 5</u> | 7 |
| | 21 | -γ | 11 27 |
| | 25 | 4 | 7 |
| 25- | 58 | ٠ | · · · · · · · · · · · · · · · · · · · |
| | | <u></u> | |
| | 2 3 | <u> </u> | |
| | 35 | 7 | |
| | 20 | | |
| 7,00 | <u>ح ر</u> الذ | 3 | |
| 3180 | 77 4 | 9 | · · · · · · · · · · · · · · · · · · · |
| | 47 | 1 | |
| | 42 | 2 2 3 2 2 2 2 2 2 | |
| | 4/1 | -2 | |
| | 33 35 37 41 47 47 47 49 51 54 57 (0:00 | 2 | <u> </u> |
| 85 | 51 | 2 | |
| | _ 54 | 3 3 4 | |
| | 57 | 2 | |
| | (0:00 | ン | |
| | 04 | | |
| 1/90 | <u> </u> | | · |
| _ | 12 | 4 | |
| | 12 | 3 | |
| | 18 | _3_ | |
| | 2/13 | | |
| S5-1 | 25 | V | |
| | 28 | 3 | |
| _ | 30 | 2 | |
| | 12 18 21 25 25 20 30 32 35 36 | 3 2 2 3 3 | |
| | 35 | 3 | |
| 3200 | عوي | 3 | |
| - | | | · |

15-185-22699-0000

| COMPANY | | | FARM | ORIGINAL WELL NO. |
|------------|--------|----------------|--------------|--------------------|
| SEC. TWP. | . RGE. | LOC. | COUNTY | STATE |
| CONTRACTOR | ₹ | _ - | SIZE HOLE | DRILL PIPE |
| REMARKS: | | | SIZE PUMP LI | NERS LENGTH STROKE |

Heebner 3157

| DEPTH | O'CLOCK | MIN- | REMARKS |
|---------------|------------|--|---|
| 300 | 10,38 | 2 | |
| 01 | /10 | <u>~</u> | |
| | 43 | 3 | |
| | 46 | 3 | <u> </u> |
| | 49 | 3 | |
| 05 | 572 | 7 | |
| | 5-4 | 2 | |
| | | 3 | |
| | 57 | | |
| | 11:00 | 3 | |
| | 03 | 3 | |
| 3210 | 0/2 | 3 | |
| | .09 | F) | Duis. 8-Est. |
| | | 2 | 94 / am p/ |
| | | | 10 = 011 |
| | 14_ | 3 | 161,5 PH. |
| | 17 | 3 | • |
| 15 | 19 | 2. | |
| | 22 | 3 | |
| | 25 | 3 | , , , , , , , , , , , , , , , , , , , |
| | | 3 | |
| | 28 | | |
| | 3/ | <u> 3</u> . | |
| 3220 | 34 | 3 | |
| | 36 | 2 | |
| _ | 29 | 3 | |
| | 2// | | 2 0 1:0 |
| | 11:55 | 2 | roux. Right & Green |
| | 57 | 2 | |
| 25 | 59 | 2 | |
| | 12.00% | ノ去 | |
| | 02 | 1/5 | |
| | 211 | 2 | |
| | 07 | 2 | |
| | . 00 | <i>6</i> 2 | |
| 3230 | 08 | مك | |
| | 10 | 2 | |
| ٠, | 12 | 2 | Hold SOBRL |
| , | 12 13 g | 13 | to System 4/ Notume 1/15. |
| | , ,,- | 12 | 110111111111111111111111111111111111111 |
| 3 ~ | 15 | 2 | (10/0ME 11). |
| سي کتي | 10 | 2 2 2 2 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | |
| | 19 | 2 2 2 2 2 2 | |
| | 21 | 2 | |
| | 23 | 2 | |
| | 27 | 2 | |
| 3240 | 20 | 2 | |
| <i>پر حدر</i> | 20 | 2 | |
| | 29 | \ \frac{3}{2} | |
| | 32 | <u> </u> | |
| | 34 | 2 3 2 2 2 | ļ.,, |
|] | 36 | 2 | |
| 45 | 38 | 2 | 160 |
| | | 2 | |
| | 40 | 100 | <u> </u> |
| | 42 | 2 2 2 | |
| | 44 | 2 | |
| | 452 | 位 | |
| | 1/2 | 1 | |

| 1 | | | | |
|--------------|--|-------------------------------|--------------|----------------|
| DEPTH | O'CLOCK | MIN- | REMAR | KS |
| ~~ | 19/1/19 | 2 | | 1 |
| <u> </u> | 51 | 3 | | |
| - | <u> </u> | 2 2 2 | | |
| | | 2 | | |
| | 55 | 15 | | - · |
| ত্ত | 563 | 101 | Cour. | |
| | | / | | |
| | | 2 | | Q., / |
| | 05 | _~ | | <u>```</u> |
| 7010 | 06 | / | | |
| 3260 | 1.5 | 2 | | |
| - | _09 | 7 | | |
| | - // | 2 | | |
| | 13 | 2 | | |
| · | 14 | | | |
| <u> 4</u> 55 | 16 | <u>~?</u> | | |
| | 17 | 122 | · · · · · · | |
| | 19 | <u>~</u> | | |
| | 91 | الميت | | |
| | 22 | | | _ |
| 3220 | 24 | 2 | | |
| | 25 | | | |
| · . | 22 | 2 | <u> </u> | |
| | 09 | 2_ | | |
| | 30 | | | |
| 25 | .કેન્ટ્ર | _2_ | | |
| | 34 | 2_ | | • |
| | 35 | | | |
| | 37, | 2 | | · · · · · · |
| | 383 | /2 | | - X. |
| 3080 | 40 | 15 | | · ^. |
| | 1/2 | $\frac{\partial}{\partial x}$ | | |
| | 4/3/2 | 15 | | |
| | 4/3 ½ 4/5 4/7 | 13. | | <u> </u> |
| | 1/2 | 2 | | |
| 85 | 4/45 | 15 15 15 | | |
| <u> </u> | 154 | 12 | CONN. | |
| | 55 | | | |
| | 57 | 2 | | · |
| 3390 | 2/01 | -/- | | |
| 3070 | 2101 | , P '53 | | |
| | 07 | <u> </u> | | |
| | 100 | - '/ | | |
| | | 3 | | |
| | 1.5 | 4/ | | |
| 25 | 1/9 | 4/ | <u> </u> | |
| | 23 | 1 | ļ | |
| | 27 | 1 | ļ | <u> </u> |
| ļ | 30 | 7 | <u> </u> | |
| | 32 | 2 | ļ | |
| 1.2200 | 25 | 3 | 1 | |

0RIGINAL

SEC. TWP. RGE. LOC. COUNTY STATE

CONTRACTOR SIZE HOLE DRILL PIPE

REMARKS: SIZE PUMP LINERS LENGTH STROKE

| DEPTH | O'CLOCK | MIN | REMARKS |
|---------------------|-------------|--|--|
| 3300 | 2,35 | | 224 42 44 |
| 01 | /37 | 2 | 23 t 6222 6096 |
| Į | 40 | 3 | 6188 6190 6286 |
| | 43 | 3 | 1 |
| | | | <u>6219 6230 6254</u> |
| | 15 | 2_ | 6053 6157 6189 |
| 05 | 4.8 | <u> ネ</u> | 5821 6113 6116 |
| | 50 | 2 | 6274 6170 6311 |
| | 53 | 3 | · · · · · · · · · · · · · · · · · · · |
| | | | 6149 6167 6029 |
| | 57 | 2/ | 6214 6194 6120 |
| | 3,01 | 4 | 49325 49443 49401 |
| 3310 | 04 | \$ | 6196 6245 6040 |
| 0.510 | | 3 | |
| | 02 | | 6270 6911 6184 |
| | 083 | 15 | 6273 6221 6205 |
| | 11 | 28. | 6240 6180 6186 |
| - | 160 | .5 ⁻ | |
| | | 7/ | |
| 15 | 20 | 7 | 6238 6186 6260 |
| | 25 | 5 | 6191 6181 6125 |
| | 28 | 3 | 6204: 43617 6182 |
| | 3,332 | 3 | |
| | - 42 J | _ | 49675 49388 |
| | <i>FP</i> | 3 | |
| 3320 | 12 | 4/ | 49225 |
| | 45 | Ŝ | 5:404 4 7: |
| | | | 49443 |
| _ | 48 | 3 | 49401 |
| | 50 | 2 | 49675 |
| | ~-> | 3 | 43617 |
| -೨೨ - | 56 | 3 | |
| -00 | - | | 42388 |
| | 57 | 3_ | 290749 |
| | 4:03 | 4 | 47166 |
| | // | 4 | 3379/557 |
| | م کرے | 3 | |
| | 08 | 0' | DIFE |
| 33 90 | 12 | 4 | |
| | 160 | 4/ | *** |
| • | | -// | |
| | 20 | 17 | |
| | 23 | 3 | |
| | 20 | 4/ | Same and the first |
| 30 | 30 | 1/2 | |
| | | 2 | 1 |
| <u> </u> | 37 | 3 | |
| | 360 | | |
|] ' | 11 | 5 | , in |
| 7 | 45 | 4 | the second of |
| 3340 | | | the state of the s |
| 5540 | | 7 | A Company |
| <u> </u> | 51 | 3 | * c |
|] | 55 | 4 3 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 11 | 1 | 10 | |
| | 58 | ۲. | · · · · · · · · · · · · · · · · · · · |
| ` ` ` | 5:01 | 13 | <u></u> |
| 155 | 05 | 14 | |
| J/4 . | | 3 | 000 1 1000 |
| | OF | 1 | 0CT 1 1 1990 |
| | 1/ | 3 | <u> </u> |
| · | 125 | 4 | CONN. |
| | 790 | عذب | CORR. |
| | | | |
| څ <i>ۍ</i> ځ | 107 | - 12 | |

| | | • | |
|--------------|------------|--------------------|-----------------------------------|
| DEPTH | O,CTOCK | MIN- | REMARKS |
| 3350 | 57,21 | 4/ | |
| 5-1 | 30 | 2 | |
| | 573 | 3 | |
| | | 3' | 110 1 12 1 |
| <u> </u> | 37 | 2 | 43 c/3. 8 2 st., 9 Jul., 10,5 PH, |
| 55 | 39 | $\frac{\alpha}{t}$ | 9-fact. 10,5-777. |
| | 40 ± | <u> </u> | 1000 011 |
| | 102 | 25 | |
| <u> </u> | 1/-/ | 15 | • |
| | 1/4 | 3 | |
| 3360 | -19 | 3 | |
| | 52 | 3 | |
| | 35 | 3 | |
| | 5-9 | 4 | |
| | 6,02 | 3 | |
| 65 | <u>05</u> | 34334 | |
| | 08 | .2 | |
| | 12 | 1/ | |
| | | 4 | |
| <u> </u> | 20 | 9 | |
| 400- | | | |
| 3.770 | 23 | 3 | |
| <u></u> | 77 | 4 | · |
| | 30 | | · |
| | 33 | 3_ | <u> </u> |
| | 37 | 4 | |
| 25 | 4/ | 3 | ." |
| | 44 | 3 | |
| | 42 | 3 3 2 | |
| | 50 | 3 | |
| | 3)/ | 2 | 20 |
| まらおう | 44 25 | | |
| 7. | 7:00 | 2 3 ¥ | |
| - | 1 | 1 | |
| | 4 | 3 | |
| | 7/1 | 7 | <u> </u> |
| D | 1.6 | 3 | 01 - 150 - 1 |
| <i>P</i> 5 | | | 100 (.L.2 30/190 |
| | 17 | 3 | 44 vis 88 W+ 105 Ph |
| | 1/21 | 4 3 | WL 216 ham |
| | 24 | | |
| <u>'</u> | 1) | 7175 | |
| 5020 | -11 | <u> </u> | |
| | 41 | 5 | |
| <u></u> | 40 | | A |
| | | 4 | |
| | 45 | 4 | |
| 25 | a | 4 | |
| | 210 | 1 | |
| | J:00 | 4-1 | |
| | 1/10 | -21 | |
| <u> </u> | <u>109</u> | | |
| 7// | () A .A | <u> </u> | <u> </u> |
| 3400 | f. Ø | <u> </u> | |

ORIGINAL

| COMPANY | | | FARM | WELL NO. |
|---------------|----------|---|------------------|---------------|
| SEC. TWP RGE. | LOC. | | COUNTY | STATE |
| CONTRACTOR | <u> </u> | 1 | SIZE HOLE | DRILL PIPE |
| REMARKS: | • | | SIZE PUMP LINERS | LENGTH STROKE |

653 4209

| DAIL |
|------|
|------|

| ATE | | | 653 |
|---------------|----------------------------------|---|--|
| DEPTH | TIME O'CLOCK | MIN. | REMARKS |
| 100/15 | 11/2 | 2 | |
| | 15 | -4 | - |
| | 17 | 7, | |
| | 72 | -/- | · · · · · · |
| | | 2, | <u> </u> |
| 05 | 16 | -7 _ | |
| | 29 | 3, | |
| | 3,3 | | |
| | 56 | 3 | |
| | 12/1 | 3, 3, | |
| 3410 | 7// | 3, | |
| | 45 | 2 | CONN |
| | 5052 | 7 | |
| | 56 | 7 3 | |
| | 22 | 3 | |
| | 58 | | |
| 15 | 8.02 | 4 | |
| | 06 | 4 | |
| _ | 10 | 4 | · |
| | 19 | ^ ^) | |
| | 15 | 3 | |
| 3420 | 19 | 4 | |
| 3 700 | 177 | - | |
| | 1-15 | 4 | |
| | 1 | 2 | |
| | 40 | 4 | |
| | 1157 | <u>_</u> 5_ | · |
| . 05 | 14/0 | 5 | |
| | 40 | 4 | |
| | 49 | 4 | |
| | 110 | 4 | |
| | 48 | - ' | |
| | 54 | 7 | |
| 3430 | 1.5-7 | | |
| | 9:01 | 4 4 4 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | |
| | 5 | 4 | |
| | 10 | 5 | \$ C |
| | | 5 | |
| £5- | 1:5 19 | 4 | |
| - C-40 | 24 | - | |
| | 2-7 | 1 | |
| , | 30 | 4 | ļ |
| · | 34 | 14 | |
| | 38 | 14 | |
| 3440 | 24 30 34 38 43 47 | _د_ا | |
| | 47 | 4 | |
| | 52 | -2 | |
| | 361 | 14 | |
| <u> </u> | 15. | | <u> </u> |
| 71 | 10:20 | 155 | |
| 15 | 4 4 | 4,- | |
| | 1 /2 | 14 | (11.11.1) |
| | | | |
| | 15 | 3 | |
| | 15 | 1 3 | |
| | 18 | 3 | |

| DEPTH | O,CTOCK LIWE | WIH. | REMARKS |
|-------------|-----------------|---------------------------------------|--|
| 3450 | 245 | 3 | |
| /_5_/_ | 201 | / 1 | |
| | 32 | 4 | |
| | 37 | 5 | |
| | 41 | 4 | |
| 55 | 47 | 1/2 | |
| | 52 | 5/ | 15 cis. 9cst. 8cst. |
| | 56 | /ا | 10 PH. 9000 Chl. |
| | 11:02 | 6 | |
| 1 | 08 | 6 | |
| 3460 | 13 | 5 | |
| 7230 | | | |
| | 18 | | |
| | 23 | 5 | |
| <u> </u> | 28 | <u>.</u> 5 | |
| | 53 | 5 | |
| 65 | ・デフ | -/ | |
| | 42 | 5 | |
| | 1/8 | lo | _ |
| | 54 | 6 | |
| | 12:00 | 6 | |
| 3420 | 25 | 4 | |
| <u> </u> | | الم | |
| | 10 | Le | 00 11 Pi 16 00 |
| | 12/27 | | Coun. Rigy & Severn |
| <u> </u> | 29 | 2_ | |
| <u> </u> | 32 | 3 | |
| 25 | 15 | 3 | |
| _ | 38 | m 1 2 0 0 70 | |
| | 41 | 3 | |
| | 43 | 2 | |
| | 46 | 3 | |
| 3480 | 18 5. | 25 | |
| | 50 | 17 | |
| <u> </u> | 53 | 2 | |
| | | 1/ | |
| | 5-2 | 7 | |
| 25- | 1:00 | 27 | |
| 100 | 000 | 77 | |
| | 05 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | |
| <u> </u> | 02 | 2 | |
| | 09 | 3 | |
| 1 | 11 | 2 | |
| 3490 | | 3 | |
| | 12 | 3 | |
| | 20 | 3 | |
| | 00 | 3 | |
| 1.5 | 30 | .3 | į |
| 95- | 30 | · 4. | C15:30/60 -Picker |
| | 350 | | 1 C 1 J C W |
| - | 7 | 3 | 0 10 - |
| | 41 | 3 3 4 3 | rzcker |
| | | 7 | |
| <u> </u> | 48 52 | 7 | |
| ر مريوس | <u> 52</u> | 4 | |

ORIGINAL 193-5621

FARM_ TWP. . RGE. LOC. COUNTY DRILL PIPE CONTRACTOR SIZE HOLE LENGTH STROKE SIZE PUMP LINERS

| 3500 57 5 11 - 3 3 4 17 3 4 17 3 19 19 19 19 19 19 19 | DEPTH | TIME O'CLOCK | MIN. | REMARKS |
|---|---------------------------------------|-----------------|-----------------------|--|
| | | | | |
| 3/6 3 COMA 9 3 05 11 2 13 7 14 1 15 1 17 2 3510 7.1 4 1 15 4 1 17 4 1 15 4 1 17 4 1 17 4 1 17 4 1 17 4 1 17 4 1 17 4 1 17 1 1 17 1 1 17 1 1 17 1 1 17 1 1 17 1 1 17 1 1 17 1 1 17 1 1 17 1 1 17 1 | 01 | _57 | | |
| 05 1 2 13 7 14 15 1 15 1 17 3 3510 11 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 4 15 16 15 15 15 15 15 15 | | 1/- | | |
| 13 2 11 1 15 1 17 2 3510 11 4 16 CVS 30 60 15 4 11 4 CVS 30 60 15 25 3 25 25 3 25 25 3 32 4 34 2 37 3 352 4 45 4 45 4 45 4 46 5 49 3 25 4 26 3 27 4 28 3 28 4 29 3 28 4 29 3 28 4 29 3 28 4 29 3 28 4 29 3 29 3 20 0000 35 32 1 1 20 4 20 4 20 1 20 4 20 1 20 4 20 1 20 4 20 1 20 4 20 1 20 4 20 1 20 1 20 1 20 1 20 1 20 1 20 1 20 1 | | 3/6 | | CONN |
| 13 2 11 1 15 1 17 2 3510 11 4 16 CVS 30 60 15 4 11 4 CVS 30 60 15 25 3 25 25 3 25 25 3 32 4 34 2 37 3 352 4 45 4 45 4 45 4 46 5 49 3 25 4 26 3 27 4 28 3 28 4 29 3 28 4 29 3 28 4 29 3 28 4 29 3 28 4 29 3 29 3 20 0000 35 32 1 1 20 4 20 4 20 1 20 4 20 1 20 4 20 1 20 4 20 1 20 4 20 1 20 4 20 1 20 1 20 1 20 1 20 1 20 1 20 1 20 1 | | 9 | 2 , | |
| 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 05 | - / 1 | | |
| 3510 11 4 | | 13 | <u>"</u> | <u> </u> |
| 3510 11 4 | | 14 | | |
| 3510 11 4 | | 15 | | |
| 15 4 19 4 CVS 30 60 15 25 3 22 3 25 25 3 28 3 32 4 34 2 37 3 37 3 37 3 37 3 37 3 52 4 9 3 9 3 9 3 13 4 9 3 19 3 19 3 29 3 20 00000000000000000000000000000000000 | | 17 | | · · · · · · · · · · · · · · · · · · · |
| 19 4 CFC 30 60 15 79 4 22 3 25 25 3 28 3 32 4 34 2 37 3 3520 4/ 4 45 4 70 3 4 8530 6 3 9 3 18 3 19 3 29 3 29 3 CONN 35 32 31 37 4 48 3 29 3 CONN 35 32 31 37 4 48 3 29 3 CONN 35 32 31 37 4 48 3 29 3 CONN 35 32 31 37 4 48 3 29 3 CONN 35 32 31 37 4 48 3 29 3 CONN 35 32 31 37 4 48 3 29 3 CONN 35 32 31 48 3 20 3 CONN 45 14 4 | 3510 | 7.1 | | |
| 15 19 4 22 3 15 25 3 32 4 34 2 37 3 37 3 37 3 37 3 37 3 37 3 37 4 46 3 79 4 79 7 79 79 7 79 79 7 79 79 7 79 79 7 79 79 7 79 79 7 79 7 | | 15 | 4 | |
| 15 25 3 28 3 32 4 34 2 37 3 37 3 35 4 45 4 40 3 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 40 4 40 4 | | 11 | 4 | CFS 30160 |
| 25 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | 15/19 | 4 | |
| 78 3 32 4 34 2 37 3 37 3 37 3 37 3 37 3 37 3 37 3 37 | | | _3_ | |
| 32 4 34 2 37 3 37 3 37 3 37 4 45 4 903 4 6 3 9 3 13 4 14 3 16 3 29 3 CONN 35 32 m 3 17 4 18 3 18 3 18 3 18 3 18 3 18 3 18 3 18 3 18 4 18 4 18 4 18 5 18 6 18 6 18 7 18 | 15 | | [-3 | |
| 34 2 37 3 35 4 4 45 4 52 4 55 3 25 59 4 9 3 13 4 9 3 13 4 26 3 29 3 CONN 35 32 min m 19 4 11 2 11 8 9 11 10 4 45 14 4 17 3 00111 | | 28 | 13 | · |
| 37 3 352 4 41 4 45 4 55 3 25 59 4 6 3 9 3 13 4 14 3 19 4 10 4 11 50 6 10 10 4 10 4 10 4 17 3 10 11 1 17 3 10 11 1 | | 32 | 4 | |
| 3.520 4/ 4 45 4 45 4 3.52 4 55 3 25 59 4 923 4 6 3 19 3 19 3 29 3 CONN 35 32 min 5 46 5 19 4 11 2 18 7 3540 57 6 1001 4 45 14 4 17 3 00111 | | 34 | 2 | |
| 45 4 25 3 52 4 55 3 25 59 4 903 4 6 3 9 3 13 4 14 3 14 3 29 3 CONN 35 32 nd 20 13 4 14 2 15 10 4 15 10 4 15 14 4 17 3 20 3 24 4 | | 37 | | <u> </u> |
| 903 4 6 3 9 3 13 4 14 3 29 3 CONN 35 32 1 1 1 1 41 2 48 3 45 40 57 6 1001 4 1001 4 10 4 17 3 001111 20 3 | <i>3.5A</i>) | 4/ | 4 | · |
| 903 4 6 3 9 3 13 4 14 3 29 3 CONN 35 32 1 1 1 1 41 2 48 3 45 40 57 6 1001 4 1001 4 10 4 17 3 001111 20 3 | | 45 | 4 | |
| 903 4 6 3 9 3 13 4 14 3 29 3 CONN 35 32 1 1 1 1 41 2 48 3 45 40 57 6 1001 4 1001 4 10 4 17 3 001111 20 3 | · | 100 | 3. | |
| 903 4 6 3 9 3 13 4 14 3 29 3 CONN 35 32 1 1 1 1 41 2 48 3 45 40 57 6 1001 4 1001 4 10 4 17 3 001111 20 3 | | 52 | 4 | |
| 903 4 6 3 9 3 13 4 14 3 29 3 CONN 35 32 1 1 1 1 41 2 48 3 45 40 57 6 1001 4 1001 4 10 4 17 3 001111 20 3 | | 55 | 3 | <u> </u> |
| 6 3 9 3 13 4 16 3 19 3 29 3 CONN 35 32 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 25 | 59 | 4. | , |
| 9 3 13 4 19 3 23 4 26 3 29 3 CONN 35 32 1 3 41 2 41 2 48 3 3540 4 4 1001 4 1001 4 10 4 17 3 00111 20 3 24 4 | | 910_3 | I = I | |
| 7530 16 3 19 3 29 3 CONN 35 32 11 3 41 2 41 2 48 3 45 4 1148 6 1001 4 10 4 17 3 00111 20 3 24 4 | | 6 | 3 | |
| 35.30 /6 3 19 3 26 3 29 3 CONN 35 32mi m 41 2 41 2 48 3 3540 52 8 1001 4 1001 4 45 14 4 17 3 00111 | | 9 | _3 | |
| 35.30 /6 3 19 3 26 3 29 3 CONN 35 32mi m 41 2 41 2 48 3 3540 52 8 1001 4 1001 4 45 14 4 17 3 00111 | | /3 | 4/ | |
| 19 3 4 26 3 20000 35 32 20000 35 32 20000 35 32 20000 43 4 43 2 48 3 3540 52 4 1001 4 1001 4 17 3 00111 20 3 24 4 | 35.30 | 16 | 3 | |
| 35 32m 5 3 45 4 45 4 45 4 1001 4 1001 4 100 4 17 3 00111 20 3 24 4 | | 19 | 3 | <u></u> |
| 35 32m 5 3 45 4 45 4 45 4 1001 4 1001 4 100 4 17 3 00111 20 3 24 4 | | .23 | 4 | |
| 35 32mi h 4h h 4h h 4h h 4h 4h 4h 4h 4h | | 26 | 3. | |
| 41 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | | 29 | 3 | CONN |
| 41 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 35 | 321/1 | 1 | <u> </u> |
| 3540 57 6 158 6 1001 4 6 4 10 4 45 14 4 17 3 00111 20 3 | | 44 | ا م | |
| 3.540 52 6 1.58 6 10.01 4 6 4 10 4 45 14 4 17 3 00111 | | મુઝ | ᆟ | |
| 3.540 52 6 1.58 6 10.01 4 6 4 10 4 45 14 4 17 3 00111 | | 148 | 2 | · |
| 3.540 52 6 1.58 6 10.01 4 6 4 10 4 45 14 4 17 3 00111 | | 11.8 | 3 | |
| 158 6 1001 4 10 4 17 3 00111 20 3 24 4 | 3.540 | 3) | d € | |
| 10.01 4. 6 4 70 4 75 14 4 77 3 001 11 20 3 | | 1048 | 9 | |
| 10 4 45 14 4 17 3 001 11 20 3 | | 10.01 | 4. | |
| 45 14 4 17 3 001 11 20 3 | | . 6 | 4 | ` . |
| 45 14 4 17 3 001 11 20 3 | | 10 | | |
| 17 3 OCT 11 20 3 | 45 | 14 | | |
| 20 3 | _ | 175 | | <u> </u> |
| 24 4 | | 120 | | |
| • \ | f_{i-j} | 124 | † 4 | |
| N 12'5 3 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 123 | 1 | |

REMARKS:

| DEPTH | TIME O'CLOCK | MIN- | REMARKS |
|--------------|----------------------------------|-----------------|---------------------------------------|
| 1550 | 10:31 | | |
| <u> </u> | 36 | <u> </u> | |
| | 39 | 3 | |
| | -12 | 3 | |
| | 4/1/0 | | |
| 55 | 30 | 4 | |
| - | 5-3 | _3 | |
| | _57 | <u>~/_</u> | 55 mi. 92 K |
| | 11:00 | 3_ | 8 £ 1. 8 5 PH. |
| | _02 | 2 | 12000 chl. |
| <i>3560</i> | 04 | 2 | |
| | <u> </u> | 222 | |
| | CP. | 2 | |
| | 10 | 2 | |
| | 12 | 2_ | |
| 65 | 14 | 2 | Men Right & Greek |
| | 11.11.13 | 2 | |
| | 46 | 3 | |
| | 20 | 4/ | |
| | 8 | 3 | |
| 1520 | 2 | 2 | |
| | 58 | 3 | |
| | 12:00 | 2 | |
| | 02 | 2 | |
| | | 2 | |
| 25 | 04 | 17 | |
| 25 | 06 | - | <i>₹</i> √. |
| | 08 | 2 | |
| | 10 | - | |
| - | 115 | 63 | |
| 2500 | 19 15 | 15 | <u> </u> |
| <i>358</i> 0 | /5 | <u>8</u> | |
| <u> </u> | 22 | 2 | |
| | 19 | 2_ | |
| | 2/ | 2 | |
| | 27 29 23 23 25 27 | 2 2 2 2 2 2 2 2 | |
| 85 | 25 | 2 | <u> </u> |
| <u> </u> | 22 | 2 | <u> </u> |
| · · · · · · | 29 | 2 | |
| | 30 32 37 | 1 | |
| 4.50 | 32 | 2 | - |
| 3570 | 37 | / | |
| | 35 | 2 | 1. V |
| | 37 | 2 | |
| | 35 37 39 | 2 | · · |
| | 411 | 2 | |
| 95 | -13 | 2 2 2 2 | |
| | 45 | 2 | CONN. |
| | 45 11:49/ | 2 | |
| | 53 | 2 | Α . |
| | 55 | 2 | |
| 200 | 56 | 1 | |
| | | | · · · · · · · · · · · · · · · · · · · |

SIZE PUMP LINERS

15.185.22699-0000 ORIGINAL SEC. TWP. . RGE. LOC. COUNTY DRILL PIPE CONTRACTOR SIZE HOLE

88

REMARKS:

| | | | | 88 |
|--------|---------------|--|---|---------------------------------------|
| D | ATE | | | 45_ |
| | DEPTH | O'CLOCK | MIN. | REMARKS |
| | 3600 | 11:56 | 0 | 42 |
| k | /01 | 5% | 2 | |
| \mid | · | 59 | | · |
| ŀ | | 01 | 2 | |
| L | _ · | 2 | / | |
| L | 05 | 3. | | |
| | | 5 | 2. | |
| | | 6 | 1 | |
| ļ | | 8 | 2 | |
| T | | 9 | | |
| ŀ | 36 10 | 10 | i i | |
| ŀ | 1070 | 12 | 2 | |
| ŀ | | 13 | 1 | |
| ŀ | | | 2- | |
| + | | 15 | 1 | |
| - | | 16 | 1 | |
| ļ | _15 | _/8 | 7 | · |
| ļ | | 20 | 2 | |
| | | 22 | 12 | |
| | | 23 | | |
| ſ | , | 28 | 4 | |
| | 7/1-20 | 28 | -1 | |
| Ì | | 32 | 3 | · · |
| t | | 321/2 | 1/2 | · · · · · · · · · · · · · · · · · · · |
| ł | | 33 | . 1/2 | |
| ł | | 34 | 1 | |
| ł | | | · · · | • |
| ŀ | 25 | 37 | 3 | |
| ļ | | 41 | 4 | <u> </u> |
| ļ | | 45 | 4 | |
| | | 49 | 4 | Mun. CFS 30/60 |
| Į | | 43 | 3 | ,, |
| | 3630 | 46h | 31/2 | |
| Ī | | 50 | 31/2 | |
| ĺ | | 521/2 | 21/2 | |
| ľ | | 54. | 3 1/2 | |
| Ì | | 55 | 13 | |
| | -ري | 52½ 56 57 10:03 6 9 12 15 18 | 31/2 7/2 3/2 3 | |
| 1 | | ζ. | ス | |
| ł | | 0 | 2 | |
| ł | | 1 2 | 2 | · · · · · · · · · · · · · · · · · · · |
| ŀ | - | 14 | 5 | |
| | d/ //n | 13 | 3 | |
| 1 | 31-40 | 1 | 5. | |
| 1 | | 1 4176 | 2Y2. | n diller |
| | | 24 | 15/5 | |
| , | | 27 | 3. | <u> </u> |
| ` | | <u>3</u> 0 | 3 | , , - > |
| } | 15 | 24 27 30 32 35 35 | 2 4 | |
| | | 35 | 3 | |
| \ | _ | ₹८८ | 3 | 007 1 1990 |
|) } | - | 41 | 3 3 3 3 2 2 2 3 3 3 4 | , |
| | X 4 | 17/ | 1// | |
| • | 20/20 | 4/8 | 3 | |
| 4 | 44 1 12 - | 1-10. | | |

| | | • | |
|--|-----------------|---|---------------------------------------|
| DEPTH | O,CTOCK LIWE | MIN. | REMARKS |
| 3/350 | | 613 | |
| 151 | 35/2 | <i>17</i> | |
| | | 4/2 | |
| | 59/2 | 4/ | |
| | 12:03 | 3/2 | |
| J-3- | 67 | Ч | Gers? NS |
| | 10 | 3 | |
| " | 14 | 16 | |
| | 17 | 4 | |
| | 1// | _2_ | Conn (A. |
| | 21/26 | 5 | · · · · · · · · · · · · · · · · · · · |
| 3/1/2 | 30 | 4 | |
| | 33 | ろ | . ^. |
| | 3.4 | 2 | |
| | 35 36 | 3 | Ÿ, |
| | Y 0 | | <u> </u> |
| | | _ 7 | |
| <u> </u> | 43 | 432323233333333333333333333333333333333 | |
| | 46 | 3 | |
| | 48 | 2 | |
| | 51 | 3 | |
| | 53 | 2 | |
| 726 7-0 | 56 | 7 | |
| 723 72 | | 7 | |
| | 59 | 5 | |
| | _2 | 37333 | |
| | _5 | 3 | |
| | 8 | 3 | , |
| 25 | ĬĬ | 3 | (150) |
| | 13 | 2 | 4 |
| | 11 | 3 | |
| | 10 | <u> </u> | |
| | _/ | 3 | |
| <u>. </u> | 22 | 3 | CFS 30/60 |
| 7/2.PO | 215/16 | 1 | 45 VIS 4204 15 WH |
| • | 17 | 1 | 98471 25 Ph |
| | - 19//2 | 21/2 | 244 |
| | -7 1/4 | 2 | CFS 30/60 |
| | 44 | | <u> </u> |
| £5 | 11- | سيت | CFS 30 45 |
| 90 | 10 | * / | CFS 50 193 |
| _, | 1211 | | |
| | 14 | 3 | |
| | 16 | 2 | CES 30140 |
| | | | |
| 3/290 | | | 100000 |
| 70 | | | |
| - - | | | <u> </u> |
| | | | \\/_ |
| | | | / , |
| | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 95- | | | |
| | | | |
| | | - | 3 / 1,211 |
| | | | |
| | | ļ <i>"</i> | 7.41 |
| | | | Projection 1 |
| 5700 | ; | · . | |

LENGTH STROKE

Phone 913-483-2627, Russell, Kansas Phone 316-793-5861, Great Bend, Kansas

L. SINAL

Phone Plainville 913-434-2812 Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC.

Иó

6014

Home Office P. O. Box 31

Russell, Kansas 67965

| 11011 | Sec. | Twp. | Range | i C | alled Out | On Location | Job Start | Finish |
|--|--|---------------------------------------|--|-----------------------------|---|--|---|-------------------------|
| Date 7 . 11 . 97 | 77 | 1 wp. | 12 |) ¥ . W . | \$ 7100 P.M. | _8 <u>1.</u> 3011.M_ | 913044 | |
| Lease hand an | Well No. | | | • | | 1. 25 4W 7/12 | County Stafford | State |
| Contractor) | \mathcal{L} | -\ | | | Owner 5 | • • | 1710-1717 | ! |
| T 1-1 (| 111cl | | | | To Allied (| Cementing Co., Inc. | | |
| 3 11 | | | 200 | | You are he | reby requested to rent cent ad helper to assist owner | nenting equipment and or contractor to do wo | furnish k as listed. |
| Hole Size | - | T.D. | | ئىسىنى رۇپ رۇپ ئ | | | _ | |
| Csg. C. Ti | | Depth | <u> 332 </u> | | Charge To | $ \mathcal{Q}$. | | |
| Tbg. Size | | Depth | | | Street | | | |
| Drill Pipe | | Depth | | | City State | | | |
| Tool | | Depth | | | The above was done to satisfaction and supervision of owner agent or contractor | | | |
| Cement Left in Csg. | 15 | Shoe J | oint | | Purchase Order No. | | | |
| Press Max. | | Minim | ım | | V. C. Series | | | |
| Meas Line | | Displac | e 20 PP1 | | | the Control of the State of the | | · |
| Perf. | | · | | | CEMENT | | | |
| , a g | | | | | Amount Ordered | 7551 1/10 37 | LL, 27060) | · |
| EQUIPMENT | | | | | Consisting of | | | |
| ty No. | Cementer | | | | Common | | | |
| Pumptrk \O, T', | Helper | | · · · · · · · · · · · · · · · · · · · | | Poz. Mix | | | |
| No. | Cementer | | | | Gel. Chloride | | | |
| Pumptrk | Helper | | | | Quickset | | | |
| 1 | Driver | | Sacks, | | | | | |
| Bulktrk \ | | | <u> </u> | | | | Salas Tar | |
| Bulktrk | Driver | | | | | | Sales Tax | |
| | | | | | Handling | <u> </u> | | |
| DEPTH of Job | | | | | Mileage | | | |
| Reference: Knight Charge | | | | | | | Sub Total | |
| | MATCH WIL | <u>lociq</u> | <u>e</u> | -,··· | - | | | |
| Sub Total | | | | | . <u> </u> | | Total | |
| | | - Jul | Tax | | Floating E | quipment | | |
| | | | Total | | | | | |
| Remarks: | 327 04 55 | | Mixxl | | 7-1 | الإسمادي | | |
| 1'15 ~ | 11 6 AL DID | V | rod Vlun | | | non | | |
| te 417 | 11,3,31 | • • • • • • • • • • • • • • • • • • • | 1.10 | | | UCT 1 1 1990 | | |
| <u></u> | 13.13 | <u> در ب</u> | * 1 s l s l s 1 | · | | | | |
| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | i. 1] 1 1 1 1 1 1 1 1 1 | | <u>* 1 </u> | · • | | | | |
| | | , | x 4. 5. V | , | | | | |
| | | } | A. 32 1. X. | - | | | | |

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies

used, sold, or furnished under the requirements of this contract.

TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwith-standing the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited

to, a reasonable sum as and for attorney's fees.

—PRICES AND TAXES: All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—TOWING CHARGES: ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by

ALLIED, will be charged to and paid by CUSTOMER.

-PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

-DEADHAUL CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S

current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

- —SERVICE CONDITIONS AND LIABILITIES: 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract,

unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements

caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and work-manship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work

done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accom-

plish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

Phone 913-483-2627, Russell, Kansas Phone 316-793-5861, Great Bend, Kansas



Phone Plainville 913-434-2812 Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC.

No .

5990

| Λ <i>Lω</i> | me Office P. O. Box 31 | Russell, Kansas 67665 |
|--------------------------|------------------------|--|
| Sec. | Twp. Range | Called Out On Location Job Start Finish |
| Date 9-11-40 12 | 22 12 | 5 28 1 9 % 18 45 11 % |
| Lease Durliam Well No. | Z Location | County State |
| Contractor 4 | 7. Or Illing Rog | 1 Owner L. D. J. 11., |
| Type Job 1.9 Play | | To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |
| Hole Size 7 3 | T.D. 3688 | |
| Csg. | Depth | Charge L. D. D. Vi. of |
| Tbg. Size | Depth | Street |
| Drill Pipe 43 | Depth 690CL | City State |
| Tool | Depth | The above was done to satisfaction and supervision of owner agent or contractor |
| Cement Left in Csg. | Shoe Joint | Purchase Order No. |
| Press Max. | Minimum | |
| Meas Line | Displace | X 3 1) 1 1 1 5 Dec |
| Perf. | | Amount |
| EQUIPM | CNT | Ordered 125 1/10 16 2001 10 10 510 5001 01 514 |
| EGOIPHI | PIAI | Consisting of |
| No. Cementer | Mus | Common |
| Pumptrk 20 Helper | Brock | Poz. Mix |
| No. Cementer | | Gel. Chloride |
| Pumptrk Helper | | Quickset |
| Driver | Bucon | |
| Bulktrk / 0 / Driver | | Sales Tax |
| Dalata Divol | | Handling |
| DEPTH of Job | | Mileage |
| Reference: Tum & Trust | Char. C | Sub Total |
| milego Harge | , | Sub 10tal |
| 1 old Hola The | | Total |
| | Sub Total Tax | Floating Equipment |
| | Total | |
| Remarks: 1, 50 als at 69 | | |
| 1, 10 16 of 36 | · | 7-1 |
| | · S.F. | |
| | | nct 1 1990 |
| 10 m nd Any | | nct i 1 1990 |

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

-TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

-ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited

to, a reasonable sum as and for attorney's fees.

-PRICES AND TAXES: All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

-TOWING CHARGES: ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

--PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

-DEADHAUL CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

-SERVICE CONDITIONS AND LIABILITIES: 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract. unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.
- 2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.
- 3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accom-

plish the job as an independent contractor and not as an employee or agent of the CUSTOMER.