STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 200 Colorado Derby Building Wichita, Kansas 67202

WELL PLUGGING APPLICATION FORM (PLEASE TYPE FORM and File ONE Copy)

API # $15-185-20302 \sim 0000$ (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate sgud or completion date. -93
WELL OPERATOR KANSAS PETROLEUM, INC. KCC LICENSE # 5023
WELL OPERATOR KANSAS PETROLEUM, INC. KCC LICENSE # 5023 (owner/company name) ADDRESS 225 N. MARKET, SUITE 310 CITY WICHITA
STATE KANSAS ZIP CODE 67202 CONTACT PHONE # (316) 267-2266
LEASE MEYER WELL# 1 SEC. 19 T. 23 R. 12 (XXXXX) West)
SW - SE - SW - SPOT LOCATION/QQQQ COUNTY STAFFORD
330 FEET (in exact footage) FROM S N (circle one) LINE OF SECTION (NOT Lease Line)
1650 FEET (in exact footage) FROM E ((circle one) LINE OF SECTION (NOT Lease Line)
Check One: OIL WELL X GAS WELL D&A SWD/ENHR WELL DOCKET# CONDUCTOR CASING SIZE SET AT CEMENTED WITH SACKS
CONDUCTOR CASING SIZE SET AT CEMENTED WITH SACKS
SURFACE CASING SIZE 8 5/8 SET AT 289' CEMENTED WITH 415 SACKS co
PRODUCTION CASING SIZE 4 1/2 SET AT 3901 CEMENTED WITH 225 SACKS
LIST (ALL) PERFORATIONS and BRIDGEPLUG SETS: 3601-07, 3563-68, 3458-60
ELEVATION 1867/1872 T.D. 3905 PBTD 3848 ANHYDRITE DEPTH 709-727 (Stone Corral Formation)
CONDITION OF WELL: GOOD X POOR CASING LEAK JUNK IN HOLE NO
PROPOSED METHOD OF PLUGGING Sand back to 3408'. Spot 4 sacks cement. Cut and pull casing
from 2200'. Pump 300# hulls, 15 sks. gel, 50 sks 60/40 Poz w/6% gel, 10 sks gel, 100#
hulls, 8 5/8" wiper plug, 100 sks 60/40 pox w/6% gel. Cut off casing 5' below ground level. Verbal from Richard Lacey - Dodge City IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? YES IS ACO-1 FILED? YES
If not explain why?
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 <u>et. seq</u> . AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.
LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:
W. J. Luck PHONE # (β16) 792-2051
ADDRESS 1703 Appolo, P. O. Box 1045 City/State Great Bend, KS 67530
PLUGGING CONTRACTOR Pratt Well Service ROCK 15893
ADDRESS P. O. Box 845, Pratt KS 67124 PHONE # (316) 672-258005
PROPOSED DATE AND HOUR OF PLUGGING (If Known?) 4-8-93
PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED WITH REPRESENT OR AGENT
DATE: 3/30/93 AUTHORIZED OPERATOR/AGENT: LFI Le J. Toulous Signature)

Witnessed by MR.

Acoustic Cement Bond Log VDL

Pipe Rot. After Plugdown: Yes N

	l l							
FILE NO.	COMP	COMPANY KANSAS PETROLEUM, INC.						
		(4.)45,450						
<u> </u>	METT"	WELL #1 MEYER						
† 1	FIELD	FIFID WILDCAT						
. ∫ L :								
	COUN	COUNTYSTAFFORDSTATE_KA						
† !	LOCATIO	DN:			_	Other	Services	
	l.							
		SW - SE - SW						
; i		SEC 19 TWP 235 RGE 12W						
	SEC	<u>19twp</u>	<u> </u>	KC	5t1 <u>ZYV</u>		·	
Parmanant Datum G	Permanent Datum GROUND LEVEL Elev. 1869						ations: 872	
	Permanent Datum GROUND LEVEL Elev. 1869 KB 1872 Log Measured from 5 A.G.L. Ft. Above Permanent Datum DF 1870							
Drilling Measured from KELLY BUSHING GL 1869								
Drining Medioted from		<u> </u>						
Date	2-15-70	CSG. RECORD	Surfac	e f	Protection	Production	Liner	
	NE	Size	8-5/	8		4-1/2		
	850	Wt./Ft.				9-1/2		
	850	Grade	-			-		
Bottom Logged Int. 3		Type Joint				-		
	850	Тор	SURF			SURF	I	
	048	Bottom	289					
	ATER		PRIMA	₹Y CE	MENTING	DATA		
Density of Fluid _	·	Type Cement	~			50-50_P(IS-MIX	
Fluid Level F	ULL	Vol. of Cement	-			250 SAX		
Max. Temp. Deg. F		Additive	-			CFR-2		
Tool Series No.	408 - 31	% Additive	-			3/4 OF 1	%	
Tool Diam. 3	-1/2"							
Standoff Size -			<u></u>		28#	WENT	BER	
Logging Speed 3	0	Slurry Wt.	-		- ARCEA	IUM CUMINISSIE		
	i/R	Water Loss	- STATE		1k (1) 1	MENENTS		
T.C. 3		Drlg. Mud Type	_		APR	8 1993		
Sens. Setting 9	00X1	Drlg. Mud Wt.			AFT			
API Units/Div			RIMARY	CEME		CEDNEEUN		
	C-1018	Started Pumping			DOMESTICAL	Fleidsas		
Location S	TOCKTON	Plug on Bottom		Vol. Bbls.				
Opr. Rig Time	ORTMAST	Pres. Released				uli Partial		
Recorded by	. SMITH	Started Bond Log			Pipe Rot. [During Pumpin	g: Yes N	

Finished Bond Log 12-15

Joan Finney Governor

Jim Robinson Chairman

F. S. Jack Alexander Commissioner

> Rachel C. Lipman Commissioner

Judith McConnell Executive Director

> Brian Moline General Counsel



Kansas Corporation Commission

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION

April 8, 1993

Kansas Petroleum Inc 225 N Market 310 Wichita KS 67202

Meyer 1
API 15-185-20,302 © 330'FSL-1650'FWL
Sec. 19-23-12W
Stafford County

Dear Kansas Petroleum Inc.,

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of Please contact the district office for approval of your proposed plugging method at least at five (5) days before plugging the well, pursuant to K.A.R. 82-3-113 (b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit.

It has recently come to my attention that the form CP-1 has been filed by operators other than the owner or operator of the well and without the consent of the owner or operator. The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

Sincerely,

David P. Williams
Production Supervisor

Conservation Division
William R. Bryson
Director
200 Colorado Derby Bldg.
202 W. 1st Street
Wichita, Kansas 67202-1286
Telephone (316) 263-3238

District: #1 304 W. McArtor Dodge City, KS 67801 (316) 225-6760