

STATE OF KANSAS  
STATE CORPORATION COMMISSION

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

WELL PLUGGING RECORD

Stafford County, Sec. 14 Twp. 22 Rge. 14 (X) W (W)

Location as "NE/CNW/SW" or footage from lines G E/2 NE NE

Lease Owner Stanclind Oil and Gas Company

Lease Name William McBride Well No. 1

Office Address P. O. Box 1654, Oklahoma City, Oklahoma

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 1-28-1954

Application for plugging filed (Verbal Approval) 1-28-1954

Application for plugging approved (Verbal Approval) 1-28-1954

Plugging commenced 1-28-1954

Plugging completed 1-28-1954

Reason for abandonment of well or producing formation No commercial quantities of oil encountered

If a producing well is abandoned, date of last production -- 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well M. A. Rives

Producing formation None Depth to top Bottom Total Depth of Well 3805 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Lensing	Dry	3427	3769	8-5/8	349	None
Arbuckle	Dry	3769	3805			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Hvy Rotary Mud 3805-300  
Halliburton Plug 300-298  
20 sx. Cement 298-238  
Hvy Rotary Mud 238-40  
Halliburton Plug 40-38  
10 sx. Cement 38-5 Bottom of cellar

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Herndon Drilling Company  
Address Tulsa, Oklahoma

STATE OF Kansas, COUNTY OF Barton, ss.

I, G. A. Reynolds, (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *G. A. Reynolds*

P. O. Box 7, Ellinwood, Kansas  
(Address)


SUBSCRIBED AND SWORN TO before me this 3rd day of February, 1954

*Quinn L. Donovan*

Notary Public.

My commission expires May 2, 1955

24-7966-6 3-53-20M



2-4-54

FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
sand, shale	0	353			
shale, shales	353	625			
anhydrite	625	675			
shale, shales	675	2760			
shale, lime	2760	2925			
lime	2925	3270			
shale, lime	3270	3427			
London Top	3427				
lime, no show	3427	3725			
sand, shale, no show	3725	3769			
London Top	3769				
lime, slight oil streak	3769	3825			
<hr/>					
By Schlumberger Inc. Jan 20 1954					
<hr/>					
Total Depth					
By Schlumberger		3825			
By Solari Drill		3825			
<hr/>					
Completed as dry hole plugged and abandoned January 30, 1954					
Total Depth		3825			

**PLUGGING**  
 FILE SEC 14 T 22 R 140  
 BOOK PAGE 11 LINE 4

STANOLIND OIL AND GAS COMPANY  
WELL RECORD

SUPPLEMENTAL  
(ENTER "X" WHEN APPLICABLE)


LEASE Willis Martin WELL NO. 1  
LOCATION OF WELL: 020 FT.  NORTH  SOUTH OF THE 100 FT.  
 EAST  WEST OF THE  WEST LINE OF THE 1/4 1/4 1/4 1/4  
OF SECTION 36 TOWNSHIP 30  NORTH  SOUTH. RANGE 36  EAST  WEST.  
Stanton COUNTY Marion STATE  
ELEVATION: 120 - 125  
COMPLETED AS:  OIL WELL  GAS WELL  WATER WELL  DRY HOLE  
DRILLING: COMMENCED 2-12-24 19 24 COMPLETED 2-27-24 19 24  
P. O. Box 2654  
OPERATING COMPANY Stanolind Oil and Gas Company ADDRESS Oklahoma City, Oklahoma

OIL OR GAS SANDS OR ZONES

	NAME	FROM	TO	NAME	FROM	TO
1	<u>Encoring</u>	<u>3127</u>	<u>3700</u>			
2	<u>Artificial</u>	<u>3700</u>	<u>3025</u>			
3						

WATER SANDS

	NAME	FROM	TO	WATER LEVEL	NAME	FROM	TO	WATER LEVEL
1	<u>Hot Room</u>							
2								

CASING RECORD (OVERALL MEASUREMENT)

LINER SCREEN RECORD

CSG. SIZE	WEIGHT	DESCRIPTION		QUANTITY FEET	SIZE	QUANTITY FEET	SET AT		MAKE AND TYPE
		THREADS	MAKE - GRADE				TOP	BOTTOM	
<u>3-5/8"</u>	<u>22.7</u>	<u>3127</u>	<u>Artificial</u>	<u>319</u>					

PACKER RECORD

SIZE	LENGTH	SET AT	MAKE AND TYPE

CEMENTING RECORD

MUDDING RECORD

SIZE	WHERE SET FEET	CEMENT			METHOD	FINAL PRESS	MUDDING RECORD (CABLE TOOLS)	
		SACKS	BRAND	TYPE			METHOD	RESULTS
<u>3-5/8"</u>	<u>397</u>	<u>300</u>	<u>Powder</u>		<u>1500 lbs/ft²</u>			

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED?

WERE BOTTOM HOLE PLUGS USED?

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED

ROTARY TOOLS WERE USED FROM 0 FEET TO 3025 FEET. AND FROM \_\_\_\_\_ FEET TO \_\_\_\_\_ FEET

CABLE TOOLS WERE USED FROM \_\_\_\_\_ FEET TO \_\_\_\_\_ FEET. AND FROM \_\_\_\_\_ FEET TO \_\_\_\_\_ FEET

24-HOUR PRODUCTION OR POTENTIAL TEST Dry Hole

WATER \_\_\_\_\_ BBLs.

IF GAS WELL, CUBIC FEET PER 24 HOURS \_\_\_\_\_ SHUT-IN PRESSURE \_\_\_\_\_ LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 20 DAY OF February 19 24  
MY COMMISSION EXPIRES \_\_\_\_\_  
Lewis B. Lawson NAME AND TITLE  
NOTARY PUBLIC