

WELL SCHEMATIC

GL 1916.5'
 D.F. 1919'
 KB 1921.5'
 PBTD 3663'
 TD 3744'

WELL LOCATION
 SPUD COMPLETED IP

WELL DATA

BORDEWICK No. 5 STATUS SD OIL
NE NW NE ; 1650' ECL & 330' ENL NG/4
SEC. 1-T22S-R14W
STAFFORD COUNTY, KS
7-18-53
8-6-53
NA.

CASING

OD	WT	CEMENT	FROM	TC
<u>10 3/4</u>	<u>32.75 #H-40</u>	<u>400 SX CIRC</u>	<u>SVRCE</u>	<u>397</u>
<u>7"</u>	<u>20 # J-55</u>	<u>200 SX</u>	<u>SVRCE</u>	<u>373</u>

10 3/4", 32.75 #
CSG SET
w/400 SX CMT
CIRC TO SVRCE

TUBING

PERFS.

OPEN HOLE

ZONE	TYPE	INTERVAL	SP.
<u>ARBUCKLE</u>		<u>3732-44'</u>	
<u>LKC "H"</u>	<u>22 gm.</u>	<u>3518-24'</u>	<u>2</u>
<u>LKC "I"</u>	<u>"</u>	<u>3536-42'</u>	<u>2</u>
<u>LKC "J"</u>	<u>"</u>	<u>3558-66'</u>	<u>2</u>
<u>LKC "K"</u>	<u>"</u>	<u>3590-94'</u>	<u>2</u>

397

LOGS

TYPE	DATE	COMPANY	FOOTAGE
<u>LL-M4</u>	<u>7-30-53</u>	<u>SCHLUMBERGER</u>	<u>3740-</u>

7" 20 # CSG
SET w/200 SX CMT

WELL TEST FORMATION TOPS

DATE	BOPD	MCFGPD	BWPD
<u>HEEBNER</u>	<u>3256</u>		
<u>TORONTO</u>	<u>3276</u>		
<u>DOUGLAS</u>	<u>3292</u>		
<u>BROWN WS</u>	<u>3380</u>		
<u>LKC</u>	<u>3391</u>		
<u>BASE KC</u>	<u>3623</u>		
<u>VIOLA</u>	<u>3644</u>		
<u>SIMPSON</u>	<u>3683</u>		
<u>ARBUCKLE</u>	<u>3731</u>		

LKC "H" = 3518-24'
LKC "I" = 3536-24'
LKC "J" = 3558-66'
LKC "K" = 3590-94'

PBTD 3663'

TD

PREPARED BY: DAR

DATE: _____

RECEIVED
 STATE OF KANSAS COMMISSION

3744'
MAY 24 1990

CONSERVATION DIVISION
 Wichita Kansas

PERF LKC - 2-6-86