

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

Pawnee

County. Sec. 12 Twp. 22 Rge. 15 (E) W (W)

Location as "NE/CNW/SW" or footage from lines NE/4 NE/4 NW/4

Lease Owner Stanlind Oil and Gas Company

Lease Name M. Stolz Well No. 1

Office Address P. O. Box 1654, Oklahoma City, Oklahoma

Character of Well (completed as Oil, Gas or Dry Hole) dry hole

Date well completed 6-22 1953

Application for plugging filed 6-24 1953

Application for plugging approved 6-25 1953

Plugging commenced 6-22 1953

Plugging completed 6-22 1953

Reason for abandonment of well or producing formation no commercial shows encountered

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Mr. M. A. Rives

Producing formation none Depth to top          Bottom          Total Depth of Well 3945 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Lansing	Water	3476	3793	8-5/8	899	none
Viola	Dry	3793	3842			
Simpson	Dry	3842	3890			
Arbuckle	Dry	3890	3945			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from          feet to          feet for each plug set.

3945 total depth  
3945 - 3645 30 sacks cement  
3645 - 40 hvy. rotary mud  
40 - 0 10 sacks cement

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Barbour Drilling Company  
Address 717 First National Bank Building, Tulsa, Oklahoma

STATE OF Kansas, COUNTY OF Barton, ss.

M. D. McCormick (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.



(Signature) M. D. McCormick  
P. O. Box 7, Ellinwood, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 30th day of June, 19 53

Louis B. Donovan

My commission expires May 2, 1955

24-7366-S 3-53-20M



BY ACCEPTANCE OF THIS ORDER CONTRACTOR AGREES THAT IN THE PERFORMANCE OF THE ABOVE WORK, CONTRACTOR SHALL ACT SOLELY AS AN INDEPENDENT CONTRACTOR AND AS SUCH IS SOLELY RESPONSIBLE FOR ALL CONTRIBUTIONS AND TAXES IMPOSED UNDER UNEMPLOYMENT COMPENSATION OR INSURANCE LAWS COVERING EMPLOYEES OF CONTRACTOR. CONTRACTOR GUARANTEES THAT ALL MATERIAL SOLD AND DELIVERED HEREUNDER HAS BEEN OR WILL BE PRODUCED, AND ALL WORK, LABOR AND SERVICES PERFORMED HEREUNDER HAS BEEN OR WILL BE PERFORMED AND PRICES THEREFOR HAVE BEEN OR WILL BE CHARGED IN STRICT ACCORDANCE WITH ALL APPLICABLE STATE AND FEDERAL LAWS, RULES, REGULATIONS AND ORDERS.

FORM O-16 7-52

STANOLIND OIL AND GAS COMPANY

FIELD PURCHASE ORDER

CENTRAL DIVISION

No S85289  
15-145-00050-0000

DATE June 22, 1953

ORDERED FROM State Corporation Commission

ADDRESS 800 Bunting Bldg Wichita, Kansas

RENDER INVOICE IN DUPLICATE FOR EACH ORDER. SHOW ORDER NUMBER ON ALL COPIES OF INVOICE AND MAIL TO

STANOLIND OIL AND GAS COMPANY Ellinwood Kansas  
CITY STATE

DELIVER MATERIAL TO \_\_\_\_\_

QUANTITY	DESCRIPTION	FEA	SYM	UNIT PRICE	AMOUNT
	<u>State Fee for construction on plugging dry hole</u>				

RECEIVED  
STATE CORPORATION COMMISSION  
JUN 24 1953  
CONSERVATION DIVISION  
Wichita, Kansas

CHARGE TO M. Stolt #1 Inc.

USED FOR Plug Dry hole

ORIG. CONST.  OPERATIONS  
 REPLACEMENT  REPAIRS  
 POSTED TO \_\_\_\_\_

TERMS \_\_\_\_\_  
BY ACCEPTANCE OF THIS ORDER SELLER AGREES TO AND SHALL BE BOUND BY THE TERMS AND CONDITIONS PRINTED ON THE BACK HEREOF.

STANOLIND OIL AND GAS COMPANY  
BY J. W. Bezz

888888 971  
70-1000-0-1-2

STANDARD OIL AND GAS COMPANY  
THE BUYER'S ORDER  
CENTRAL DIVISION

FORM NO. 1

DATE

STANDARD FORM

- No. 1. This order is given on the express condition and agreement that the Seller, its heirs, successors, assigns and legal representatives, shall forever protect, indemnify and save harmless the Buyer against any and all claims, suits in law or equity, judgments, court costs, attorneys' fees, and other liabilities, demands or losses in any manner arising out of alleged infringement of any patent, copyright and trade mark rights because of the possession, use or sale by the Buyer or its agents of the subject matter to which this agreement relates, it being understood that said Buyer will promptly notify said Seller of the bringing of said suits, and that Seller shall have the right to be represented in the defense thereof by counsel of its own selection and, at its own expense; it is further of the essence of this agreement and a part of the consideration for entering into it by the Buyer that the Buyer shall have a free and unrestricted right and license to use said subject matter in any and all arts and under all patents in or under which Seller may now or hereafter have an interest.
- No. 2. In the event Buyer and Seller have heretofore entered into a written agreement providing for the purchase and sale of the products mentioned in this order and the period covered by such prior agreement has not expired, then this order shall be considered as made by Buyer and accepted by Seller on the same terms and conditions set forth in said prior agreement and nothing herein contained shall be held in any manner to be a modification of such prior agreement of purchase.
- No. 3. Seller represents that the sale of the article or articles referred to herein, and the price therefor and delivery thereof will conform to all applicable federal and state laws, orders, rules and regulations.

PRODUCT

STANDARD OIL CO. OF INDIANA  
STANDARD OIL CO. OF KENTUCKY  
STANDARD OIL CO. OF TEXAS

STANDARD OIL AND GAS COMPANY

STANDARD OIL AND GAS COMPANY  
STANDARD OIL AND GAS COMPANY  
STANDARD OIL AND GAS COMPANY

STANOLIND OIL AND GAS COMPANY  
WELL RECORD

SUPPLEMENTAL  
(ENTER "X" WHEN APPLICABLE)

			0				
			12				

LOCATE WELL CORRECTLY

LEASE M. Stolz WELL NO. 1

LOCATION OF WELL: 330 FT.  NORTH  SOUTH OF THE  NORTH  SOUTH LINE AND 2310 FT.

EAST  WEST OF THE  EAST  WEST LINE OF THE NE  $\frac{1}{4}$  NE  $\frac{1}{4}$  NW  $\frac{1}{4}$ .

OF SECTION 12 TOWNSHIP 22  NORTH  SOUTH. RANGE 15  EAST  WEST.

Pawnee COUNTY Kansas STATE

ELEVATION: RDB - 1965

COMPLETED AS:  OIL WELL  GAS WELL  WATER WELL  DRY HOLE

DRILLING: COMMENCED 6-7 19 53 COMPLETED 6-21 19 53

P. O. Box 1654

OPERATING COMPANY Stanolind Oil and Gas Company ADDRESS Oklahoma City, Oklahoma

OIL OR GAS SANDS OR ZONES

NAME	FROM	TO	NAME	FROM	TO
<sup>1</sup> Lansing	3476	3793	<sup>4</sup> Arbuckle	3890	3945
<sup>2</sup> Viola	3793	3842	<sup>5</sup>		
<sup>3</sup> Simpson	3842	3890	<sup>6</sup>		

WATER SANDS

NAME	FROM	TO	WATER LEVEL	NAME	FROM	TO	WATER LEVEL
<sup>1</sup> not known				<sup>3</sup>			
<sup>2</sup>				<sup>4</sup>			

CASING RECORD (OVERALL MEASUREMENT)

LINER-SCREEN RECORD

CSG. SIZE	WEIGHT	DESCRIPTION		QUANTITY FEET	SIZE	QUANTITY FEET	SET AT		MAKE AND TYPE
		THREADS	MAKE - GRADE				TOP	BOTTOM	
8-5/8	22.7	SJ	Armco	899					

PACKER RECORD

SIZE	LENGTH	SET AT	MAKE AND TYPE

CEMENTING RECORD

MUDDING RECORD

SIZE	WHERE SET FEET	CEMENT			METHOD	FINAL PRESS	(CABLE TOOLS)	
		SACKS	BRAND	TYPE			METHOD	RESULTS
8-5/8	909	500	Pozmix	Portland	Halliburton			

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? \_\_\_\_\_

WERE BOTTOM HOLE PLUGS USED? \_\_\_\_\_

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED \_\_\_\_\_

ROTARY TOOLS WERE USED FROM 3945 FEET TO \_\_\_\_\_ FEET, AND FROM \_\_\_\_\_ FEET TO \_\_\_\_\_ FEET

CABLE TOOLS WERE USED FROM \_\_\_\_\_ FEET TO \_\_\_\_\_ FEET, AND FROM \_\_\_\_\_ FEET TO \_\_\_\_\_ FEET

24-HOUR PRODUCTION OR POTENTIAL TEST \_\_\_\_\_

IF GAS WELL, CUBIC FEET PER 24 HOURS \_\_\_\_\_

**PLUGGING RECEIVED**  
 FILE SEC 12-22 1520 E. CORPORATION  
 BOOK PAGE 110 LINE 8  
 WATER \_\_\_\_\_ BBLs.  
 SHOT-HOLE PRESSURE \_\_\_\_\_ LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 25th DAY OF June, 1953  
 MY COMMISSION EXPIRES May 2, 1955  
 \_\_\_\_\_  
 NAME AND TITLE: \_\_\_\_\_  
 NOTARY PUBLIC

FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
sand	0	150			
sand and shale	150	200			
shale	200	380			
sand	380	480			
red bed	480	905			
anhydrite	905	940			
red bed and shale	940	1025			
shale and shells	1025	1860			
lime and shale	1860	2035			
shale	2035	2040			
lime and shale	2040	2445			
shale	2445	2665			
lime and shale	2665	2690			
lime, shale and shells	2690	2840			
lime and shale	2840	3215			
lime	3215	3358			
shale and lime	3358	3476			
Top Lansing (water bearing)	3476				
shale and lime	3476	3793			
Top Viola (dry)	3793				
chert	3793	3842			
Top Simpson (dry)	3842				
shale	3842	3890			
Top Arbuckle (dry)	3890				
dolomite	3890	3945			
Schlumberger Elec. Logs to TD					
Total Depth					
By Schlumberger		3940			
By Rotary Drill		3945			
well completed 6-22-53 as a dry hole					