FORM CP-4

STATE OF KANSAS STATE CORPORATION COMMISSION COMMINATION DIVISION P. O. BOX 17027 WICHITA, KANSAS 67917

WELL PLUGGING RECORD

•	Staf	ford	Count	y. Sec_10_ ·	Twp.21S Rg	e(E)_ <u>13</u> (W)
NORTH	Location as "NE					
, , , , , , , , , , , , , , , , , , , ,	Lease Owner	Coorge A	A. Reed		_	
1	Lease Name		Rothga	rn		Well No 2
1 1 1	Office Address_	645 For	urth Fi	nano 1 a l	- Conter,	Wichita, Kan
 	Character of W	ell (completed	as Oil, Gas or	r Dry Hole)	011	
	Date well comp	pieted		 Aug-	34	100%
<u> </u>						19.76
	Application for p	onace Dingsms abbut	vea	T4	3/	
i i i	Plugging comple	eted		Mari	- #0	¹⁹ 76
	Reason for aban	donment of wel	ll or producing	formation	22-7-4	1076
	reason for ability	additional of well	a or producing	g 101M (1100	_ соъто г	'ea
; }	If a producing v	well is abandon	ed date of la	st production		19
		_				fore plugging was com-
Locate well correctly on abuve Section Plat	menced?					
ame of Conservation Agent who super			R Bibe	natain		
roducing formation.	D	epth to top	Batton		Total Depth o	1 Well _ 3605 Earl
how depth and tlackness of all water,						
OIL, CAS OR WATER RECORDS	<u> </u>					CASING RECORD
FORMATION	CONTENT	FROM	TO .	SIZE	PUT IN	PULLED DUT
			2271	8 5/8"	3371	none
			3600.1	471	3601	2768 50
			2004	72	7004	
					 	
			1	ľ	1	
	ent or other plugs we					
Describe in detail the manner in a introducing it into the hole. If ceme feet for each plug set Sandad back to 350	ent or other plugs we :-	re used, state th	e character of	f same and dep	th placed, from	
introducing it into the hole. If ceme feet for each plug set Sanded back to 350	ent or other plugs we DO! and dum	re used, state th	ecks of	f same and dep	th placed, from	feet to
introducing it into the hole. If ceme feet for each plug set Sanded back to 350	ent or other plugs we DO! and dum	re used, state th	ecks of	f same and dep	th placed, from	feet to
Introducing it into the hole. If ceme feet for each plug set Sandad back to 350	ent or other plugs we DO! and dum	re used, state th	ecks of	f same and dep	th placed, from	feet to
Introducing it into the hole. If ceme feet for each plug set Sandad back to 350	ent or other plugs we DO! and dum	re used, state th	ecks of	f same and dep	th placed, from	17s, 20
Introducing it into the hole. If ceme- feet for each plug set Sanded back to 350	ent or other plugs we DO! and dum	re used, state th	ecks of	f same and dep	th placed, from	feet to
Introducing it into the hole. If ceme- feet for each plug set Sanded back to 350	ent or other plugs we DO! and dum	re used, state th	ecks of	f same and dep	th placed, from	17s, 20
Introducing it into the hole. If ceme- feet for each plug set Sanded back to 350	ent or other plugs we DO! and dum	re used, state th	ecks of	f same and dep	th placed, from	17s, 20
Introducing it into the hole. If ceme- fect for each plug set Sanded back to 350 Lalliburton Service sacks of gol and l	ent or other plugs were to see plugged 100 seeks o	re used, state the uped 5 served well purification to ment	ecks of	coment.	th placed, from	17s, 20 4-5-76
Introducing it into the hole. If ceme feet for each plug set Sanded back to 350 Falliburton Service sacks of gol and leaders of gol and leaders of the sacks of gol and leaders of gol a	ent or other plugs were to see plugged to seeks o	re used, state the uped 5 se well pur forment description is necessarily to the upen to th	ne character of	coment.	cs of hu	17s, 20 4-5-76
Introducing it into the hole. If ceme feet for each plug set Sanded back to 350 Falliburton Service sacks of gol and leaders of gol and leaders of the sacks of gol and leaders of gol and lead	ent or other plugs were to see plugged 100 seeks o	re used, state the uped 5 se well pur forment description is necessarily to the upen to th	ne character of	coment.	cs of hu	17s, 20 4-5-76
Introducing it into the bole. If ceme	ent or other plugs were to see plugged to seeks o	re used, state the uped 5 se well pur forment description is necessarily to the upen to th	ne character of	coment.	cs of hu	17s, 20 4-5-76
Introducing it into the hole. If ceme	ent or other plugs were to other plugged dum PIPE PULLER BOX 128, E1	re used, state the uped 5 sewell purefroment description is necessary in the upen to the u	ecks of	coment.	th placed, from	17s, 20 4-5-76
Introducing it into the hole. If ceme	ent or other plugs were considered dum DO! and dum DO!	well pur description is neces S, INC. 11nwood,	PCKS OF	coment. coment. coment.	th placed, from	17's 20 4-5-76
Introducing it into the hole. If ceme	ent or other plugs were considered dum PIPE PULLER BOX 128, E1	te used, state the uped 5 sewell purefroment description is necessary in the upen to the u	BARTON employee of c	coment. coment. 2 sacl	th placed, from	17 s 20 4 -5 - 76 5 (073
Introducing it into the hole. If ceme feet for each plug set Sanded back to 350 Lallburton Service sacks of gol and leaders of gol and leaders. Idress Evelyn Roth all, being first duly sworn on eath, set	ent or other plugs were considered dum Co plugged 100 sacks of the pullings o	well pur description is neces S, INC. linwood,	BARTON employee of facts, stateme	coment. coment. coment. coment. coment.	th placed, from	17 s 20 4 -5 - 76 5 (073
Introducing it into the hole. If ceme feet for each plug set Sanded back to 350 Lallburton Service sacks of gol and leaders of gol and leaders. Idress Evelyn Roth all, being first duly sworn on eath, set	ont or other plugs were the same are true and the same are true an	well pur description is neces S, INC. linwood,	BARTON employee of facts, stateme	coment. coment. coment. coment. coment.	th placed, from	17 s 20 4 -5 - 76 5 (073
Introducing it into the bole. If ceme feet for each plug set Sanded back to 350 Lallburton Service sacks of gol and leaders are of Plugging Contractor Federal Service Servi	ont or other plugs were the same are true and the same are true an	description is necessary of the correct. So I	BARTON employee of facts, stateme	coment. coment. coment. coment. cof this sheet) s 67526 cowner) or (owners, and matter	th placed, from	17 s 20 4 -5 - 76 5 (073
Sanded back to 350 Lalliburton Service sacks of gol and laddress TATE OF KANSAS Evelyn Roth well, being first duly sworn on cath, as bove-described well as filed and that	on and dum o plugged O sacks o (If additional PIPE PULLER BOX 128, E1	description is necessary of the description is necessary of th	EJJin	coment. coment. coment. coment. cof this sheet) s 67526 cowner) or (owners, and matter	th placed, from	17 s 20 4 -5 - 76 5 (073
Introducing it into the bole. If ceme fect for each plug set Sanded back to 350 Ealliburton Service stocks of gol and l ame of Plugging Contractor Full and l TATE OF KANSAS Evelyn Roth rell, being first duly sworn on eath, as bove-described well as filed and that	on and dum o plugged O sacks o (Hadditional PIPE PULLER BOX 128, E] . COU	description is necessary of the description is necessary of th	BARTON employee of facts, statements for the cod.	coment. coment. coment. coment. cof this sheet) s 67526 cowner) or (owners, and matter	th placed, from	17 s 20 4 -5 - 76 5 (073
Introducing it into the bole. If ceme feet for each plug set feet for each plug seeks of gol and laters. TATE OF	on and dum o plugged O sacks o (If additional PIPE PULLER BOX 128, E] Asselman	description is necessary of the description is necessary of th	EJJin	coment. coment. coment. coment. cof this sheet) s 67526 cowner) or (owners, and matter	th placed, from	17 s 20 4 -5 - 76 5 (073
Introducing it into the bole. If ceme lect for each plug set lect lect lect lect lect lect lect le	on and dum o plugged O sacks o (Hadditional PIPE PULLER BOX 128, E] . COU	description is necessary of the description is necessary of th	EJJin	coment. coment. coment. coment. cof this sheet) s 67526 cowner) or (owners, and matter	th placed, from	17 s 20 4 -5 - 76 5 (073

.

FORM CP-4

FIATE OF KANSAS FIATE CORFORATION COMMISSION COMMINATION INVISION P. O. BOX 17027

WELL PLUGGING RECORD

Wichita, Kangas 67917	Staff	ord	Count	v. Sec. 10	wp.218 Rg	o (E) 13	_(W)
NORTH	Location as "NE,	CNW#SW#"	nt toorske na	m linesNW	SW SE		
i	Lease Owner_G	reorge R					
1 1 1	Lease Name	71 2 7	<u>Rothga</u>		 -	Well No_2	
	Office Address	645 FOU	i <u>rth</u> Fi	nancial		Wichita,	
	Character of We	ll (completed)	as Oil, Gas o	r Dry Hole) 📖	<u>_oil</u>		<u>_672</u>
1 1	Date well compl	eted		Aug	<u>31</u>	19	<u> ځ</u> و
!	Application for p	lugging filed_		<u>Mar.</u>	<u> 15 </u>	19	76
	Application for p	lugging approv	red			19_	
i 1	Plugging comme	iced		Mar.	16		<u> 76</u>
i l	Plugging complet	ted		<u>Mar.</u>	25		<u> 76</u>
	Reason for aband	onment of wel	l er producing	g formation	deplet	ed	
1	If a producing w	ell is abandon	ed, date of la	st production_			
			the Conserva	ation Division o	or its agents be	fore plugging was	com-
Locate well correctly on above Section Plat	menced?Y6	<u>s</u>					
ame of Conservation Agent who supe	rvised plugging of this	well <u>G.F</u>	≀. Bibe	<u>rstein</u>			
roducing formation.	De	pth to top	Bottom	l <u> </u>	Total Depth o	f Well 3605	Feet
how depth and thickness of all water			•		_		_
·							
OIL, CAS OR WATER RECORD	0\$					CASING RECOR	(D
FORMATION	CONTENT	FROM	10	SIZE	HI TUG	PULLED DUT	-
			3371	8 5/8"	331'	none	
·	 		3604	5를ii	360Li	2768.50	
			3004.	72	3004	- <u>2100.30</u>	 .
						 	
							
			 		 	 -	
	<u> </u>				 	 	
					<u></u>	<u> </u>	
Sanded back to 35 Halliburton Servi sacks of gel and	ce plugged v 100 sacks of	vell pun		n 2 sack		lls, 20	
	Box 128, E11	inwood.	Kansa				
udress		- III wood,	Traitsa	5 0/20			
•							===
TATE OF KANSAS	, COEN	тү от	BARTON	Λ.	2, ss.() 2 (5.7		
Evelyn Rot	<u>h</u>					O of the above-desc	
cil, being first duly swom on oath,	says: That I have know	wledge of the	facts, statems	oute and mote	er-en-esperarer	of the above-desc	ribed
bove-described well as filed and that	the same are true and	correct So t	iela me Cod	and matte	n nerem conta	med and the log	of the
and the	ere tran filld	COLLECT 30 I	ien ma coo.	0-	1-1-1-		
•	(Signature)(July	mkal	n		
			Ellin	wood. Ka	nsas	· — · — ·	
SURSCRIBED AND SWORN TO befo	re me this 30th		March		Address)	74	
TO DESCRIBED AND SWORN TO belo	re me this JC 01.	day of_	1011		, 19_	<u>76</u>	
JENNY	Kasselman.		l'ann	y Hans	elmas	1	
	ARY PUBLIC	1	1) CHICA	7-11000	en plus	Notery Pub	7/-
" COMMINICAL CADIFFE _	COUNTY, KANSAS	<i>U</i>	U			indicate Lab	nc.
MY COMM.	EXP. JULY 16, 1978						

L O G

OPERATOR: GEORG	E A REED	
WELL NAME: ROTHG	ARN #2	LOCATION: 10-215-13W NW SW SE
COUNTY: STAFF	ORD	STATE: KANSAS
WELL COMMENCED:_	8/21/65	WELL COMPLETED: 8/31/65
ELEVATION:	1880 KB	TOTAL DEPTH: 36051
PRODUCTION:	PRODUCING	RIG NO: #2
CASING - 8-5/8":	(8 jts.), 33	1' W/300 sx cement.
5-1/2"	Set @3604' (114 its.) W/40 sx req. + 70 sx 50-50 cmt.

All Measurements taken from the top of rotary bushing.

FROM	то	FORMATION	OEVIATION FROM VERTICAL	REMARKS:
0 331 743 763 1525 3005 3195 3320 3560	331 743 763 1525 3005 3195 3320 3560 3605	Sand Red Bed Anhydrite Shale & Shells Lime & Shale Lime Lime & Shale Lime Arbuckle	1/4° - 500' 1/2° - 1000' 1/2° - 1500' 1/2° - 2000' 1/2° - 2500' 1/2° - 3000'	DST #1 3309-3340° DST #2 3343-3370° DST #3 3411-3440° DST #4 3452-3484° DST #5 3554-3560° DST #6 3561-3569°

MAR 1 6 1976

Sunce COMMU Die Signi Winlate, Mureza

STATE (アドイ	ANSAS)	cc.
COUNTY	OF	ANSAS SEDGWICK)	33;

The undersigned hereby certifies that to the best of his knowledge and belief, the above facts are true and correct.

C-G PRITTING CO " a e e

beschafed and sworn to, before me, this 7th day of January

र्टर्जिका , exp: May 20, 1967 - Notary Public Vicky Jagobs -