


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Stafford County, Sec. 3 Twp. 22S Rge. 12 (E) (W)
Location as "NE/CNW $\frac{1}{4}$ /SW $\frac{1}{4}$ " or footage from lines NW NE SW
Lease Owner Stanolind Oil and Gas Company
Lease Name M. Sittner "D" Well No. 4
Office Address Box 1654, Oklahoma City, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Oil
Date well completed 8-9- 19 49
Application for plugging filed 10-10- 19 50
Application for plugging approved 10-12- 19 50
Plugging commenced 10-16- 19 50
Plugging completed 10-26- 19 50
Reason for abandonment of well or producing formation pay zone depleted

NORTH



Locate well correctly on above
Section Flat

If a producing well is abandoned, date of last production 8-31- 19 50
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well G. D. Stough
Producing formation Arbuckle Depth to top 3631 Bottom 3636 Total Depth of Well 3638 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Arbuckle	Oil	3631	3636	5 $\frac{1}{2}$	3662	2707
				8-5/8	650	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

TD 3638'
PBD - 3636'
3636' - 3605' 10 sax cement
3605' - 250' Heavy Mud
250' - 240' Rock Bridge
240' - 195' 15 sax cement
195' - 30' Heavy Mud
30' - 4' Rock Bridge
4' - 0' Celler

11-2-50

RECEIVED
STATE CORPORATION COMMISSION
NOV - 2 1950
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to G. A. Younie
Address Box 7, Ellinwood, Kansas


STATE OF Kansas, COUNTY OF Barton, ss.
G. A. Younie (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *G. A. Younie* Field Supt.
Box 7, Ellinwood, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 1st day of November, 1950

D. J. H. Rader
Notary Public.

My commission expires November 14, 1953



FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Division of geology Washington Field No. 100	0	30			
100' - 100' 100'	30	100			
100' - 100' 100'	100	200			
100' - 100' 100'	200	300			
100' - 100' 100'	300	400			
100' - 100' 100'	400	500			
100' - 100' 100'	500	600			
100' - 100' 100'	600	700			
100' - 100' 100'	700	800			
100' - 100' 100'	800	900			
100' - 100' 100'	900	1000			
100' - 100' 100'	1000	1100			
100' - 100' 100'	1100	1200			
100' - 100' 100'	1200	1300			
100' - 100' 100'	1300	1400			
100' - 100' 100'	1400	1500			
100' - 100' 100'	1500	1600			
100' - 100' 100'	1600	1700			
100' - 100' 100'	1700	1800			
100' - 100' 100'	1800	1900			
100' - 100' 100'	1900	2000			
100' - 100' 100'	2000	2100			
100' - 100' 100'	2100	2200			
100' - 100' 100'	2200	2300			
100' - 100' 100'	2300	2400			
100' - 100' 100'	2400	2500			
100' - 100' 100'	2500	2600			
100' - 100' 100'	2600	2700			
100' - 100' 100'	2700	2800			
100' - 100' 100'	2800	2900			
100' - 100' 100'	2900	3000			
100' - 100' 100'	3000	3100			
100' - 100' 100'	3100	3200			
100' - 100' 100'	3200	3300			
100' - 100' 100'	3300	3400			
100' - 100' 100'	3400	3500			
100' - 100' 100'	3500	3600			
100' - 100' 100'	3600	3700			
100' - 100' 100'	3700	3800			
100' - 100' 100'	3800	3900			
100' - 100' 100'	3900	4000			
100' - 100' 100'	4000	4100			
100' - 100' 100'	4100	4200			
100' - 100' 100'	4200	4300			
100' - 100' 100'	4300	4400			
100' - 100' 100'	4400	4500			
100' - 100' 100'	4500	4600			
100' - 100' 100'	4600	4700			
100' - 100' 100'	4700	4800			
100' - 100' 100'	4800	4900			
100' - 100' 100'	4900	5000			
100' - 100' 100'	5000	5100			
100' - 100' 100'	5100	5200			
100' - 100' 100'	5200	5300			
100' - 100' 100'	5300	5400			
100' - 100' 100'	5400	5500			
100' - 100' 100'	5500	5600			
100' - 100' 100'	5600	5700			
100' - 100' 100'	5700	5800			
100' - 100' 100'	5800	5900			
100' - 100' 100'	5900	6000			
100' - 100' 100'	6000	6100			
100' - 100' 100'	6100	6200			
100' - 100' 100'	6200	6300			
100' - 100' 100'	6300	6400			
100' - 100' 100'	6400	6500			
100' - 100' 100'	6500	6600			
100' - 100' 100'	6600	6700			
100' - 100' 100'	6700	6800			
100' - 100' 100'	6800	6900			
100' - 100' 100'	6900	7000			
100' - 100' 100'	7000	7100			
100' - 100' 100'	7100	7200			
100' - 100' 100'	7200	7300			
100' - 100' 100'	7300	7400			
100' - 100' 100'	7400	7500			
100' - 100' 100'	7500	7600			
100' - 100' 100'	7600	7700			
100' - 100' 100'	7700	7800			
100' - 100' 100'	7800	7900			
100' - 100' 100'	7900	8000			
100' - 100' 100'	8000	8100			
100' - 100' 100'	8100	8200			
100' - 100' 100'	8200	8300			
100' - 100' 100'	8300	8400			
100' - 100' 100'	8400	8500			
100' - 100' 100'	8500	8600			
100' - 100' 100'	8600	8700			
100' - 100' 100'	8700	8800			
100' - 100' 100'	8800	8900			
100' - 100' 100'	8900	9000			
100' - 100' 100'	9000	9100			
100' - 100' 100'	9100	9200			
100' - 100' 100'	9200	9300			
100' - 100' 100'	9300	9400			
100' - 100' 100'	9400	9500			
100' - 100' 100'	9500	9600			
100' - 100' 100'	9600	9700			
100' - 100' 100'	9700	9800			
100' - 100' 100'	9800	9900			
100' - 100' 100'	9900	10000			

PLUGGING
 FILE SEC-3 188 R 100
 PAGE 34 LINE 31

STANOLIND OIL AND GAS COMPANY

WELL RECORD

TWP. 22 S N OR S

SUPPLEMENTAL (ENTER "X" WHEN APPLICABLE)

Grid for well location with handwritten '3' in the 3rd row, 3rd column.

LEASE M. Sittner WELL NO. 4

LOCATION OF WELL: 2970 FT. NORTH SOUTH OF THE NORTH LINE AND 1650 FT. EAST WEST OF THE WEST LINE OF THE

OF SECTION 3 TOWNSHIP 22 NORTH SOUTH. RANGE 12 EAST WEST.

Stafford Kansas COUNTY STATE

ELEVATION: 1000

COMPLETED AS: OIL WELL GAS WELL WATER WELL DRY HOLE

DRILLING: COMMENCED July 8, 1949 COMPLETED Aug. 9, 1949

LOCATE WELL CORRECTLY

OPERATING COMPANY Stanolind Oil and Gas Co. ADDRESS

OIL OR GAS SANDS OR ZONES

Table with columns: NAME, FROM, TO, NAME, FROM, TO. Row 1: 1, 3631, 3638, 4.

WATER SANDS

Table with columns: NAME, FROM, TO, WATER LEVEL, NAME, FROM, TO, WATER LEVEL. Row 1: 1, 3.

CASING RECORD (OVERALL MEASUREMENT)

LINER-SCREEN RECORD

Tables for casing and liner-screen records with columns for size, weight, description, quantity, etc.

PACKER RECORD

Table for packer record with columns: SIZE, LENGTH, SET AT, MAKE AND TYPE.

CEMENTING RECORD

MUDDING RECORD

Tables for cementing and mudding records with columns for size, where set, cement, method, final press, etc.

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED?

WERE BOTTOM HOLE PLUGS USED?

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED.

ROTARY TOOLS WERE USED FROM 0 FEET TO 3000 FEET, AND FROM FEET TO FEET

CABLE TOOLS WERE USED FROM 3000 FEET TO Completion FEET, AND FROM FEET TO FEET

24-HOUR PRODUCTION OR POTENTIAL TEST

WATER BBLs.

IF GAS WELL, CUBIC FEET PER 24 HOURS SHUT-IN PRESSURE LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS DAY OF

MY COMMISSION EXPIRES

NOTARY PUBLIC

RECEIVED STATE CORPORATION COM. ISSION NOV-2 1950 CONSERVATION DIVISION Wichita, Kansas