


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

Barton County, Sec. 1 Twp. 16 Rge. 12 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines 207 location
Lease Owner Charles Seaney + J. M. Clappitt
Lease Name M. Schauf Well No. 1
Office Address 407 Union Natl Bk
Character of Well (completed as Oil, Gas or Dry Hole) dry hole
Date, well completed Nov. 9, 1939 193.
Application for plugging filed Nov. 5, 1939 193.
Application for plugging approved 193.
Plugging Commenced Nov. 9, 1939 193.
Plugging Completed Nov. 9, 1939 193.
Reason for abandonment of well or producing formation dry hole



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production 193.
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes
Name of Conservation Agent who supervised plugging of this well J. E. J. Alexander

Producing formation Depth to top Bottom Total Depth of Well 3392 Feet

Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
<u>water</u>	<u>water</u>	<u>3370</u>	<u>3378</u>	<u>12 1/2"</u>	<u>40 ft</u>	<u>none</u>
<u>Archie</u>	<u>"</u>	<u>2880</u>	<u>2905</u>	<u>5 1/2"</u>	<u>3391 ft</u>	<u>1572 ft</u>
<u>Tapeka Lume</u>						

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used; state the character of same and depth placed, from feet to feet for each plug set.

Filled hole with mud from 3365 to 2880. Set bridge at 2880 ft. and cemented to 2865 ft. Filled hole with mud to 275 ft. Set bridge at 275 ft. Cemented to 260 ft. Filled hole with mud to 6 ft. of bottom of cellar then filled with cement to top of 12 1/2" casing and cemented bottom of cellar.
Mud was pumped in hole from 3365 ft to 275 ft. Mud carries & dumped in hole with pails from 260 ft to 6 ft. of bottom of cellar.



NOV 16 1939
STATE CORP. COM.
CONSERV. DIV.

(If additional description is necessary, use BACK of this sheet)


Correspondence regarding this well should be addressed to Charles Seaney + J. M. Clappitt
Address 407-08 Union Natl Bk Bldg

STATE OF Kansas COUNTY OF Sedgewick, ss.
Charles Seaney (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Charles Seaney
407 Union Natl Bk Bldg
(Address)

SUBSCRIBED AND SWORN to before me this 14th day of November, 1939



Walter Frost
Notary Public.

WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY
412 Union National Bank Bldg., Wichita, Kansas.

CLAMPITT AND SEANEY.
Schauf No. 1.

SEC. 1 T. 16 R. 12 W.
CSL SE SW


Total Depth. 3394.
Comm. 10-29-39 Comp. 11-3-39
Shot or Treated. 72 shots 2880-2900
Contractor. 12 shots 3371-3375
Issued. 11-11-39.

County Barton.

GASING.

12 1/2" 40

5 1/2" 3394'




Elevation.

Production. DRY.

Figures Indicate Bottom of Formations.

surface	14	lime	2992
lime	24	shale	2997
shale and lime	401	smell oil	2997-3000
shale and shells	420	lime	3006
sand	495	shale	3031
shale	525	shale and lime	3051
red rock	553	lime	3083
shale shells	740	cored and reamed	3083-3090
lime anhydrite	770	lime	3123
shale and shells	940	shale and lime	3142
anhydrite	990	cored	3142-56
shale and shells	1280	lime	3184
shale and salt	1390	lime shale	3222
salt shale and shells	1445	lime	3251
lime and shale	1555	shale	3268
lime	1655	lime	3276
shale and lime	1740	lime & shale	3300
lime	1758	shale	3309
shale	1770	lime	3325
lime	1795	cong. and red	
shale and shells	1820	beds	3332
lime	1830	cong. shale	3357
shale and lime	1892	shale	3359
pyrite	1894	coring	3363-68
lime	1930	lime	3370
shale	1938	coring	3368-70 stain of oil
lime	2075	sand	3374
shale and lime	2105	show oil	3373-3374
lime	2155	lime	3394
shale	2160	Total Depth.	
lime	2217		
shale and lime	2280		
lime	2292	Top Topeka	2697
shale	2300	Top Kansas City	3051
lime	2340		
shale and shells	2375		
shale	2430		
lime	2440		
shale and shells	2490		
lime and shale	2555		
shale	2603		
lime	2615		
shale and shells	2635		
lime	2654		
shale	2678		
shale shells lime	2710		
lime	2753		
shale lime shells	2769		
pyrite	2770		
sd lime	2780		
shale lime shells	2794		
lime	2890		
lime broken sh oil	2901		
lime	2943		
broken lime	2950		
shale	2969		

PLUGGING
FILE NO. 1-16-3211
BOOK PAGE-82 LINE-33



I hereby certify that the above is a true and correct copy of log of
Schauf No. 1, Section 1, Township 16, Range 12 West, Barton County, Kansas.

Charles Seaney

Subscribed and sworn to before me this 6th day of November, 1939.

My commission expires:
Jan. 23, 1942.

R. Rogers
Notary Public

