


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Hedgeman County. Sec. 31 Twp. 21S Rge. (E) 23 (W)
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SW SW SW
Lease Owner Jones, Shelburne & Farmer, Inc.
Lease Name Geibel Well No. 1
Office Address Russell, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry
Date well completed 3/22 19 51
Application for plugging filed 3/22 19 51
Application for plugging approved 3/22 19 51
Plugging commenced 3/22 19 51
Plugging completed 3/22 19 51
Reason for abandonment of well or producing formation Dry

NORTH



Locate well correctly on above
Section Flat

If a producing well is abandoned, date of last production Never produced 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well C. D. Stough
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 4725 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8 5/8	180'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

- Hole was filled to bottom of surface pipe with heavy mud
- Halliburton plug was pushed to 175'
- 15 Sacks of cement were mixed and spotted on top of plug through drill pipe.
- Hole filled to within 40' of top with mud
- 2nd Halliburton plug pushed to 40'
- 10 Sacks of cement mixed and hole filled with same.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to JONES, SHELburne & FARMER, INC.
Address Russell, Kansas

STATE OF Kansas, COUNTY OF Russell, ss.

John O. Farmer (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

3-30-51 (Signature) John O. Farmer

SUBSCRIBED AND SWORN to before me this 22nd day of March, 19 51

Josephine E. Weag
Notary Public.

My commission expires Feb. 27 1955
23-5091-s 8-50-10M

PLUGGING
MAR 31 1951
69 15

Jones, Shelburne & Farmer, Inc.

15-093.00214.0000

Russell, Kansas

CONTRACTOR'S VERIFIED LOG

Operator Jones, Shelburne & Farmer, Inc Farm Name Goebel Well No 1

Location SW SW SW 31-21S-23W

Pool Name Wildcat County Hodgeman State Kansas

Commencement Date _____ Completion Date _____

Log of Well

Depth		Formation	Deviation from vertical (degrees)	Remarks
From	To			
0	166	clay & shale		IRR
166	585	shale shells & sand		
585	1085	shale & lime		
1085	1100	anhydrite		
1100	1750	red bed & shale		
1750	2075	shale & lime		
2075	2275	shale & broken lime		
2275	2550	shale & lime		
2550	2665	lime & shale		1152
2665	3020	lime		
3020	3120	shale & lime		
3120	3160	lime & shale		
3160	3350	shale		
3350	3480	shale & lime		
3480	3540	lime & shale		
3540	3655	shale		
3655	3780	shale & lime		
3780	3865	lime & shale		
3865	4020	shale & lime		
4020	4150	lime & shale		
4150	4640	lime		
4640	4660	conglomerate & chert		
4660	4725	lime		

RECEIVED
STATE CORPORATION
MAR 30 1951
CONSERVATION DIVISION
Wichita, Kansas

31-21-23W
69-13

Depth		Formation	Deviation from vertical (degrees)	Remarks
From	To			
1720	1752	ITMC		
1770	1790	SPITE & ITMC		
1820	1840	ITMC		
1850	1870	ITMC & SPITE		
3122	3150	SPITE & ITMC		
3170	3192	ITMC & SPITE		
3222	3240	SPITE & ITMC		
3270	3292	SPITE		
3340	3360	ITMC & SPITE		
3320	3340	SPITE & ITMC		
3370	3390	SPITE		
3370	3390	ITMC & SPITE		
3430	3450	SPITE & ITMC		
3492	3510	ITMC		
3520	3542	ITMC & SPITE		
3542	3560	SPITE & ITMC		
3560	3580	SPITE & ITMC		
3580	3600	SPITE & ITMC		
3600	3620	ITMC		
3620	3640	ITMC		
3640	3660	ITMC		
3660	3680	ITMC		
3680	3700	ITMC		
3700	3720	ITMC		
3720	3740	ITMC		
3740	3760	ITMC		
3760	3780	ITMC		
3780	3800	ITMC		
3800	3820	ITMC		
3820	3840	ITMC		
3840	3860	ITMC		
3860	3880	ITMC		
3880	3900	ITMC		
3900	3920	ITMC		
3920	3940	ITMC		
3940	3960	ITMC		
3960	3980	ITMC		
3980	4000	ITMC		
4000	4020	ITMC		
4020	4040	ITMC		
4040	4060	ITMC		
4060	4080	ITMC		
4080	4100	ITMC		
4100	4120	ITMC		
4120	4140	ITMC		
4140	4160	ITMC		
4160	4180	ITMC		
4180	4200	ITMC		
4200	4220	ITMC		
4220	4240	ITMC		
4240	4260	ITMC		
4260	4280	ITMC		
4280	4300	ITMC		
4300	4320	ITMC		
4320	4340	ITMC		
4340	4360	ITMC		
4360	4380	ITMC		
4380	4400	ITMC		
4400	4420	ITMC		
4420	4440	ITMC		
4440	4460	ITMC		
4460	4480	ITMC		
4480	4500	ITMC		
4500	4520	ITMC		
4520	4540	ITMC		
4540	4560	ITMC		
4560	4580	ITMC		
4580	4600	ITMC		
4600	4620	ITMC		
4620	4640	ITMC		
4640	4660	ITMC		
4660	4680	ITMC		
4680	4700	ITMC		
4700	4720	ITMC		
			Total Depth	4725

Was Well to be deepened by another Contractor?

CASING LEFT IN HOLE AFTER COMPLETION OR ABANDONMENT

Size	Wt.	Grade	Range	Thread	FOOTAGE					
					Delivered	Run	Set At	Unused	Pulled	Left in Hole
8 5/8"		IR9								168'

Deviation From Vertical Data Is Correct as Shown

Company Superintendent

(This space for Company use)

The foregoing Well Log and other data are correct.

JONES, SHELburnE & FARMER, Inc.
Contractor

By *John D. Farmer*