

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

NORTH


Locate well correctly on above  
Section Plat

Stafford County, Sec. 11 Twp. 23S Rge. (E) 14 (W)

Location as "NE/CNW\*SW\*" or footage from lines SE SE NW  
Lease Owner Natural Gas & Oil Corp and Republic Natural Gas  
Lease Name Oscar Miller Well No. 1  
Office Address 1009 Central Building, Wichita 2, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) dry hole  
Date well completed March 1, 1954 19  
Application for plugging filed March 1, 1954 (orally) 19  
Application for plugging approved March 3, 1954 19  
Plugging commenced March 1, 1954 19  
Plugging completed 3 P M. March 1, 1954 19  
Reason for abandonment of well or producing formation \_\_\_\_\_

If a producing well is abandoned, date of last production \_\_\_\_\_ 19  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well M. A. Rives Box 148, Pratt Kansas  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well \_\_\_\_\_ Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
surface		0	195	8 5/8"	195	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Filled hole from 3984 to 220 with heavy mud  
Set plug at 220 feet and ran 20 sacks cement to 160 feet  
Filled with heavy mud from 160 to 40 feet  
Set plug at 40 feet and ran 10 sacks cement to cellar.

3-6-54

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor Drilling Department of Natural Gas and Oil Corporation  
Address 1009 Central Building, Wichita 2, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.  
Harold A. Burt, Regional Manager (employee of owner) or ~~owner~~ of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Harold A. Burt  
1009 Central Building, Wichita, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 5th day of March, 19 54

Esther L. Small

My commission expires May 25, 1957

Notary Public.

PLUGGING  
FILE SEC 11 723 R140  
BOOK PAGE 17 LINE 16



DRILLER'S LOG

COMPANY: Natural Gas and Oil Corporation and Republic Natural Gas Company

FARM: Oscar Miller #1, SE SE NW Section 11-23S-14W, Stafford County, Kans

CONTRACTOR: Drilling Department of Natural Gas and Oil Corporation

COMMENCED: February 17, 1954

COMPLETED: March 1, 1954

ELEVATION: 1946 RB

0	to	160	Sand and Clay
160	to	300	Shale and shells
300	to	360	Sand on
360	to	550	Shale and shells
550	to	842	Red bed and shale
842	to	880	Anhydrite
880	to	1075	Shale and shells
1075	to	1300	Shale with salt
1300	to	1675	Shale and shells
1675	to	1725	Shale and lime
1725	to	2420	Lime
2420	to	3035	Lime and shale
3035	to	3360	Lime
3360	to	3507	Lime and shale
3507	to	3511	Brown lime
3511	to	3525	Lime and shale
3525	to	3805	Lime
3805	to	3860	Conglomerate
3860	to	3918	Lime and chert
3918	to	3925	Lime
3925	to	3966	Shale
3966	to	3984	Lime
		3984	T. D.

Set 195 fee of 8 5/8" 24# surface pipe. Cemented with 225 sacks cement and 4 sacks calcium chloride.

TOPS:	Anhydrite	842	Lansing	3525	Simpson	3923
	Heebner	3378	Base KC	3754	Arbuckle	3967
	Brown Lime	3507	Viola	3857		

DRILL STEM TESTS:

- #1-3642-58, open 1 hr, SI 30 min, wk blow 4 min, rec. 20' mud, 0# IFP, 0#FFP, 1260# BHP.
- #2-3674-3706, open 1 hr, wk blow thruout, rec 100' watery mud, SI 30 min, 0# IFP, 0# FFP, 880# BHP.
- #3-3865-3918, open 1 hr, SI 30 min, IFP 0#, FFP 0#, BHP 0#.
- #4-3971-84, open 1 hr, good blow, 2880' sulphur water, SI 30 min, 150# IFP, 1150# FFP, 1200# BHP.

Ran Schlumberger DRY, PLUGGED AND ABANDONED

MAR 6 - 1954  
CONSERVATION DIVISION  
Wichita, Kansas

C E R T I F I C A T E

I, Harold A. Burt, do hereby certify that the above and foregoing is a true and correct copy of the log of the Oscar Miller No. 1, SE SE NW Section 11-23S-14W, Stafford County, Kansas, as reflected by files of the Natural Gas and Oil Corporation.

PLUGGING  
FILE SEC 11-23-14W

Harold A. Burt

Subscribed and sworn to before me, a Notary Public, within and for Sedgwick County, Kansas this 5th day of March, 1954.

Esther Unsell

My Commission expires May 25, 1957 Esther Unsell