	- van		o ameso.		i.	• .	· 	being of	lawful	age,	hereby	certifies
t:											_	
I	am the	Affi	ant, an	d I am	famili:	ar with	the	contents	of the	fore	going A	ffidavit.
								re true				
		- 1		•					r F			
				•		,		Jan.	- Jan			
			• •	:`	F. 1	•	Jame	es S/\Ja	meson (Name)	,	
	maan ra	TD 437	D. <i>G</i> ETADNE	<i>m</i> 0				()				
St	PROCKTR	FD ÝN	D SWORN	IO REF	OKE ME	tnis _	lst	day	of Jul	У		,

MY COMMISSION EXPIRES: November 12, 1984

19 83

(NOTARY PUBLIC)

Charleen Atencio

RECEIVED?

STATE CORPORATION COMMISSION

** The person who can be reached by phone regarding any questions concerning this JŬL 0 5 1983

, \OPERATOR_

SEC. 8 TWP, 21 1 36. 20

FIL	L IN WELL				WELL N	21	IOM CEOFOCIC	AL MAR	KERS, LOGS BUD		
cluding depth intervol	tasted, cushion us	ed, tima tool op	en, flowing and	shut-in pressur	so, and recoveries.						
	N DESCRIPTION, C			TOP	BOTTOM	-}-	NAME	•	DEPTH		
X Check if	no Drill :	stem lest	s kun.					!			
Gir a Guran											
Sh & Grayel			•	0	612			ŀ			
Lm & Sh				612	950						
Lm				950	971						
ch.						j					
Sh				971	1273						
Lm & Sh		-		1273	2380						
					•						
				İ							
				_							
ł											
				ļ		400					
:									H		
				<u> </u>				1			
1				ļ							
			•	,							
					1						
•	-										
•					_						
• -		,,			1						
		•		Ì							
	•				·						
If additional	space is n	eeded use	e Page 2,	Side 2	j						
Report of all string	s set — surface, i	ntermediate,	production, etc	CASING	RECORD (N	lew)	or (Used))			
Purpose of string	Size hole drilled	Size casing sof (in O.D.)	Weight Ibs/ft.	Setting depth	Typa cemant		Socks		o and parcent additives		
Surface	9 7/8	7"	20	963	60 - 40poz		250	3:	ŧ С.С.		
Production	6 ¹ 4"	41/2"	9.5	2380	50-50poz		350	18% Salt			
·			 		50-50002			19	s Sait		
			 '-		· · ·						
		<u></u>	<u> </u>		·			ļ 			
•	LINER RECOF	D		\	PER	FORAT	DRATION RECORD				
Top, ft.	Softom, ft.	Shots per ft.			Size & type		Dopth Interval				
	TUBING RECO	2		DML		2204-18					
2 3/8"	Setting depth						2204-18				
2 3/0	2170	CID, FRACT	URE, SHOT,	CEMENT SOL	UEEZE RECORD						
ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD Amount and kind of material used								Depth Interval treated			
10000# 19,000 gal Foam Frac								2204-18			
Cmt squeeze :					0-963						
shot the ofr	and Care I	, , , , , , , , , , , , , , , , , , ,					0.503	··			
Date of first production Producing method (flowing, pumping, gas lift, atc.)								Gravity			
Estimated	Oii .	<u> </u>	Gos	····	Water Oy		1	oil rotig			
Production -I.		b.t	h. 1	60	MCF /o	`	30 ыы.		CFP9		