

STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

15-055-20006-0000
WELL PLUGGING RECORD

Finney County, Sec. 3 Twp. 23 Rge. (E) 33 (W)

Location as "NE/CNW%SW%" or footage from lines C NE/4 NW/4

Lease Owner Pan American Petroleum Corporation

Lease Name F. Finnup Well No. 1

Office Address P. O. Box 432, Liberal, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 12-1 19 67

Application for plugging filed 10-11 19 68

Application for plugging approved 10-14 19 68

Plugging commenced 10-15 19 68


Plugging completed 10-18 19 68

Reason for abandonment of well or producing formation No productive zones encountered

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

NORTH



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Mr. E. Eves

Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well _____ Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
<u>St. Genevieve</u>	<u>Water</u>	<u>4714</u>	<u>4818</u>	<u>13-3/8"</u>	<u>56</u>	<u>0</u>
				<u>8-5/8"</u>	<u>563</u>	<u>0</u>
<u>Morrow</u>	<u>Water</u>	<u>4674</u>	<u>4714</u>	<u>4-1/2</u>	<u>4871</u>	<u>1521</u>

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Heavy Mud 4700 - 3674
15 Sacks Cement 3674 - 3494
Heavy Mud 3494 - 550
35 Sacks Cement 550 - 450
Heavy Mud 450 - 45
15 Sacks Cement 45 - Surface 10-25-68

RECEIVED
STATE CORPORATION COMMISSION
OCT 25 1968
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Sargents Casing Pulling Service

Address Liberal, Kansas

STATE OF Kansas, COUNTY OF Seward, ss.

W. H. Parsons (employee of owner) or (~~owner or operator~~) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) W. H. Parsons W. H. PARSONS


P. O. Box 432, Liberal, Kansas

(Address)

Subscribed AND Sworn to before me this 23 day of October, 19 68

February 11, 1972

Notary Public.



PAN AMERICAN PETROLEUM CORPORATION

WELL RECORD

SUPPLEMENTAL
(ENTER "X" WHEN APPLICABLE)

			3				

LOCATE WELL CORRECTLY

LEASE F. Finnup WELL NO. 1

LOCATION OF WELL: 330 FT. NORTH NORTH SOUTH OF THE SOUTH LINE AND 330 FT.

EAST EAST
 WEST OF THE WEST LINE OF THE _____ 1/4 _____ 1/4 _____ **NW** 1/4.

OF SECTION 3 TOWNSHIP 23 NORTH SOUTH. RANGE 33 EAST WEST.

Finney **Kansas**

COUNTY STATE

ELEVATION: Ground 2871 RDB 2880

COMPLETED AS: OIL WELL GAS WELL WATER WELL DRY HOLE

DRILLING COMMENCED 10-30 19 67 COMPLETED 12-1 19 67

OPERATING COMPANY Pan American Petroleum Corporation ADDRESS Box 432, Liberal, Kansas

OIL OR GAS SANDS OR ZONES

NAME	FROM	TO	NAME	FROM	TO
1 <u>St. Genevieve</u>	<u>4714</u>	<u>4818</u>	4		
2 <u>Morrow</u>	<u>4674</u>	<u>4714</u>	5		
3			6		

WATER SANDS

NAME	FROM	TO	WATER LEVEL	NAME	FROM	TO	WATER LEVEL
1 <u>Not Known</u>				3			
2				4			

CASING RECORD (OVERALL MEASUREMENT)

LINER SCREEN RECORD

CSG. SIZE	WEIGHT	DESCRIPTION		QUANTITY FEET	SIZE	QUANTITY FEET	SET AT		MAKE AND TYPE
		THREADS	MAKE - GRADE				TOP	BOTTOM	
<u>13-3/8</u>		<u>Conductor Pipe</u>		<u>56</u>					
<u>8-5/8</u>	<u>24</u>	<u>8</u>	<u>J-55</u>	<u>563</u>					
<u>4-1/2</u>	<u>9.5</u>	<u>8</u>	<u>J-55</u>	<u>4871</u>					

PACKER RECORD

SIZE	LENGTH	SET AT	MAKE AND TYPE

CEMENTING RECORD

MUDDING RECORD

SIZE	WHERE SET FEET	CEMENT			METHOD	FINAL PRESS	(CABLE TOOLS)	
		SACKS	BRAND	TYPE			METHOD	RESULTS
<u>13-3/8</u>	<u>60</u>	<u>60</u>	<u>Reg.</u>	<u>Bulk</u>	<u>Halliburton</u>			
<u>8-5/8</u>	<u>568</u>	<u>550</u>	<u>Pozmix</u>	<u>Bulk</u>	<u>Dowell</u>			
<u>4-1/2</u>	<u>4855</u>	<u>500</u>	<u>Pozmix</u>	<u>Bulk</u>	<u>Halliburton</u>			

STATE RECEIVED
CORPORATION COMMISSION
OCT 25 1968
CONSERVATION DIVISION
Wichita, Kansas

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? _____

WERE BOTTOM HOLE PLUGS USED? _____

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED _____

ROTARY TOOLS WERE USED FROM 0 FEET TO 4900 FEET. AND FROM _____ FEET TO _____ FEET

CABLE TOOLS WERE USED FROM To Test FEET TO _____ FEET. AND FROM _____ FEET TO _____ FEET

24-HOUR PRODUCTION OR POTENTIAL TEST Dry Hole

WATER _____ BBLs.

IF GAS WELL, CUBIC FEET PER 24 HOURS 1 SHUT-IN PRESSURE _____ LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 27 DAY OF December 19 67 AND TITLE Area Foreman

MY COMMISSION EXPIRES February 11, 1968

NOTARY PUBLIC

FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Clay, sand	0	575			
Clay, Shells, Sand	575	1332			
Shale, Shells	1332	1933			
Lime, Shale	1933	2527			
Shale, Lime	2527	2780			
Lime, Shale	2780	2875			
Lime	2875	2921			
Lime, Shale	2921	3185			
Lime	3185	3280			
Lime, Shale	3280	3708			
Lime	3708	3855			
Lime, Shale, Chalk	3855	3985			
Lime	3985	4075			
Lime, Shale	4075	4402			
Lime	4402	4900.			
Total Depth		4900			