

STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Building
Wichita, Kansas 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

API NUMBER 15-009-03263-00-00

LEASE NAME NW Beaver

WELL NUMBER Tr. 9-W3

1650 Ft. from S Section Line

4950 Ft. from E Section Line

SEC. 5 TWP. 16 RGE. 12 (E or W)

COUNTY Barton

Date Well Completed 4-49

Plugging Commenced 5-4-89

Plugging Completed 5-4-89

LEASE OPERATOR National Cooperative Refinery Assn.

ADDRESS 6000 W. 10th, Great Bend, Ks. 67530

PHONE# (316) 793-7924 OPERATORS LICENSE NO. 5565

Character of Well Inj.

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on 4-19-89 (date)

by Gilbert Scheck, Hays, Ks. Dist. 4 (KCC District Agent's Name).

Is ACO-1 filed? N/A If not, is well log attached? Yes

Producing Formation _____ Depth to Top _____ Bottom _____ T.D. 3271' CTD
2875' PB

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

5-24-89

Formation	Content	From	To	Size	Put In	Pulled
				<u>8 5/8"</u>	<u>501'</u>	
				<u>5 1/2"</u>	<u>3268'</u>	

RECEIVED
STATE CORPORATION COMMISSION
MAY 24 1989
CONSERVATION DIVISION
Wichita, Kansas

Describe in detail the manner in which the well was plugged, indicating where the plug was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet each set.
Halliburton Serv. plugged well down 5 1/2" csg. w/ 50 sxs. standard, 250 sxs. 40/60
Poz. - 8% gel and 50% hulls. Max. press 750 psi T.S.P. 500 psi Plug down 10:00 AM

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor NCRA License No. 5565

Address 6000 W. 10th, Great Bend, Ks. 67530

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: NCRA

STATE OF KANSAS COUNTY OF BARTON, ss.

Steve Brackeen (Employee of Operator) or ~~(Operator)~~ of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) Steve Brackeen

(Address) 6000 W. 10th, Great Bend, Ks.

SUBSCRIBED AND SWORN TO before me this 22nd day of May, 19 89

NOTARY PUBLIC - State of Kansas
PATRICIA SCHULTZ
My Comm. Exp. Res: 1-29-93

Patricia Schultz
Notary Public

15-009-03263-00-00

WELL LOG BUREAU--KANSAS GEOLOGICAL SOCIETY
412 Union National Bk. Bldg., Wichita, Kansas

Company - PHILLIPS & HANSON
Farm - Staudinger "A" No. 3

NW 1/4 Sec. 9
Well 3

SEC. 5 T. 16 R. 12W
SW NW SW

Total Depth. 3271'

Comm. 3-9-49

Comp. 4-6-49


Shot or Treated.

Contractor.

Issued. 4-23-49

County. Barton

KANSAS



Elevation. _____

Production. Pot. 3,000 bbl

CASING:
8 5/8" 513' cem. w/225 sx
5 1/2" 3271'

Figures Indicate Bottom of Formations.

shale, shells	130
shale, shells	335
sand	355
shale, shells	415
shale, shells	490
red rock	501
red rock-	770
anhydrite	816
shale, shells	865
shale, shells	1050
shale, salt	1200
shale, shells	1270
shale, shells	1490
lime, shale	1615
lime, shale	1770
lime, shale	1860
lime	1950
lime	2021
shale, lime	2145
lime, shale	2280
shale, lime	2460
shale, lime	2565
lime, shale	2644
lime, brkn	2730
lime	2810
lime	2835
lime	2940
lime	3106
lime	3198
lime	3271
Total Depth	

TOPS:

Topeka	2670
Heebner	2920
Lansing	3018
Arbuckle	3267

RECEIVED
STATE CORPORATION COMMISSION

CONSERVATION DIVISION
Wichita, Kansas


15-009-03263-00-00
 WELLS BUREAU--KANSAS GEOLOGICAL SOCIETY
 412 Union National Bk. Bldg., Wichita, Kansas

Company - PHILLIPS & HANSON
 Farm - Staudinger "A" No. 3 NWB4 Tr. 9
 Well 3

SEC. 5 T. 16 R. 12W
 SW NW SW

Total Depth. 3271'
 Comm. 3-9-49 Comp. 4-6-49
 Shot or Treated.
 Contractor.
 Issued. 4-23-49

County. Barton
 KANSAS



CASING:
 8 5/8" 513' cem. w/225 sx
 5 1/2" 3271'

Elevation. _____

Production. Pot. 3,000 bbl

Figures Indicate Bottom of Formations.

shale, shells	130
shale, shells	335
sand	355
shale, shells	415
shale, shells	490
red rock	501
red rock-	770
anhydrite	816
shale, shells	865
shale, shells	1050
shale, salt	1200
shale, shells	1270
shale, shells	1490
lime, shale	1615
lime, shale	1770
lime, shale	1860
lime	1950
lime	2021
shale, lime	2145
lime, shale	2280
shale, lime	2460
shale, lime	2565
lime, shale	2644
lime, brkn	2730
lime	2810
lime	2835
lime	2940
lime	3106
lime	3198
lime	3271
Total Depth	

RECEIVED
 STATE CORPORATION COMMISSION
 MAY 24 1949
 CONSERVATION DIVISION
 Wichita, Kansas

TOPS:

Topeka	2670
Heebner	2920
Lansing	3018
Arbuckle	3267