


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Flat

Pawnee County. Sec. 23 Twp. 21 Rge. 17 (E) W. (W)
Location as "NE/CNW/SE/SW" or footage from lines 330' W. & 330' N. of E/4 Cor.
Lease Owner Cities Service Oil Company
Lease Name Davison Well No. 1
Office Address Bartlesville, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed August 10, 1953
Application for plugging filed August 10, 1953
Application for plugging approved August 10, 1953
Plugging commenced August 10, 1953
Plugging completed August 10, 1953
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production ----- 19---
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well M. A. Rives
Producing formation Arbuckle Depth to top 3931 Bottom 3952 Total Depth of Well 3952 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	1069'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

3952-300', heavy mud.
300-230', wood plug and rock bridge and 20 sacks cement.
230-35', mud and soil.
35' to base of cellar, wood plug and 10 sacks cement.

8-15-53

RECEIVED
STATE CORPORATION COMMISSION
AUG 15 1953
CONSERVATION DIVISION
Wichita, Kansas

Name of Plugging Contractor Holm Drilling Company
Address Tulsa, Oklahoma

STATE OF Kansas, COUNTY OF Barton, ss.
V. M. Conover (employee of owner) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) V. M. Conover
Box 751, Great Bend, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 12th day of August, 1953

My commission expires March 12, 1953. W. G. Smith Notary Public.

PLUGGING
FILE SEC 23 T 21 R 17 W
BOOK PAGE 12 LINE 13

WELL RECORD

Company Cities Service Oil Co. Well No. 1 Farm Davidson
 Location 330' North and 330' West of E/4 Cor. Sec. 23 T. 21 R. 17E
 Elevation 2048 (2045 Gr.) County Franklin State Kansas
 Drlg. Comm. July 27, 1953 Contractor Holm Drilling Company
 Drlg. Comp. August 9, 1953 Acid None
 T. D. 3952' Initial Prod. Dry Hole - P. & A. 8-10-53

CASING RECORD:

2-5/8" x 1060' con. 500 sx cement

FORMATION RECORD:

clay	0-20
lime	30
clay & shale	300
shale	345
sand & shale	365
shale	465
sand	595
red bed	950
anhydrite	1035
red shale	1180
shale	1720
shale & shells	2175
lime & shale	2365
lime	2475
shale & lime shells	2660
lime & shale	3085
shale & lime	3190
lime & shale	3277
shale & lime	3355
lime & shale	3465
lime	3523
shale & lime	3551
lime	3900
cherty lime	3912
lime	3952 T. D.

Topoka	3156'
Hebner	3144'
Dodge	3466'
Brown Limestone	3533'
Lansing	3543'
Cherty Conglomerate	3285'
Eros. Arbuckle	3902'
Arbuckle	3931'
Penetration	21'
Total Depth	3952'

Drill Stem Test 3544-51, open 1 hr.,
rec. 8' mud; B. H. P. 0%/15 mins.

Drill Stem Test 3551-77, open 1 hr.,
rec. 8' mud; B. H. P. 0%/15 mins.

Drill Stem Test 3884-3900, open 1
hr., rec. 15' mud; B. H. P. 0%/15
mins.

Drill Stem Test 3936-52, open 1 hr.,
rec. 1300' salt water; B. H. P. 670%/
15 mins.

SYNO: 500' 1°
1000' 1°
1500' 0°
2000' 1°
2500' 0°
3000' 0°
3500' 1°

PLUGGING
 FILE SEC 23 T 21 R 17E
 BOOK PAGE 121 LINE 13

RECEIVED
 DATE
 CONSERVATION DIVISION
 Wichita, Kansas