
NOTICE OF INTENTION TO DRILL

Address 2740 E. 45th Pl., Tulsa, Oklahoma Lease name Ward Beaver Well No. 1 County Stafford Well Location SW-NW-SE Sec. 21 Township 23S Range 14W Well to be drilled 330 ft. from nearest lease line. Drilling Contractor Aspen Drilling Co. Address Great Bend, Kansas Type of equipment: Rotary Acade Tool Approx. date operation to begin. February 10 19670. Well to be drilled for Oil Acade Disposal Input Estimated Total Depth of Well 4040 ft. Depth of deepest fresh water well within one mile of location ft. If none exists, write NONE none Ground elevation at location is approx. ft. higher or ft. lower than ground elevation at water well. Depth of the deepest municipal water well within three miles of location ft. If none exists, write NONE none 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is: 175 ft. and operator agrees to set surface pipe at this location to a depth of not less than 200 ft. Alternate 1 Alternate 2 K REMARKS: This is a washdown of Greenland Drilling #3 Birdsall drilled in 1954. 8" surface casing is set at 206'		
Lease name Ward Beaver Well No. 1 County Stafford		TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL
Well Location SW-NW-SE Sec. 21 Township 23S Range 14W 4. Well to be drilled 330 ft. from nearest lease line. 5. Drilling Contractor Aspen Drilling Co. Address Great Bend, Kansas 6. Type of equipment: Rotary ☑ Cable Tool ☐ Approx. date operation to begin February 10 19670. 7. Well to be drilled for Oil ☒ Cas ☒ Disposal ☐ Input ☐ Estimated Total Depth of Well 4040 ft. 8. Depth of deepest fresh water well within one mile of locationft. If none exists, write NONE 9. Ground elevation at location is approxft. higher orft. lower than ground elevation at water well. 10. Depth of the deepest municipal water well within three miles of locationft. If none exists, write NONE 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones isft. and operator agrees to set surface pipe at this location to a depth of not less thanft. Alternate 1 ☐ Alternate 2 ☐ X REMARKS: This is a washdown of Greenland Drilling #3 Biridsall drilled in 1954. 8" surface casing is set at 206"	1.	Operator Jards Oil Operations Address 2740 E. 45th Pl., Tulsa, Oklahoma
Well Location SW-NW-SE Sec. 21 Township 23S Range 14W 4. Well to be drilled 330 ft. from nearest lease line. 5. Drilling Contractor Aspen Drilling Co. Address Great Bend, Kansas 6. Type of equipment: Rotary ☑ Cable Tool ☐ Approx. date operation to begin February 10 19670. 7. Well to be drilled for Oil ☒ Gas ☒ Disposal ☐ Input ☐ Estimated Total Depth of Well 4040 ft. 8. Depth of deepest fresh water well within one mile of locationft. If none exists, write NONE none 9. Ground elevation at location is approxft, higher orft. lower than ground elevation at water well. 10. Depth of the deepest municipal water well within three miles of locationft. If none exists, write NONEft. 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones isft. and operator agrees to set surface pipe at this location to a depth of not less thanft. Alternate 1 ☐ Alternate 2 ☐ ☒ REMARKS: This is a washdown of Greenland Drilling #3 Biridsall drilled in 1954. 8" surface casing is set at 206"	2.	dease name
5. Drilling Contractor Aspen Drilling Co. Address Great Bend, Kansas 6. Type of equipment: Rotary Z Cable Tool . Approx. date operation to begin. February 10 19670. 7. Well to be drilled for Oil Z Gas Disposal . Input . Estimated Total Depth of Well. 4040 ft. 8. Depth of deepest fresh water well within one mile of location	3.	CITE NITTE CITE OF SOCIETY
6. Type of equipment: Rotary A Cable Tool . Approx. date operation to begin . February 10 19670. 7. Well to be drilled for Oil A Gas Disposal . Input . Estimated Total Depth of Well 4040 ft. 8. Depth of deepest fresh water well within one mile of location	4.	
7. Well to be drilled for Oil A Gas Disposal Input Estimated Total Depth of Well 4040 ft. 8. Depth of deepest fresh water well within one mile of location ft. If none exists, write NONE none 9. Ground elevation at location is approx. ft, higher or ft. lower than ground elevation at water well. 10. Depth of the deepest municipal water well within three miles of location ft. If none exists, write NONE none 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 175 ft, and operator agrees to set surface pipe at this location to a depth of not less than 200 ft. Alternate 1 Alternate 2 K REMARKS: This is a washdown of Greenland Drilling #3 Birdsall drilled in 1954. 8" surface casing is set at 206"	5.	Drilling Contractor Aspen Drilling Co. Address Great Bend, Kansas
7. Well to be drilled for Oil A Gas Disposal Input Estimated Total Depth of Well 4040 ft. 8. Depth of deepest fresh water well within one mile of location ft. If none exists, write NONE none 9. Ground elevation at location is approx. ft, higher or ft. lower than ground elevation at water well. 10. Depth of the deepest municipal water well within three miles of location ft. If none exists, write NONE none 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 175 ft, and operator agrees to set surface pipe at this location to a depth of not less than 200 ft. Alternate 1 Alternate 2 K REMARKS: This is a washdown of Greenland Drilling #3 Birdsall drilled in 1954. 8" surface casing is set at 206"	6.	Type of equipment: Rotary A Cable Tool . Approx. date operation to begin February 10 19670.
9. Ground elevation at location is approxft, higher orft. lower than ground elevation at water well. 10. Depth of the deepest municipal water well within three miles of locationft. If none exists, write NONEft. 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones isft. and operator agrees to set surface pipe at this location to a depth of not less thanft. Alternate 1 Alternate 2X REMARKS: This is a washdown of Greenland Drilling #3 Bindsall drilled in 1954. 8" surface casing is set at 206"		
10. Depth of the deepest municipal water well within three miles of location ft. If none exists, write NONE none ft. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 175 ft. and operator agrees to set surface pipe at this location to a depth of not less than ft. Alternate 1 □ Alternate 2 □ X REMARKS: This is a washdown of Greenland Drilling #3 Bindsall drilled in 1954. 8" surface casing is set at 206"	8.	Depth of deepest fresh water well within one mile of location
none 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 175 ft. and operator agrees to set surface pipe at this location to a depth of not less than 200 ft. Alternate 1 Alternate 2 REMARKS: This is a washdown of Greenland Drilling #3 Bindsall drilled in 1954. 8" surface casing is set at 206"	9.	Ground elevation at location is approxft, higher orft. lower than ground elevation at water well.
sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 175 ft, and operator agrees to set surface pipe at this location to a depth of not less than 200 ft. Alternate 1 Alternate 2 KREMARKS: This is a washdown of Greenland Drilling #3 Bindsall drilled in 1954. 8" surface casing is set at 206"	10.	Depth of the deepest municipal water well within three miles of location ft. If none exists, write NONE ft.
tect all fresh water zones is 175 ft, and operator agrees to set surface pipe at this location to a depth of not less than 200 ft. Alternate 1 Alternate 2 REMARKS: This is a washdown of Greenland Drilling #3 Bindsall drilled in 1954. 8" surface casing is set at 206"	11.	Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into con-
200 ft. Alternate 1 Alternate 2 X REMARKS: This is a washdown of Greenland Drilling #3 Biridsall drilled in 1954. 8" surface casing is set at 206'		sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to pro-
200 ft. Alternate 1 Alternate 2 X REMARKS: This is a washdown of Greenland Drilling #3 Biridsall drilled in 1954. 8" surface casing is set at 206'		tect all fresh water zones is 175 ft, and operator agrees to set surface pipe at this location to a depth of not less than
8" surface casing is set at 206'		90 h
7. /	REM	MARKS: This is a washdown of Greenland Drilling #3 Bindsall drilled in 1954.
Signature of Opergroll Millians Systemachle	8	" surface casing is set at 206'
w / F		Signature of Opergod Allesin Sishachle

2-68-25M



State Corporation Commission of Kansas Conservation Division 500 Insurance Building 212 North Market Wichita, Kansas 67202

STATE CORPORATION COMMISSION

FEB 9 1970

CONSERVATION DIVISION

Wichita, Kansas

(IF PREFERRED, MAIL IN ENVELOPE)