


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

Rice County. Sec. 1 Twp. 21s Rge. 6W (E) (W)
Location as "NE/CNW/SWK" or footage from lines NW SW NE
Lease Owner C & S Well Servicing Company
Lease Name Lackey Well No. 1
Office Address Lyons, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed _____ 19____
Application for plugging filed September 10 1954
Application for plugging approved _____ 19____
Plugging commenced September 11 1954
Plugging completed September 14 1954
Reason for abandonment of well or producing formation Dry Hole



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Ruel Durkee
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3390 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	137'	None
				5-1/2"	3362'	2761'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Filled hole with sand from 3390' to 3350' and
Ran 6 sacks of cement. Mudded hole to 145', set
a 10' rock bridge and ran 15 sacks of cement.
Mudded hole to 18' and ran 5 sacks of cement
on top. Plugging completed.

9-23-54

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor West Supply Co., Inc.
Address Chase, Kansas

STATE OF Kansas COUNTY OF Rice, ss.
J. L. Chew (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C & S Well Servicing Co. by J. L. Chew
Lyons, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 22nd day of September, 1954
W. J. Lee
Notary Public.

My commission expires June 11, 1955

PLUGGING
FILE SEC 1 T 21 R 6W
BOOK PAGE 63 LINE 10

August 27, 1954

Re: J. L. Chew, et al. #1 Lackey
NW SW NE Sec. 1-21E-6E
Rice County, Kansas

J. L. Chew, et al.
Lyons, Kansas

Gentlemen:

The following is a geological report on the drilling of the subject well.

Samples were saved from 2700 feet to total depth. They were examined at the well and have been turned over to the Kansas Well Sample Bureau. One foot drilling time was recorded from 2500 feet to total depth, and the original time sheets are enclosed. All measurements are from the top of the rotary bushings.

The formational tops, shows of oil, and other pertinent data are listed below:

Contractor: Steg Drilling, Inc.
Spud date: 8-18-54
Surface Pipe: 137' of 8 5/8" with 125 sacks of cement
Elevation: 1530 Gr.
1532 D.F.
1535 R.B.

Brown Line: 2734 (-1199)
Lansing: 2752 (-1217)

There were no shows of oil in the Lansing-Kansas City series although some well-developed porosity conditions were encountered.

Conglomerate: 3329 (-1794)


The Conglomerate section consisted mostly of varicolored shales with only about two feet of fairly clean varicolored chert. There were no shows of oil and only one foot of good drilling was encountered.

Mississippi "Chat": 3361 (-1826)

Show of oil: 3361 (-1826) to 3365

This four foot zone consisted of a white to grey vitreous to devitrified weathered chert with a good show of oil. Some dead oil was logged but this is usual in the area. The remainder of the oil was in good live bubbles. The weathered pieces of chert showed fair to good porosity and some good scattered staining.

Casing: 5-1/2" @ 3362 1/2' (-1827 1/2)
Total Depth: 3365 (-1830)



RECOMMENDATIONS

Although the top of the "Chat" was low on structure for the immediate area, the good show of oil warranted setting pipe close to the top. The plug should be drilled out and the well tested right there if a decent show is encountered.

The show of oil logged compared favorably with the Stag, et al. #2 Lackey "B" in the SE NW NW of Sec. 1-218-6W. If no free oil shows up when the cement is drilled out the well can then be deepened with cable tools for further testing. The #1 Lackey "B" in the NW NW NW of Sec. 1-218-6W produced from a -1838 so there appears to be some room for deepening.

Respectfully submitted,

R. M. Beck, Jr.

R. M. Beck, Jr.
Geologist

RMB, Jr. :bjjs

August 27, 1954

J. L. Chew, et al.
 #1 Lockey
 In. 58 Int. Sec. 1-21-6a
 Rice County, Kansas

TIME LOG

<u>Footage</u>	<u>Minutes Per Foot</u>	<u>Remarks</u>
2700-10	2-2-2-1-3-2-1-2-2-2	
10-20	2-2-2-1-2-2-7-3-1-2	
20-30	2-3-2-3-3-3-2-2-3-3	
30-40	2-2-2-2-4-2-3-3-3-4	
40-50	5-5-5-3-3-5-7-9-3-3	
50-60	3-7-5-5-3-3-4-3-3-4	
60-70	3-2-3-4-3-5-5-4-5-7	
70-80	6-3-3-5-5-3-3-4-1-1	
80-90	1-1-6-7-6-4-6-5-6-6	
90-00	8-6-8-7-3-3-5-3-3-2	
2800-10	3-2-2-3-4-4-4-6-6-7	
10-20	9-5-10-12-10-11-12-11-12-5	
20-30	7-6-9-7-4-4-8-8-4-6	
30-40	6-6-9-7-7-6-8-8-6-4	
40-50	10-7-9-13-9-9-12-13-10-13	
50-60	11-11-10-7-4-3-2-2-2-1	
60-70	1-1-1-1-1-1-1-1-1-1	
70-80	4-1-1-1-1-1-1-1-1-1	
80-90	2-1-1-1-1-1-1-1-1-1	
90-00	1-1-1-1-2-1-1-1-1-1	
2900-10	2-2-1-2-3-2-4-4-5-4	
10-20	4-3-3-3-4-4-5-4-5-4	
20-30	5-2-5-3-4-4-4-4-5-5	
30-40	5-6-6-4-3-3-4-2-4-3	
40-50	3-2-3-3-5-3-4-3-2-3	
50-60	3-4-5-4-3-2-5-5-4-6	
60-70	5-6-4-4-4-4-5-4-4-5	
70-80	5-4-5-4-7-5-7-7-7-5	
80-90	6-7-5-4-6-5-6-3-4-7	
90-00	7-5-3-2-5-4-3-4-4-3	
3000-10	3-2-1-3-2-1-1-1-2-2	
10-20	3-1-3-5-6-5-5-2-4-2	
20-30	2-3-2-6-5-6-8-8-7-12	
30-40	7-9-10-9-7-7-7-9-9-6	
40-50	4-4-2-3-4-2-3-3-3-3	
50-60	3-3-3-4-6-3-2-3-5-4	
60-70	5-7-8-6-8-10-7-9-10-10	
70-80	10-10-10-15-11-12-12-10-10-9	
80-90	3-3-9-11-12-9-8-5-6	
90-00	4-3-7-7-7-10-8-10-8-7	
3100-10	9-5-7-10-8-7-7-2-6-6	
10-20	5-5-6-3-5-6-5-5-8-8	
20-30	8-9-12-10-9-12-9-11-11-6	
30-40	3-2-3-3-4-10-10-12-13-3	
40-50	2-2-2-2-3-3-10-9-7-11	
50-60	5-4-3-1-7-4-6-6-7-6	
60-70	6-3-5-6-6-5-5-3-3-3	
70-80	1-1-2-3-2-4-3-3-4-4	
80-90	3-7-7-4-7-6-6-7-6-6	
90-00	5-5-6-4-3-3-2-3-3-6	
3200-10	5-3-5-6-4-2-5-5-4-6	

Trip # 3151

#2 Lackey "B" ?
- 2 -

3210-20	6-6-6-6-5-7-6-8-7-7
20-30	4-5-5-3-3-2-3-5-5-5
30-40	5-4-3-5-4-5-9-5-4-5
40-50	7-7-5-6-5-6-4-4-3-3
50-60	4-3-3-4-4-4-5-7-9-5
60-70	5-5-5-5-7-7-9-4-3-8
70-80	5-5-8-9-8-7-6-7-8-7
80-90	8-7-8-8-9-10-7-7-10-10
90-00	8-8-6-10-10-6-6-7-6-7
3300-10	5-5-5-5-4-6-8-10-9-7
10-20	8-9-9-8-8-9-7-9-7-9
20-30	9-8-9-9-8-8-9-9-8-4
30-40	2-10-11-9-10-10-8-8-8-7
40-50	8-8-9-12-10-11-11-10-12-10
50-60	6-11-11-11-8-7-6-7-7-8
60-65	6-4-3-2-1

Circ. G 3365' for samples

Total Depth: 3365 (-1830)
 5 1/2" Casing: 3362 1/2 (-1827 1/2)
 Elevation: 1535 R.D.