

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

Rice County. Sec. 1 Twp. 21S Rge. 6W (E) (W)

Location as "NE/CNWSW" or footage from lines NW NW SE

Lease Owner C & S Well Servicing Company

Lease Name Blue Well No. 1

Office Address Lyons, Kansas

Character of Well (completed as Oil, Gas or Dry Hole)

Date well completed 19__

Application for plugging filed June 3 1955

Application for plugging approved June 7 1955


Plugging commenced June 3 1955

Plugging completed June 6 1955

Reason for abandonment of well or producing formation

If a producing well is abandoned, date of last production 19__

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Ruel Durkee

Producing formation Depth to top Bottom Total Depth of Well 3350 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	125'	None
				5-1/2"	3349'	2754'
				Casing perforated from 3340' to 3348'		

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled the hole with sand from 3350' to 3330' and ran 6 sacks of cement. Mudded the hole to 175', set a 10' rock bridge and ran 25 sacks of cement at 165'. Mudded the hole to 30' and ran 10 sacks of cement on top. Plugging comp.

RECEIVED
STATE CORPORATION COMMISSION
JUN 25 1955
CONSERVATION DIVISION
WICHITA, KANSAS

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor West Supply Co., Inc.
Address Chase, Kansas

STATE OF Kansas, COUNTY OF Rice, ss.
(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. S. Well Serv. Co. by [Signature]
[Address] Poplar Lyons, Kansas

SUBSCRIBED AND SWORN TO before me this 17th day of June, 1955

My commission expires 4-1-58 Notary Public.

PLUGGING
RICE SEC 1 T 21S R 6W
PAGE 124 LINE 12

V. JEAN TAYLOR
CONSULTING PETROLEUM GEOLOGIST
 514 W. K. H. BUILDING
 WICHITA, KANSAS

James L. Chew
 No. 1 Frank Blew
 Section 1, T. 21 S., R. 6 W
 Rice County, Kansas

Elevation: 1535 Derrick Floor
 1539 Kelly Bushing

Depths are from kelly bushing.

- SAMPLE LOG -

BROWN LIMESTONE 2728 (minus 1189)

Limestone - Brown to gray, fine crystalline.	2728 - 2739
Shale - Gray.	2750

LANSING-KANSAS CITY GROUPS Undifferentiated 2750 (minus 1211)

Limestone - Light gray to brown gray, fine crystalline, slightly oolitic in part.	2750 - 2777
Limestone - Light gray, fine crystalline, oolitic, fossiliferous in part, with poor to fair porosity. No show.	2786
Limestone - Light gray to gray, fine crystalline.	2797
Limestone - Light gray, fine crystalline, with dark gray oolitic texture, poor porosity. No show.	2810
Limestone - Light brown to gray, fine crystalline.	2840
Limestone - Gray to brown, fine crystalline, with trace of dark gray chert.	2856
Limestone - Gray to buff, fine crystalline to granular, oolitic, dolomitic, with fair to good porosity. No show.	2904
Limestone - Cream to gray, fine to dense crystalline.	2917
Limestone - Gray to brown, fine to dense crystalline.	2939
Limestone - Light cream to buff, fine crystalline.	2974
Limestone - Gray to brown, fine crystalline, with included black opaque chert.	2988
Limestone - Light gray, fine crystalline, chalky in part.	3034
Limestone - Dark gray brown, fine crystalline.	3054
Limestone - Cream to buff, fine granular, dolomitic, oolitic, fair to good porosity. No show.	3067
Limestone - Light gray to cream, fine crystalline.	3084
Shale - Black, carbonaceous.	3088
Limestone - Cream to light gray, fine crystalline, slightly oolitic and fossiliferous in part, with occasional thin gray shale streaks.	3180
Limestone - Light gray, fine crystalline, slightly oolitic.	3197
Shale - Gray.	3208
Limestone - Light gray, fine crystalline.	3227

RECEIVED
 STATE DEPARTMENT OF GEOLOGY
 JUN 25 1955

CONSERVATION DIVISION
 Wichita, Kansas

PLUGGING

FILE SEC - 1 T. 21 S. R. 6 W
 BOOK PAGE 124 LINE 18

W. JEAN TAYLOR
CONSULTING PETROLEUM GEOLOGIST

Page Two

James L. Chew
No. 1 Frank Blew
Section 1, T 21 S, R 6 W
Rice County, Kansas

- SAMPLE LOG -

BASE KANSAS CITY 3227 (minus 1688)

Shale - Red brown and gray, with light tan and cream, fine crystalline and fossiliferous limestone streaks. 3329

BASAL PENNSYLVANIAN CONGLOMERATE 3329 (minus 1790)

Conglomerate - Varicolored chert and occasional limestone pebbles in red brown hematitic shale matrix. Red jasperoid chert predominant. 3329 - 3337

MISSISSIPPIAN 3337 (minus 1798)

Chert - White to light gray, vitreous to tripolitic chert with spotted stain, trace of free oil and slight odor. 3337 - 3345
Chert - As above, but more vitreous. No odor. No free oil. 3350

ROTARY TOTAL DEPTH 3350

RECEIVED
STATE COMMISSION

CONSERVATION DIVISION
Kansas