

Orig - State Corp. Comm.

Copy - Well File

Copy - B. A. Conner - 357 FPB

Copy - Mary Crump - Okla City

15-009-00285-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
200 Colorado Derby Bldg.  
Wichita, Kansas 67202

Form CP-4  
Rev. 12-15-80

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit

COUNTY Barton SEC. 10 TWP. 16 RGE. 12 xE/W  
Location as in quarters or footage from lines:  
SW NE SE


Locate Well  
correctly on above  
Section Platt.

Lease Owner Phillips Petroleum Company  
Lease Name Christian-D Well No. 1  
Office Address Box 287, Great Bend, Kansas 67530  
Character of Well (Completed as Oil, Gas or Dry Hole): Oil  
Date Well Completed 7-11-59  
Application for plugging filed extended 7-15-82  
Plugging commenced 7-24-82  
Plugging completed 8-12-82  
Reason for abandonment of well or producing formation Depleted

Was permission obtained from the Conservation Division or it's  
Agent's before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well J. H. Metz *Shack*

Producing formation LKC Depth to top 3198' bottom 3201 T.D. PB 3080'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

Casing Record

Formation	Content	From	To	Size	Put in	Pulled Out
Surface	Water	0'	408'	8 5/8"	408'	-0-
Production	Oil & Wtr	0'	3314'	5 1/2"	3314'	1586'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set. On 7-24-82 MIRU Kincaid W.S. & LD R&T. GIH w/2 7/8" tbg & set @ 2700'. MIRU Hallib to 2 7/8" & pmp 40 bbl, 9#/gal mud, 75' sx 50-50 Poz w/4% gel, 3% CaCl & displ w/9#/gal mud. Max pres 400#. Max rate 5 BPM. RDMo Hallib. COOH - LD 2 7/8" tbg. RDMO Kincaid WD. On 8-7-82 MIRU Kelso Casing Pullers. Pull 13" stretch & shot @ 1600' - pipe came loose. COOH w/49 its of 5 1/2" OD 8R csg. RDMo Kelso Csg. Pullers. On 8-12-82 MIRU Sun Cmtg & plug as follows: Pump 4 sx hulls, 12 sx gel, 75 sx 50-50 Poz, 8 5/8" wiper plug & 75 sx 50-50 Poz. ISIP 500#. RDMO Sun. Weld plate on 8 5/8". Well P&A 8-12-82


(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Kelso Casing Pullers, Inc.  
Chase, Kansas

STATE OF Kansas COUNTY OF Barton, ss.

C. D. Dohrer (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. D. Dohrer Area Mgr.  
Box 287, Great Bend, Kansas 67530  
(Address)



SUBSCRIBED AND SWORN TO before me this 16th day of August, 19 82

Velma L. Mog  
Public.

RECEIVED  
STATE CORPORATION COMMISSION

AUG 17 1982

CONSERVATION DIVISION  
Wichita, Kansas

8 5/8" @ 408' - 175 Sx C  
5 1/2" @ 3314' - 125 Sx

ALLAN, et ( - #1 CHRISTIANS  
SW NE SE 10-16-12W  
Barton County, Kansas  
COMM: 6/19/59 COMPL: 7/11/59  
CONTRACTOR: Tom Allan  
ELEV: 1907 RB

I. P. Swab 30 bbl. oil in 3 hours

All Depths From Rotary Bushings

0 - 15 Soil  
50 Rock  
90 Gray Shale  
150 Sandstone & Shale  
225 Shale & Clay  
300 Sandy Red Shale  
350 Sandy Gray Shale  
375 Gray Shale  
408 Blue Gumbo  
450 Sandstone & Shale  
806 Red Beds  
832 Anhydrite  
1050 Red Shale  
1200 Gray Shale  
1400 Salt & Shale  
1650 Shale & Anhydrite  
1750 Lime  
1950 Shale & Shells  
2000 Red Shale  
2100 Lime & Shale  
2670 Shale & Shells  
2800 Lime  
2813 Shale  
2820 Lime  
2829 Shale  
2868 Lime  
2872 Shale  
2897 Lime  
2908 Soft Porous Lime,  
Odor & Light Stain  
2955 Lime  
2958 Black Shale  
2962 Hard Lime  
2972 Shale  
2985 Lime, Porous, Slight Stain  
3001 Shale  
3010 Sandstone  
3045 Shale  
3050 Brown Lime  
3060 Shale  
3070 Lime  
3081 Cherty Lime  
3086 Shale  
3090 Collicastic Lime,  
Very Faint Stain  
3099 Lime  
3103 Shale  
3106 Lime  
3108 Porous, Very Light Color Stain  
3124 Lime  
3127 Shale

3133 Lime  
3136 Porous, Light Color Stain  
3144 Lime  
3146 Shale  
3156 Collicastic, No Stain  
3185 Lime  
3187 Shale  
3199 Lime  
3201 Collicastic, 1/10 Light Stain  
3209 Lime  
3213 Shale  
3231 Lime  
3239 Collicastic, 1/5 Light Stain  
3254 Lime  
3263 Shale  
3286 Lime  
3292 Shale  
3304 Lime  
3307 Shale Rod  
3309 Brown Lime  
3311 Shale  
3341 (T.D.) Quartzitic Sandstone

Plugged back to 3256