

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

OR

FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging off formations.

Barton County. Sec. 10 Twp. 16S Rge. (E) 12W (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines. NE $\frac{1}{4}$  NW $\frac{1}{4}$  SW $\frac{1}{4}$

Lease Owner. Gulf Oil Corporation

Lease Name. Christians Estate Well No. 1

Office Address. Box 661, Tulsa, Oklahoma

Character of Well (completed as Oil, Gas or Dry Hole). Dry hole

Date well completed. June 14 1946

Application for plugging filed. July 8 1946

Application for plugging approved. July 8 1946


Plugging commenced. July 16 1946

Plugging completed. July 18 1946

Reason for abandonment of well or producing formation. Dry hole

If a producing well is abandoned, date of last production. 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above  
Section Plat

Name of Conservation Agent who supervised plugging of this well. H. W. Kerr

Producing formation. Arbuckle Depth to top. 3321' Bottom. 3326' Total Depth of Well. 3326' Feet

Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8-5/8"	512'	0
				5-1/2"	3322 $\frac{1}{2}$ '	2466'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from.....feet to.....feet for each plug set.

Filled with mud from 3326' to 3322'  
Dumped 4 sacks cement at 3322'  
Filled with mud to 250'  
Dumped 20 sacks cement at 250'  
Filled with mud to base of cellar  
Capped with 6 sacks cement



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to. A. M. Bell Jr.  
Address. Box 661, Tulsa, Oklahoma

STATE OF Kansas COUNTY OF Rice, SS.

H. F. Wright (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) H. F. Wright

(Address) Box 661, Tulsa, Oklahoma

SUBSCRIBED AND SWORN to before me this 7/3 day of July 1946

My commission expires. May 18, 1950



Notary Public.

15-009-06363-00-00

WELL NO: 1 LEASE Christians Estate COMPANY Gulf Oil Corporation A.F.E. 2872  
 DATE—DRILLING BEGAN 5-18-46 WELL COMPLETED 6-14-46 FIRST PRODUCTION —  
 SAND RECORD Arbuckle 3321 1/2' TOTAL DEPTH 3326'  
 INITIAL PRODUCTION DRY HOLE

CASING RECORD

SIZE	WEIGHT	THD.	CLASS	MAKE	SET AT DEPTH	SACKS CEMENT	LBS. CAL. CHLO.	PULLED	LEFT IN
6-5/8	32	8V	B	Sals	512	200	400		
5-1/2	14	8R	A	Sals	3322 1/2	100			

S-10 T-16S R-12W

NE				Barter
NW				County
SE				Kansas

Distance N: Top collar on 5-1/2" is 3' below rotary table.

ELEVATION — 1866'

\*Perforated 3109'-15'; 3125'-29'; 3217'-25') Squeezed  
 Perforated 3073'-80'; 3046 1/2'-50 1/2' ) off.

ACIDIZED: 6-5-46 through perforations 3073'-80' with 2000 gal.  
 ACIDIZED: 6-12-46 with 1000 gal.

FORMATION RECORD:

	From	To		
Surface clay	0	15	Lime	2870
Shale & shells		235	Lime & shale	2960
Sand, shale & shells		275	Shale	2970
Shale & shells		390	Shale & lime	3046
Streaks of iron		410	Lime	3061
Iron		420	Lime & shale	3125
Sand		450	Lime	3298
Shale		493	Conglomerate & lime	3317
Shale & iron		514	Shale & lime	3321 1/2
Shale & shells		525	Arbuckle lime	3323
Red bed & shells		780	(TOTAL DEPTH)	
Anhydrite		800		
Shale & red bed		1130		
Shale & shells		1235		
Shale, salt & shells		1380		
Salt, shale & shells		1470		
Anhydrite & shells		1510		
Shale & shells		1535		
Shale & lime		1690		
Lime broken		1725		
Lime		1890		
Lime & shale		1970		
Lime		2055		
Shale & lime, broken		2145		
Shale & lime		2235		
Lime & shale		2330		
Shale & lime, broken		2425		
Lime & shale		2535		
Shale & lime		2630		
Lime & shale		2725		
Shale		2745		
Lime		2755		
Lime & shale		2805		

ND  
6-26-46