


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 North Market, Insurance Bldg.  
Wichita, Kansas

Barton County, Sec. 11 Twp. 16S Rge. 12 (E) (W)

Location as "NE/CNW%SW%" or footage from lines NW SE SE  
Lease Owner National Cooperative Refinery Association  
Lease Name N. J. Weber "A" Well No. 7  
Office Address 305 Rule Building, Wichita, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed August 29, 1948  
Application for plugging filed March 1, 1961  
Application for plugging approved March 3, 1961  
Plugging commenced May 15, 1961  
Plugging completed May 15, 1961  
Reason for abandonment of well or producing formation Unsuccessful in "fishing" tubing during workover operation.  
If a producing well is abandoned, date of last production June 4, 1960  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

NORTH



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Don Truan  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3365 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10-3/4"	267	None
				5-1/2"	3362	1813.88

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Mudded hole to 265 feet. Set a 10 foot rock bridge to 255 feet, with 25 sacks of cement. Mudded hole to 30 feet, set rock bridge and cemented to surface with 10 sacks of cement.

RECEIVED  
STATE CORPORATION COMMISSION

JUN 13 1961

CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Pipe Pullers, Inc.  
Address 1809 Lakin, Great Bend, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.  
C. R. Sears (employee of owner) or (~~owner~~ ~~operator~~) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C.R. Sears (C. R. Sears)  
305 Rule Building, Wichita, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 12th day of June, 19 61

My commission expires November 26, 1964  
Nell McComb Notary Public.

15-009-15733-00-00

NATIONAL COOPERATIVE REFINERY ASSOCIATION

Farm: N. J. Weber "A" #7

NW SE SE 11-16-12W

Barton County, Kansas

Total Depth: 3365'

Comm. July 14, 1948

Comp. Sept. 9, 1948

Elevation: 1911' DF

Contr: Glen Nye Drlg. Co.

I.P. - State Test: 138 Bbls. 61% wtr.

Casing record:

10 3/4" surface casing set at 267'

7" casing set at 3339, parted, 591' left in hole

5 1/2" oil string set at 3362'

Depth	Formation
1st Hole:	
0-40	Surface Clay
40-225	Surface sand, shale and shells
225-268	Shale and shells
268-565	Shale, sand and shells
565-600	Sand, shale and shells
600-730	Shale, shells, red bed
730-745	Shale and shells
745-782	Anhydrite
782-990	Shale and shells
990-1200	Shale and shells
1200-1440	Shale and shells
1440-1460	Lime and shale
1460-1580	Lime
1580-1685	Lime
1685-1760	Broken Lime
1760-1885	Lime and shale
1885-1955	Broken Lime
1955-1960	Lime and shale
1960-1985	Sandy lime
1985-2000	Lime and shale
2000-2105	Broken lime
2105-2215	Lime and shale
2215-2235	Lime and shale
2235-2295	Lime and shale
2295-2365	Lime and shale
2365-2450	Lime and shale
2450-2520	Lime
2520-2555	Lime and shale
2555-2655	Lime and shale
2655-2740	Lime
2740-2780	Lime
2780-2855	Lime
2855-2920	Lime
2920-2970	Lime
2970-3030	Broken lime
3030-3085	Lime
3085-3135	Lime
3135-3185	Lime
3185-3235	Lime
3235-3280	Lime
3280-3320	Lime
3320-3341	Lime
3341	Total Depth Rotary
Tops:	
Anhydrite	745-782
Kansas City	3065 (-1154)
Arbuckle	3338 (-1427)
2nd Hole:	
2209-2218	Face of Whipstock
2218-2221	Lime and shale
2221-2235	Lime and shale
2235-2285	Lime and shale
2285-2337	Lime and shale

RECEIVED  
STATE CORPORATION COMMISSION  
AUG 10 1960  
CONSERVATION DIVISION  
Wichita, Kansas

15-009-15733-00-00

National Cooperative Refinery Ass'n -- N. J. Weber "A" #7, cont'd

<u>Depth</u>	<u>Formation</u>
2337-2355	Lime and shale
2355-2364	Lime and shale
2364-2379	Lime and shale
2379-2384	Lime and shale
2384-2471	Shale
2471-2520	Shale and lime
2520-2560	Shale, shells & lime
2560-2630	Shale and lime
2630-2675	Shale and lime
2675-2700	Shale and lime
2700-2760	Shale and lime
2760-2795	Lime-broken
2795-2835	Lime and shale streaks
2835-2857	Lime
2857-2880	Lime
2880-2925	Broken lime
2925-2972	Lime
2972-2990	Lime
2990-3078	Lime
3078-3114	Lime
3114-3140	Lime
3140-3170	Lime
3170-3213	Lime
3213-3240	Lime
3240-3280	Lime
3280-3317	Lime
3317-3340	Lime
3340-3365	Lime
3365	Total Depth

Tops:	
Kansas City	3088 (-1177)
Sand	3365 (-1454)
Total Depth Rotary	3365

RECEIVED  
STATE CORPORATION COMMISSION  
AUG 10 1960  
CONSERVATION DIVISION  
Wichita, Kansas

15-009-15733-00-00

NATIONAL COOPERATIVE REFINERY ASSOCIATION  
 Farm: H. J. Weber "A" #7  
 NW SE SE 11-16-12W  
 Barton County, Kansas

Total Depth: 3365'                      Elevation: 1911' DF  
 Comm.                      July 14, 1948                      Contr: Glen Nye Drlg. Co.  
 Comp.                      Sept. 9, 1948                      I.P. - State Test: 138 Bbls. 61% wtr.

Casing records:  
 10 3/4" surface casing set at 267'  
 7" casing set at 3339, parted, 591' left in hole  
 5 1/2" oil string set at 3362'

<u>Depth</u>	<u>Formation</u>
1st Hole:	
0-40	Surface Clay
40-225	Surface sand, shale and shells
225-268	Shale and shells
268-565	Shale, sand and shells
565-600	Sand, shale and shells
600-730	Shale, shells, red bed
730-745	Shale and shells
745-782	Anhydrite
782-990	Shale and shells
990-1200	Shale and shells
1200-1440	Shale and shells
1440-1460	Lime and shale
1460-1580	Lime
1580-1685	Lime
1685-1760	Broken Lime
1760-1885	Lime and shale
1885-1955	Broken Lime
1955-1960	Lime and shale
1960-1985	Sandy lime
1985-2000	Lime and shale
2000-2105	Broken lime
2105-2215	Lime and shale
2215-2235	Lime and shale
2235-2295	Lime and shale
2295-2365	Lime and shale
2365-2450	Lime and shale
2450-2520	Lime
2520-2555	Lime and shale
2555-2655	Lime and shale
2655-2740	Lime
2740-2780	Lime
2780-2855	Lime
2855-2920	Lime
2920-2970	Lime
2970-3030	Broken lime
3030-3085	Lime
3085-3135	Lime
3135-3185	Lime
3185-3235	Lime
3235-3280	Lime
3280-3320	Lime
3320-3341	Lime
3341	Total Depth Rotary
Tops:	
Anhydrite	745-782
Kansas City	3065 (-1154)
Arbuckle	3338 (-1421)
2nd Hole:	
2209-2218	Face of Whipstock
2218-2221	Lime and shale
2221-2235	Lime and shale
2235-2285	Lime and shale
2285-2357	Lime and shale

**RECEIVED**  
 STATE CORPORATION COMMISSION  
 JUN 13 1961  
 CONSERVATION DIVISION  
 Wichita, Kansas

15-009-15733-00-00

National Cooperative Refinery Ass'n -- E. J. Weber & Co. Inc. cont'd

<u>Depth</u>	<u>Formation</u>
2337-2355	Lime and shale
2355-2364	Lime and shale
2364-2379	Lime and shale
2379-2384	Lime and shale
2384-2471	Shale
2471-2520	Shale and lime
2520-2560	Shale, shells & lime
2560-2630	Shale and lime
2630-2675	Shale and lime
2675-2700	Shale and lime
2700-2760	Shale and lime
2760-2795	Lime-broken
2795-2835	Lime and shale streaks
2835-2857	Lime
2857-2880	Lime
2880-2925	Broken lime
2925-2972	Lime
2972-2990	Lime
2990-3078	Lime
3078-3114	Lime
3114-3140	Lime
3140-3170	Lime
3170-3213	Lime
3213-3240	Lime
3240-3280	Lime
3280-3317	Lime
3317-3340	Lime
3340-3365	Lime
3365	Total Depth
Tops:	
Kansas City	3088 (-1177)
Sand	3365 (-1454)
Total Depth Rotary	3365

RECEIVED  
 STATE CORPORATION COMMISSION  
 JUN 13 1961  
 CONSERVATION DIVISION  
 Wichita, Kansas