

STATE OF KANSAS
STATE CORPORATION COMMISSION

15-113.00045.0000

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
809 Bitting Building
Wichita, Kansas

McPherson County. Sec. 9 Twp. 21 Rge. (E) 1 (W)

Location as "NE/CNW/SW" or footage from lines SW SW NW

Lease Owner Aladdin Petroleum Corporation

Lease Name Klare Well No. 1

Office Address 809 Petroleum Building

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed June 10 19 53

Application for plugging filed June 10 19 53

Application for plugging approved June 10 19 53


Plugging commenced June 15 19 53

Plugging completed June 17 19 53

Reason for abandonment of well or producing formation No shows

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well

Producing formation Depth to top Bottom Total Depth of Well 3019 1/2 Feet

Show depth and thickness of all water, oil and gas formations. P.B. 2973

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8	128	None
				5 1/2	305 1/4	1201

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Sand from T.D. to 2940'
Mud to 135'
Rock Bridge 135 - 125'
15 sacks cement 125'
Mud to top
5 sacks cement

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor West Supply Co.

Address Chase, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.

(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *[Signature]*

809 Petroleum Building
(Address)

SUBSCRIBED AND SWORN TO before me this 29 day of July, 19 53

My commission expires April 23, 1956

[Signature]
Notary Public.

24-7366-5 3-53-20M

RECEIVED
STATE CORPORATION COMMISSION

AUG - 1 1953

CONSERVATION DIVISION
Wichita, Kansas

PLUGGING
FILE SEC 9 T 21 R 14
BOOK PAGE 106 LINE 27

ROTARY DRILLER'S LOG

Klare #1

Elevation: 1491 K. B.

SW SW NW Sec. 9, 21S, 1W.
McPherson County, Kansas

Casing Record: 8 5/8" set 128'
cemented with 100 sacks.
5 1/2" set at 3060' cemented with
100 sacks

Operator: Aladdin Petroleum Corp.
809 Petroleum Bldg.,
Wichita, Kansas.

Contractor: Salina Drilling Corp.
Box #566, Salina, Kansas.

Well commenced: May 1, 1953
Well Completed: May 11, 1953.

Rig #1

Geologist: Robert D. Elliott.
Wichita, Kansas.

Cellar, Base, & Rotary Table	8	Shale and Shells	1680
Sandy Clay	25	Lime and Shale Broken	1710
Shale & Shells	285	Broken Lime	1840
Sand	300	Lime	1990
Anhydrite	340	Broken Lime	2065
Shale-Lime-Shells	385	Broken Lime	2103
Lime-Shale	495	Shale & Shells	2255
Lime-Red Bed	560	Lime	2635
Lime	630	Lime, Shale, Shells	2660
Shale-Shells	700	Shale & Shells	2815
Lime	750	Broken Lime	2865
Shale & Shells	785	Shale and Lime	2919
Broken Lime	825	Mississippi	2930
Shale & Shells	980	Lime	2943
Shale	1610	Chert & Lime	2970

GEOLOGIST TOPS--ROTARY BUSHING

Loring	2320'	Mississippi	2919
--------	-------	-------------	------

The above Rotary Driller's Log is complete and correct to the best of my knowledge.

SALINA DRILLING CORPORATION, INC.

Loren J. Hallam
President.

PLUGGING
WELL SEC. 9 T. 21 S. R. 10
BOOK PAGE 106 LINE 37

RECEIVED
SALINA DRILLING CORPORATION
JUN 10 1953
INSPECTION DIVISION
Wichita, Kansas

ROTARY DRILLER'S LOG

Blare #1

Elevation: 1491 K. B.

SW SW NW Sec. 9, 21S, 1W.
McPherson County, Kansas

Casing Record: 8 5/8" set 128'
cemented with 100 sacks.
5 1/2" set at 3060' cemented with
100 sacks

Operator: Aladdin Petroleum Corp.
809 Petroleum Bldg.,
Wichita, Kansas.

Contractor: Salina Drilling Corp.
Box #566, Salina, Kansas.

Well commenced: May 1, 1953
Well Completed: May 11, 1953.

Rig #1

Geologist: Robert D. Elliott.
Wichita, Kansas.

Collar, Base, & Rotary Table	8	Shale and Shells	1680
Sandy Clay	25	Lime and Shale Broken	1710
Shale & Shells	285	Broken Lime	1840
Sand	300	Lime	1990
Anhydrite	340	Broken Lime	2065
Shale-Lime-Shells	385	Broken Lime	2103
Lime-Shale	495	Shale & Shells	2255
Lime-Red Bed	560	Lime	2635
Lime	630	Lime, Shale, Shells	2660
Shale-Shells	700	Shale & Shells	2815
Lime	750	Broken Lime	2865
Shale & Shells	785	Shale and Lime	2919
Broken Lime	825	Mississippi	2930
Shale & Shells	980	Lime	2943
Shale	1610	Chert & Lime	2970
		Lime	3008
		Lime & Chert	3040
		Lime	3060

GEOLOGIST TOPS--ROTARY BUSHING

Landing	2320'	Mississippi	2919
---------	-------	-------------	------

The above Rotary Driller's Log is complete and correct to the best of my knowledge.

SALINA DRILLING CORPORATION, INC.

Loren D. Hallam
President.

RECEIVED
STATE CORPORATION COMMISSION
JUN 12 1953
CONSERVATION DIVISION
Wichita, Kansas