


STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
P. O. Box 17027
Wichita, Kansas 67217
NORTH

WELL PLUGGING RECORD



Locate well correctly on above
Section Flat

Stafford County, Sec. 19 Twp. 23 Rge. 15 (E) (W)
Location as "NE/CNW/SW" or footage from lines SE SE SW
Lease Owner Clinton Oil Company
Lease Name Doerr #1 Well No.
Office Address Great Bend, Kansas 67530
Character of Well (completed as Oil, Gas or Dry Hole)
Date well completed 19
Application for plugging filed 19
Application for plugging approved 19
Plugging commenced 7/11/72 19
Plugging completed 7/15/72 19
Reason for abandonment of well or producing formation depleted.

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Massey
Producing formation Depth to top Bottom Total Depth of Well 3902 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8	394	none
				5 1/2"	3900	2612'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Checked hole to 3926', ran sand to 3700' and ran 5 sacks of cement. Loaded hole with water, shot pipe at 2987', 2796', 2598', pulled 81 joints. Pumped with 3 sacks hulls, 20 sacks gel, 2 sacks hulls, 100 sacks cement, 15 sacks gel and 20 sacks of cement.

PLUGGING COMPLETE.

RECEIVED
STATE CORPORATION COMMISSION
JUL 25 1972
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor KNIGHT CASING PULLING CO., INC.
Address CHASE, KANSAS

STATE OF KANSAS, COUNTY OF RICE, ss.
NOEL J. KNIGHT (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Noel J. Knight
CHASE, KANSAS
(Address)

SUBSCRIBED AND SWORN to before me this 18th day of July, 1972

Margaret Melcher
Notary Public.

My commission expires
MARGARET MELCHER
NOTARY PUBLIC
Rice County, Kansas
My Commission Expires
Feb. 15, 1975



STANOLIND OIL AND GAS COMPANY
WELL RECORD

15-145-01461-0000 400.1

TWP. 23 N OR S

RECEIVED
MAR 18 1946
TULSA

LEASE Albert A. Deora SUPPLEMENTAL (ENTER "X" WHEN APPLICABLE)
WELL NO. 1

LOCATION OF WELL: 220 FT. NORTH SOUTH OF THE 350 FT. NORTH SOUTH LINE AND 530 FT. EAST WEST OF THE SE 1/4 SW 1/4 SW 1/4.

OF SECTION 19 TOWNSHIP 23 NORTH SOUTH, RANGE 15 EAST WEST.

W COUNTY Pawnee STATE Kansas

ELEVATION: Derrick Floor 2039' Ground 2037'

COMPLETED AS: OIL WELL GAS WELL WATER WELL DRY HOLE

DRILLING: COMMENCED Dec. 15 1945 COMPLETED Jan. 13 1946

LOCATE WELL CORRECTLY

OPERATING COMPANY Stanolind Oil and Gas Company ADDRESS Tulsa, Oklahoma

OIL OR GAS SANDS OR ZONES

NAME	FROM	TO	NAME	FROM	TO
<u>Top Lansing</u>	<u>5624</u>	<u>4</u>			

WATER SANDS

NAME	FROM	TO	Water Level	NAME	FROM	TO	Water Level

CASING RECORD (OVERALL MEASUREMENT)

CSG. SIZE	WEIGHT	DESCRIPTION	MAKE - GRADE	QUANTITY FEET
<u>15-3/8"</u>	<u>36#</u>	<u>Spiral Weld</u>	<u>Armo</u>	<u>594' 5"</u>
<u>5 1/2" OD</u>	<u>14#</u>	<u>B-R</u>	<u>SS G-140</u>	<u>5945' 10"</u>

LINER-SCREEN RECORD

SIZE	QUANTITY FEET	SET AT		MAKE AND TYPE
		TOP	BOTTOM	

PACKER RECORD

SIZE	LENGTH	SET AT	MAKE AND TYPE

CEMENTING RECORD

SIZE	WHERE SET	CEMENT			METHOD	FINAL PRESS
	FEET	SACKS	BRAND	TYPE		
<u>15-3/8"</u>	<u>594' 5"</u>	<u>285</u>	<u>Ash Grove</u>	<u>Port-land</u>	<u>Halliburton</u>	
<u>5 1/2" OD</u>	<u>5923' 2"</u>	<u>100</u>	<u>Ash Grove</u>	<u>Port-land</u>	<u>Halliburton</u>	

MUDDING RECORD

(CABLE TOOLS)	
METHOD	RESULTS

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? _____

WERE BOTTOM HOLE PLUGS USED? _____

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED _____

ROTARY TOOLS WERE USED FROM Bottom of Collar FEET TO 5924' FEET, AND FROM _____ FEET TO _____ FEET.

CABLE TOOLS WERE USED FROM To Complete FEET TO _____ FEET, AND FROM _____ FEET TO _____ FEET.

24 HOUR PRODUCTION OR POTENTIAL TEST 222 bbls. oil

WATER 12% _____

IF GAS WELL, CUBIC FEET PER 24 HOURS _____ SHUT-IN PRESSURE _____ LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

GEOGRAPHER AND SWORN TO BEFORE ME THIS 15 DAY OF March 1946 AT _____

(Signature)
Field Dept.

RECEIVED
STATE CORPORATION COMMISSION
NOV 16 1971
CONSERVATION DIVISION
Wichita, Kansas