

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

Rice County. Sec. 20 Twp. 21 Rge. 9 (E) 9 (W)
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines 330 from west line 330 ft from south
Lease Owner: Stearns Dry Co.
Lease Name: Wellman Well No. 1
Office Address: _____
Character of Well (Completed as Oil, Gas or Dry Hole) Dry hole
Date, well completed 4-22- 1942
Application for plugging filed 4-24 1942
Application for plugging approved 4-24 1942
Plugging Commenced 4-25- 1942
Plugging Completed 4-25- 1942
Reason for abandonment of well or producing formation Dry hole

If a producing well is abandoned, date of last production _____ 193
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes


Name of Conservation Agent who supervised plugging of this well Rural Shurby
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3553 Feet.

Show depth and thickness of all water, oil and gas formations.
OIL, GAS OR WATER RECORDS CASING RECORD

| Formation | Content | From | To | Size | Put In | Pulled Out |
|-------------------------|------------------|--------------|--------------|-------------------|-----------------|------------------|
| casing line | shuf | | | 8 3/8 | 258 | none |
| <u> artifice line</u> | <u> shuf</u> | <u> 3522</u> | <u> 3553</u> | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Set Plug at 175 ft from 10 sacks of cement
set plug 6 ft below bottom of well as filled to
bottom of well with cement. Welded cap over 8 3/8.



(If additional description is necessary, use BACK of this sheet)
Correspondence regarding this well should be addressed to Stearns Dry Co.
Address: Box 1565 Tulsa Oklahoma

STATE OF Kansas, COUNTY OF Rice, ss.
H. J. Prather (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) H. J. Prather Stearns Dry Co.
Box 436 Lyons Kansas (Address)

SUBSCRIBED AND SWORN to before me this 30th day of April 1942

My commission expires Aug 7-1942
17-6058 10-38-5M Notary Public.

15-159.30496-0000

Log of Wellman #1

Date spudded: April 11, 1942
 Date set casing: April 12, 1942
 Date completed:

Loc: 20-218-97
 Rice County, Kansas
 Branine & Holl

Total depth: 3585 - rotary hole

| From | To | Formation | Remarks |
|------|------|---|----------------------------------|
| 0 | 70 | Sand | |
| 70 | 95 | Shale | |
| 95 | 215 | Sand and shale | |
| 215 | 258 | Shale and shells | --- Ran 258' 3 5/8" surface pipe |
| 258 | 300 | Shale and shells | cemented with 150 sacks cement |
| 300 | 370 | Shale and shells | |
| 370 | 375 | Shale and shells | |
| 375 | 945 | Salt and shells | |
| 945 | 1110 | Shale and shells | |
| 1110 | 1270 | Shale and lime | |
| 1270 | 1460 | Lime and shale | |
| 1460 | 1660 | Shale and lime | |
| 1660 | 1800 | Shale and lime | |
| 1800 | 1905 | Shale and lime | |
| 1905 | 2130 | Shale and lime shells | |
| 2130 | 2320 | Shale and shells | |
| 2320 | 2440 | Shale, lime shells | |
| 2440 | 2480 | Shale and shells | |
| 2470 | 2610 | Shale and lime | |
| 2610 | 2695 | Shale and lime | |
| 2695 | 2790 | Lime | |
| 2790 | 2895 | Shale and lime | |
| 2895 | 2958 | Shale and lime | |
| 2958 | 3008 | Shale and lime | |
| 3008 | 3027 | A little oolitic, porous lime stone | |
| 3027 | 3085 | oolitic | |
| 3085 | 3091 | Oolitic, porous lime stone | |
| 3091 | 3102 | Oolitic | |
| 3102 | 3107 | Microscopic porosity | no oil stain |
| 3107 | 3134 | Microscopic porosity | |
| 3134 | 3140 | Oolitic, very porous lime stone | |
| 3140 | 3153 | oolitic, | |
| 3153 | 3155 | A few oolitic, very porous limestone | |
| 3155 | 3276 | Top of Kinderhook shale - Base of Pennsylvanian | |
| 3276 | 3324 | No Misenor sand | |
| 3324 | 3403 | Top of the Maquoketa Shale - Base of the Kinderhook | |
| 3403 | 3464 | Top of the Simpson Formation - Base of Viola | |
| 3464 | 3522 | Top of the Arbuckle Dolomite - Base of Simpson | |
| 3522 | 3526 | Slightly porous dolomite | |
| 3526 | 3540 | Porous dolomite | |
| 3540 | 3545 | Very porous, medium coarsely crystalline dolomite | |
| 3545 | 3585 | Very porous dolomite | |



Subscribed and sworn to before me this 15th day of May, 1942

Colene Little
 Notary

I hereby certify the foregoing to be a true and correct copy of the original driller's log on the Wellman #1

Georgia B. Gresson

My commission expires 10-18-42

PI LIGGING
 FILE 20-218-97
 BOOK 32 PAGE 2