

STATE OF KANSAS
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 North Market, Insurance Bldg.
Wichita, Kansas

Rice County, Sec. 32 Twp. 21S Rge. (E) 8 (W)

Location as "NE/CNW/SW" or footage from lines C SE SE
Lease Owner The Pure Oil Company
Lease Name E. M. Pearson Well No. 1
Office Address Box 9545 - Oklahoma City 18, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed 7-15 19 61
Application for plugging filed 7-18 19 61
Application for plugging approved Verbal approval given 7-15 19 61
Plugging commenced 7-16 19 61
Plugging completed 7-16 19 61
Reason for abandonment of well or producing formation Dry Hole

NORTH



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Gilbert P. Leiker
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3450 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	267'	-

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Mudded hole 3450 - 250'. Dumped 1/2 sack hulls and 20 sacks cement 250 - 230'.
Mudded 230 - 40'. Dumped 1/2 sack hulls and 10 sacks cement 40 - 0. Screwed steel cap on 8-5/8" casing.

RECEIVED
STATE CORPORATION COMMISSION
JUL 20 1961
CONSERVATION DIVISION
Wichita, Kansas

Name of Plugging Contractor Gabbert - Jones Drilling Company, Inc.
Address 514 Orpheum Bldg. - Wichita, Kansas

STATE OF Oklahoma, COUNTY OF Oklahoma, ss.
J. J. Wasicek (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) J. J. Wasicek
Box 9545 - Oklahoma City 18, Oklahoma
(Address)

SUBSCRIBED AND SWORN TO before me this 19 day of July, 19 61

My commission expires 4-14-64
John L. Staller Notary Public.

GABBERT-JONES DRILLING CO., INC.
WICHITA, KANSAS
DRILLERS WELL LOG

E. M. PEARSON #1
 C SE SE SECTION 32-21S-8W
 RICE COUNTY, KANSAS

COMMENCED: JULY 8, 1961
 COMPLETED: JULY 16, 1961

OPERATOR: THE PURE OIL COMPANY

<u>DEPTH</u>		<u>FORMATION</u>	<u>REMARKS</u>
FROM	TO		
0	125	SAND	
125	160	RED BED & SHALE	
160	271	RED BED	RAN 259.52' OF 8-5/8" CASING, SET @ 267' W/300 SACKS CEMENT.
271	1070	SHALE	
1070	1190	LIME	
1190	3070	LIME & SHALE	
3070	3300	LIME	
3300	3400	SHALE	
3400	3450	SHALE & LIME	
3450	TD		DRY & ABANDONED

I, E. E. HALL, CERTIFY THIS IS A TRUE AND CORRECT COPY OF THE DRILLERS WELL LOG FOR THE WELL DRILLED IN C SE SE SECTION 32-21S-8W, RICE COUNTY, KANSAS, TO THE BEST OF MY KNOWLEDGE AND BELIEF.

E. E. Hall

 E. E. HALL

STATE OF KANSAS)
) SS
 COUNTY OF SEDGWICK)

BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC WITHIN AND FOR SAID COUNTY AND STATE, ON THIS 18TH DAY OF JULY, 1961, PERSONALLY APPEARED E. E. HALL TO ME PERSONALLY KNOWN TO BE THE IDENTICAL PERSON WHO EXECUTED THE WITHIN AND FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME AS HIS FREE AND VOLUNTARY ACT AND DEED FOR THE USES AND PURPOSES THEREIN SET FORTH.

IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND OFFICIAL SEAL THE DAY AND YEAR LAST ABOVE WRITTEN.

MY COMMISSION EXPIRES OCTOBER 2, 1963

Vira A. McKenzie

 VIRA A. MCKENZIE, NOTARY PUBLIC

RECEIVED
 STATE CORPORATION COMMISSION
 JUL 20 1961
 CONSERVATION DIVISION
 Wichita, Kansas

WELL LOG AND RELATED DATA

DIVISION Northern Producing DISTRICT Central (Buffalo-Kansas/ LEASE Pearson, E. M.
 ACRES 240 LEASE NO. 28749 AFE NO. 4504 ELEVATION Grd: 1636. DF: 1638 WELL NO. 1
 LOT-SEC. 32 TWP. 21S RGE. 8W PRCT.-DIST.-TWP. -
 SURVEY (Bell Prospect) COUNTY Rice STATE Kansas

LOG			
FROM	TO	TOTAL	FORMATION
0	2940	2940	Sand, shale & lime
2940	<u>LANSING - KANSAS CITY (E. L. Top)</u>		
2940	3283	343	Lime w/shale streaks
3283	<u>CONGLOMERATE ZONE (E. L. Top)</u>		
3283	3384	101	Shale
3384	3450	66	Lime
3450	TOTAL DEPTH		

LOCATION

660 FEET NORTH OF SOUTH SECTION LINE
 4620 FEET EAST OF WEST SECTION LINE
 4620 FEET SOUTH OF NORTH SECTION LINE
 660 FEET WEST OF EAST SECTION LINE

SCALE 2"=1 MILE

RECEIVED
 STATE CORPORATION COMMISSION
 JUL 28 1961
 CONSERVATION DIVISION
 Wichita, Kansas

CASING AND CEMENTING RECORD			
SIZE CASING	8-5/8"		
THREAD	8rd		
WEIGHT	28#		
GRADE	J55		
CONDITION	A		
SET AT	267		
SACKS CEMENT	300		
SIZE OF HOLE	12 1/4"		

LINER RECORD						
SIZE	WT.	COND.	LENGTH	BLANK	PERF.	SET AT

GUN PERFORATING RECORD					
DATE	CASING	FROM	TO	SIZE SHOTS	NO. SHOTS

SHOT OR ACID RECORD				
DATE	TOP	BOTTOM	SHOT-ACID	REMARKS

DRILLING: COMMENCED 7-8-61 COMPLETED 7-15-61
 ELECTRICAL SURVEY BY Schlumberger DATE 7-15-61
 DRILLED WITH Rotary (Gabbert-Jones Drlg. Co) TOOLS
 DRILLED IN WITH Rotary (Gabbert-Jones Drlg. Co) TOOLS
 FIRST PROD. - NAT. DATE Dry hole HRS. _____ BBLs. _____ OIL
 WATER _____ M CU. FT. GAS _____ LBS. ROCK PRESS.
 SHOT
 FIRST PROD. AFTER ACID - DATE _____ HRS. _____ BBLs. _____ OIL
 WATER _____ M CU. FT. GAS _____ LBS. ROCK PRESS.
 GAS/OIL RATIO _____ POTENTIAL Dry hole BBLs. _____
 GRAVITY _____ TEMP. _____ GRADE _____

FROM	TO	TOTAL	FORMATION	FROM	TO	TOTAL	FORMATION
<u>ADDITIONAL WELL DATA</u>							
<u>ANGULAR DEVIATIONS:</u>							
Degrees							
<u>Depth</u>	<u>Off Vertical</u>						
271		3/4					
800		1/4					
1543		3/4					
2122		3/4					
2725		1/4					
3101	1	3/4					
3200	1	3/4					
<u>DRILL STEM TESTS:</u>							
7/15/61							
3393-3450 (Cong. Zone)							
Halliburton made DST							
3393-3450 in Cong. Zone. Very weak blow air							
@ surface immediately. Tool open 1 hr. Re-							
covered 20' drilling mud. 30 min. ISIBHP 190#.							
IFP 20#, FFP 20#, 30 min. FSIBHP 116#.							
