


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

Barton County, Sec. 22 T. 17 R. 11 (E) (W)



Locate well correctly on above Section Flat

Location as "NE/GNW/4SW/1" or footage from lines: Paul Nitson and Associates  
Lease Owner: Soeken #1  
Lease Name: P.O. Box 843, La Crosse, Kansas Well No. #1  
Office Address:  
Character of Well (completed as Oil, Gas or Dry Hole):  
Date well completed: Yes 19  
Application for plugging filed: Yes 19  
Application for plugging approved: 6-7-58 19  
Plugging commenced: 6-14-58 19  
Plugging completed: 19  
Reason for abandonment of well or producing formation:

If a producing well is abandoned, date of last production: 19  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well: Mr. Donald Truman  
Producing formation: Depth to top: Bottom: Total Depth of Well: 3300' Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS				CASING RECORD		
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8"		
				5 1/2"		2,278'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Measured into T.D. 3300'. Plugging started 6-7-58. Finished 6-14-58.  
Plugged off bottom and put in 25 ft. sand. Dumped 5 sacks cement.  
Shot 5 1/2" casing at 2,278'. Circulated and spotted oil. Pulled pipe out of hole and plugged well with mud to 280'. Set rock bridge and dumped 25 sacks cement. Filled hole with mud to 40'. Set rock bridge and mixed 10 sacks cement for cap on well. Well completed.

RECEIVED  
STATE CORPORATION COMMISSION  
JUL 3 1958  
CONSERVATION DIVISION  
WICHITA, KANSAS

Name of Plugging Contractor: J.O. Forbes d/b/a Forbes Casing Pulling Co.  
Address: Box 221, Great Bend, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.  
\_\_\_\_\_, (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) J.O. Forbes  
Box 221, Great Bend, Kans.  
(Address)

SUBSCRIBED AND SWORN to before me this 17th day of June, 1958  
Betty S. Edmund  
Notary Public.

My commission expires November 8, 1960.

PLUGGING  
FILE SEC 22 T. 17 R. 11 W  
BOOK PAGE 105 LINE 38

15.009.06392.00.00

COMPANY ~~Tsern~~ FARM Soeken WELL NO. 1  
 SEC 22 TWP 17 RGE. 11 LOC. COUNTY Barton STATE Kans  
 CONTRACTOR Tsern SIZE HOLE 7 7/8 DRILL PIPE 4 1/2  
 REMARKS: SIZE PUMP LINERS 7 LENGTH STROKE 14

#1

DATE Jan. 13-57

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2800</del>	<del>50</del>		
1	10	6	
2	16	6	
3	22	6	
4	26	4	
5	31	5	
6	31	6	
7	42	5	
8	46	4	
9	50	4	
<del>2810</del>	<del>54</del>	<del>4</del>	
11	6-	6	
12	04	4	
13	07	3	
14	11	4	
15	16	5	
16	22	6	
17	26	4	CONN
18	<del>29</del> 32	3	
19	35	3	
<del>2820</del>	<del>37</del>	<del>2</del>	
21	40	3	
22	44	4	
23	48	4	
24	52	4	
25	57	5	
26	7:02	5	
27	1:07	5	
28	12	5	
29	16	4	
<del>2830</del>	<del>20</del>	<del>4</del>	
31	25	5	
32	31	6	
33	37	6	
34	43	6	
35	49	6	
36	54	5	
37	2-	6	
38	104	4	
39	08	4	
<del>2840</del>	<del>12</del>	<del>4</del>	
41	15	3	
42	17	2	
43	19	2	
44	20	1	
45	24	4	
46	31	7	CONN
47	CONN		CONN
48	<del>38</del> 45	7	
49	50	5	
<del>2850</del>	<del>58</del>	<del>8</del>	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2850</del>	<del>8:58</del>		
51	9:04	6	MUD
52	37	43	6
53	50	7	
54	54	4	
55	<del>9:59</del> 1:00	4	
56	1:07	4	
57	11	4	
58	15	4	
59	19	4	
<del>2860</del>	<del>23</del>	<del>4</del>	
61	27	4	
62	31	4	
63	34	3	
64	38	4	
65	42	4	
66	47	5	
67	53	6	
68	58	5	
69	11:04	6	
<del>2870</del>	<del>10</del>	<del>6</del>	
71	17	7	
72	24	7	
73	30	6	
74	35	5	
75	40	5	
76	47	7	CONN
77	CONN		Kelly
78	<del>55</del> 1:01	5	
79	1:06	6	
<del>2880</del>	<del>13</del>	<del>7</del>	
81	19	6	
82	25	6	
83	33	8	
84	41	8	
85	49	8	
86	57	8	
87	1:07	10	
88	17	10	
89	29	12	
<del>2890</del>	<del>42</del>	<del>13</del>	VIS. 34
91	51	9	
92	55	4	Hub. TOP
93	58	3	
94	59	1	
95	2:01	2	
96	12	11	
97	29	17	
98	43	14	
99	50	7	
<del>2900</del>	<del>59</del>	<del>7</del>	

ROTARY DRILLING TIME SHEET # 503  
KANSAS BLUE PRINT CO., WICHITA, KAN.

PLUGGING  
 FILE SEC. 22 T. 17. R. 11W  
 BOOK PAGE 105 LINE 20

COMPANY J.S.P. 71  
 SEC 22 TWP. 17 RGE. 11 LOC.

FARM SOCK 71 WELL NO. 1  
 COUNTY La-Ton STATE Kan

CONTRACTOR J.S.P. 71  
 REMARKS:

SIZE HOLE 7 7/8 DRILL PIPE 1 1/2  
 SIZE PUMP LINERS 7 LENGTH STROKE 4

= 2 =

DATE Jan 13, 57

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2900</del>	<del>357</del>		
1	3:04	5	
2	1:07	3	
3	10	3	
4	13	3	
5	16	3	CONN.
6	<del>20:14</del>	4	
7	27	3	
8	30	3	
9	34	4	
<del>2910</del>	<del>36</del>	<del>2</del>	
11	40	4	
12	43	3	
13	44	1	
14	45	1	
15	47	2	
16	56	9	
17	4:05	9	
18	13	8	
19	24	11	
<del>2920</del>	<del>33</del>	<del>9</del>	
21	42	9	
22	49	7	
23	53	6	
24	5:00	5	
25	06	6	
26	10	4	
27	14	4	
28	17	3	
29	21	4	
<del>2930</del>	<del>25</del>	<del>4</del>	
31	29	4	
32	32	3	VIS-36
33	36	4	
34	40	4	CONN.
35	<del>40:50</del>	5	
36	53	3	
37	56	3	
38	59	3	
39	6:00	3	
<del>2940</del>	<del>05</del>	<del>5</del>	
41	08	5	
42	10	2	
43	13	3	
44	16	3	
45	20	4	
46	24	4	
47	27	3	
48	30	3	
49	35	6	
<del>2950</del>	<del>39</del>	<del>4</del>	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>2950</del>	<del>39</del>		
51	42	3	
52	45	3	
53	48	3	
54	51	3	
55	54	3	
56	56	2	
57	58	2	
58	7:01	3	
59	03	2	
<del>2960</del>	<del>05</del>	<del>2</del>	
61	08	3	
62	10	2	
63	13	3	
64	15	2	CONN.
65	<del>20</del>	3	
66	25	2	
67	27	2	
68	30	3	
69	32	2	
<del>2970</del>	<del>34</del>	<del>2</del>	
71	36	2	
72	39	3	
73	42	3	
74	45	3	
75	47	2	VIS-39
76	50	3	
77	53	3	
78	57	4	
79	8:00	3	
<del>2980</del>	<del>03</del>	<del>3</del>	
81	07	4	
82	11	4	
83	15	4	
84	19	4	
85	22	3	
86	25	3	
87	28	3	
88	31	3	
89	34	3	
<del>2990</del>	<del>40</del>	<del>6</del>	
91	45	5	
92	51	6	
93	55	4	CONN.
94	Kelly Conn.		
95	9:01	7	Blowan - time
96	16	8	
97	26	10	
98	36	10	
99	44	8	
<del>3000</del>	<del>50</del>	<del>6</del>	

ROTARY DRILLING TIME SHEET # 503  
 KANSAS BLUE PRINT CO., WICHITA, KAN.

COMPANY *1901N 17 1/2*

FARM *803-61*

WELL NO. *1*

SEC. *17* TWP. *17* RGE. *11* LOC.

COUNTY *25*

STATE *KANS*

CONTRACTOR *1901N*

SIZE HOLE *7 3/8*

DRILL PIPE *4 1/2*

REMARKS:

SIZE PUMP LINERS *7*

LENGTH STROKE *14*

3

DATE *1-13-57*

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3000</del>	<del>9:50</del>		
01	54	4	
2	58	4	
3	10:06	8	
4	23	17	TRIP OSC.
5	<del>12:15</del>	4	
6	04	4	
7	10	6	
8	15	5	
9	19	4	
3010	23	4	
11	25	2	
12	27	2	
13	30	3	
14	32	2	
15	35	3	
16	38	3	Start Trip
17	42	4	
18	46	4	
19	51	5	
3020	55	4	
21	58	3	
22	201	3	
23	05	4	CONN
24	09:12	3	
25	16	4	
26	19	3	
27	22	3	
28	25	3	
29	30	5	
3030	34	4	
31	39	5	
32	43	4	
33	46	3	
34	50	4	
35	55	5	
36	3-	5	
37	05	5	
38	10	5	
39	15	5	Mix Mud
3040	20	5	
41	25	5	
42	30	5	
43	33	3	
44	36	3	
45	39	3	
46	42	3	
47	46	4	
48	59	6	
49	52	3	
3050	56	4	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3050</del>	<del>56</del>		
51	401	5	
52	06	5	CONN
53	10:14	4	
54	20	6	
55	26	6	
56	30	4	
57	34	4	
58	37	3	
59	41	4	
3060	48	7	
61	54	6	
62	59	5	
63	5:02	3	
64	06	4	
65	08	3	
66	13	4	
67	18	5	
68	25	7	
69	31	6	
3070	38	7	
71	44	6	
72	50	6	
73	54	4	
74	58	4	
75	6:05	7	
76	10	5	
77	14	4	
78	18	4	
79	20	3	
3080	27	6	
81	33	6	CONN
82	Kelly Cork		
83	38:44	6	VIS-38
84	49	5	
85	56	7	
86	7:01	5	
87	10:05	4	
88	10:09	4	
89	13	4	
3090	17	4	
91	20	3	
92	25	5	
93	33	8	
94	41	8	Clean Pump screen
95	7:50	8	
96	8:16	8	
97	14	8	
98	20	6	
99	29	9	
3100	37	8	

ROTARY DRILLING TIME SHEET # 603  
KANSAS BLUE PRINT CO., WICHITA, KAN.

COMPANY ISERN DRILL CO FARM SOCKEN WELL NO. 1  
 SEC. 22 TWP. 17 RGE. 11 LOC. COUNTY BARTON STATE KANS  
 CONTRACTOR \_\_\_\_\_ SIZE HOLE 7 7/8 DRILL PIPE 4 1/2  
 REMARKS: \_\_\_\_\_ SIZE PUMP LINERS 7 LENGTH STROKE 14

# 4

DATE Jan 14, 57

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3100</del>	<del>8:37</del>		
1	45	8	
2	54	9	
3	9:02	8	
4	10	8	
5	21	11	
6	31	10	
7	41	10	
8	51	10	
9	57	6	
3110	10:03	6	
11	15	12	make 5'
12	27	12	CONN.
13	CONN. Kelly		
14	40	9	
15	58	9	
16	11:07	9	
17	15	8	
18	22	7	
19	29	7	
3120	11:37	8	CIR.
21	20:51	3	
22	53	2	
23	55	2	
24	57	2	
25	59	2	CIR.
26	20:17	5	
27	22	5	
28	23	1	
29	28	5	
3130	35	7	
31	41	6	
32	47	6	
33	55	8	
34	3:02	7	
35	09	7	
36	17	8	
37	25	8	
38	34	7	
39	44	10	
3140	56	12	
41	4:05	7	CONN
42	Kelly Conn.		
43	16:25	9	
44	32	7	
45	41	8	
46	48	8	
47	54	6	
48	5:03	9	
49	13	10	
3150	20	7	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3150</del>	<del>20</del>		
51	17	7	
52	33	6	
53	38	5	VIS-4 1/2
54	42	4	
55	43	1	
56	44	1	
57	45	1	
58	46	1	
59	46 1/2	1 1/2	
3160	47	1/2	Wet sp
61	48	1	
62	55	7	DST #1. 3140-3162
63	1:20:26	3	up 60" fair blow decreasing to
64	29	3	weak blow, Rec. 420 Gas;
65	34	5	90' very S.O. G.C.M. BHP 130' in 20'
66	39	5	
67	44	5	
68	49	5	
69	54	5	
3170	57	3	CONN
71	20:06	5	
72	12	6	VIS-40
73	16	4	Mix 5 starch
74	18	2	" 4 SALT Mud
75	21	3	
76	28	7	
77	34	6	
78	41	7	
79	46	5	
3180	52	6	
81	57	5	
82	3:01	4	
83	06	5	
84	12	6	
85	17	5	
86	21	4	
87	26	5	
88	32	6	
89	36	4	
3190	39	3	Save wet
91	43	4	
92	49	6	
93	58	8	
94	4:06	8	
95	14	8	
96	17	3	
97	21	4	
98	26	5	
99	31	5	wet
3200	35:39	4	Wet Swager with time + wet samples.

STOP 3270

ROTARY DRILLING TIME SHEET # 503  
 KANSAS BLUE PRINT CO., WICHITA, KAN.

COMPANY ISERN DRILL CO

FARM SACKEN

WELL NO. 1

SEC. 2 TWP. 17 RGE. 11 LOC.

COUNTY BARTON STATE KANSAS

CONTRACTOR

SIZE HOLE 7 7/8 DRILL PIPE 4 1/2

REMARKS:

SIZE PUMP LINERS 7 LENGTH STROKE 17

# 5

DATE 1-15-57

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3200</del>	<del>4:37</del>	<del>5</del>	
1	44	5	
2	50	6	
3	57	7	
4	5:06	9	
5	14	8	
6	21	7	
7	29	8	
8	36	7	
9	42	6	
3210	48	6	V15-46
11	55	7	
12	6:02	7	
13	10	8	
14	18	8	
15	23	5	
16	28	5	
17	31	3	
18	34	3	
19	37	3	
3220	40	3	
21	44	4	
22	49	5	
23	54	5	
24	7:03	9	
25	11	8	
26	20	9	
27	28	8	
28	36	8	
29	44	8	CONN
3230	50	8	
31	20	7	
32	26	6	
33	33	7	
34	40	7	
35	49	9	
36	56	7	
37	9:06	10	
38	15	9	
39	24	9	
3240	32	8	
41	38	6	
42	44	6	
43	52	8	
44	10-	8	
45	1:09	9	
46	15	6	
47	21	6	
48	29	8	
49	37	8	
3250	42	5	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
<del>3250</del>	<del>4:25</del>	<del>8</del>	
51	50	8	
52	57	7	
53	11:02	5	
54	106	4	
55	10	4	
56	14	4	
57	18	4	
58	23	5	CONN
59	CONN	Kelly	
3260	29	4	
61	36	3	
62	39	3	
63	43	4	
64	58	5	
65	12:04	6	STAR 5' sp/s
66	8	4	
67	12	4	
68	20	8	
69	29	9	
3270	37	8	cut
71	45	8	
72	50	5	
73	55	5	
74	58	3	
75	1:01	3	
76	11	10	
77	1:20	9	Cir.
78	2:34	7	
79	40	6	
3280	48	8	
81	55	7	
82	3:04	9	Cir. DST #2, 3270-3280
83			60" Good flow throughout
84			Rec. 130' Gas on fluid
85			145' oil
86			145' muddy oil
87			F.F. 160" BHP 640' in 20"
88			
89			
3290			
91			
92			
93			
94			
95			
96			
97			
98			
99			
3300			

ROTARY DRILLING TIME SHEET # 503  
KANSAS BLUE PRINT CO., WICHITA, KAN.

COPY


WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY  
500 East Murdock, Wichita, Kansas

Company: ISEARN BROTHERS  
Farm: Soeken No. 1

SEC. 22 T. 17 R. 11W  
SE SW SW

Total Depth. 3288  
Comm. 2-4-57 Comp. 1-25-57  
Shot or Treated.  
Contractor.  
Issued. 6-15-57

County Barton  
KANSAS



Elevation. 1831 KB

Production. Dry

Figures indicate Bottom of Formations.

shale & shells	270
shale	350
red rock	640
anhydrite	660
shale & shells	1090
salt	1330
shale & shells	1400
lime & shale	1515
shale & shells	1730
lime & shale	2150
shale & shells	2560
lime & shale	2891
Heebner	2895
lime & shale	3282
lime (RTD)	3283
lime	3288
Total Depth	

TOPS: (RBM)	
Heebner	2892
Brown lime	2995
Lansing	3016
Arbuckle	3279

MICT & Swbd hole down, DC & CO to 3282. Swbd 1.75 BFPH: 15% water, acid 250 gal. DNH 3282-88, Acid 1000 gal. Swb. 1.17 BFPH, 50% water.

RECEIVED  
STATE CORPORATION COMMISSION

SEP 15 1954

CONSERVATION DIVISION  
Wichita, Kansas