


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

McPherson County, Sec. 25 Twp. 21S Rge. 5W (W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SW SW NE
Lease Owner The Texas Company
Lease Name H. J. Pauls Unit Well No. 1
Office Address 614 Bitting Bldg., Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed 3-22-1950
Application for plugging filed 3-23-1950
Application for plugging approved 3-23-1950
Plugging commenced 3-23-1950
Plugging completed 3-23-1950
Reason for abandonment of well or producing formation Dry Hole



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Ruel Durkee
Producing formation Depth to top Bottom Total Depth of Well 4070 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				10-3/4"	163'	0

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Plugged with heavy mud from 4070' to 160'
" with 20 sacks cement from 160' to 140'
" with heavy mud from 140' to 10'
" with 7 sacks cement from 10' to top of surface pipe
Filled cellar with clay.

4-8-50



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The Texas Company
Address 614 Bitting Building Wichita 2, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
M. C. Harrell (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) M. C. Harrell
614 Bitting Bldg., Wichita 2, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 7th day of April, 1950
H. Howard Kistler Notary Public.

My commission expires September 20, 1952

PLUGGING
FILE SEC 25 T 21 R 5W
BOOK PAGE 144 LINE 11

LOG OF WELL

H. J. Pauls Unit #1

SHEET 1

OWNER The Texas Company DIVISION Oklahoma DATE MADE April 7, 1950
 DISTRICT Kansas LEASE H. J. Pauls Unit WELL NO. 1
 STATE Kansas COUNTY OR PARISH McPherson TWP. 21S RANGE 5W SEC. 25
 LOCATION OF WELL SW SW NE

COMMENCED RIGGING UP 2-28-50 COMMENCED DRILLING 2-28-50 COMPLETED DRILLING 3-22-50
 DAY DRILLER _____ NIGHT DRILLER _____ CONTRACTOR B & R Drilling Co.
 CABLE FROM _____ TO _____ ROTARY FROM 0 TO 4070' COMPANY RIG NO. _____
 TOTAL DEPTH 4070' MEASURED BY M. C. Harrell ELEVATION 1528 KB
1526 DF
1524 GL

CASING RECORD

SIZE	WEIGHT	PUT IN WELL		PULLED OUT		LOST IN WELL		SHOES		PACKERS		
		FEET	INS.	FEET	INS.	FEET	INS.	LENGTH	MAKE	KIND	LENGTH	SET AT
10-3/4"	32.75#	163										FT.
												FT.
												FT.
												FT.
10-3/4" casing set at 163' with 125 sacks Lehigh Cement.												
												FT.
												FT.
												FT.

WAS CASING CEMENTED? _____ IF SO, HOW MANY SACKS OF CEMENT USED? _____
 LINER: STATE SIZE AND WEIGHT _____ WHERE SET _____ FT. AND INS. PERFORATED _____
 HOW PUT TOGETHER _____ COUPLING _____ FLUSH-JOINT _____ INSERTED _____
 REMARKS: _____

EQUIPMENT RECORD

TUBING				SUCKER RODS			PUMPING OUTFIT	
SIZE	WEIGHT	FEET	INS.	FEET	INS.	SIZE AND KIND	DESCRIPTION, KIND, SIZE, ETC.	
Completed Plugging 3-23-50								

FLOWING, PUMPING, GASSEY OR DRY Dry PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 IF GAS WELL, OPEN FLOW CAPACITY _____ SHUT IN PRESSURE _____ ROCK PRESSURE 700
 KIND OF SHOT _____ SIZE OF SHOT, QUARTS _____
 NUMBER OF SHELLS _____ SIZE OF SHELLS _____ INCHES, DIAMETER _____
 LENGTH OF SHELLS _____ FEET _____ INCHES _____ TOP OF SHOT PR 8 1950
 BOTTOM OF SHOT _____ ANCHOR _____ WELL BRIDGED TO _____
 TOTAL DEPTH OF WELL _____ NUMBER OF SHOT _____ PRODUCTION BEFORE SHOT _____ BBLs. PER DAY _____
 PRODUCTION AFTER SHOT _____ BBLs. PER DAY. SHOT FURNISHED BY _____
 NAME OF SHOOTER _____ SHOT INSPECTED _____ BY _____ (COMPANY EMPLOYEE)
 COMMENCED DRILLING DEEPER _____ COMPLETED _____ DRILLING DEEPER _____
 TOTAL DEPTH _____ PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____

REMARKS: H. J. Pauls Unit #1
Total Depth-----4070'
Compl Drig-----3-22-50
Compl Plug-----3-23-50

NOTE: IF WELL WAS DRY, STATE UNDER REMARKS, WHEN, HOW, AND BY WHOM PLUGGED.
PLUGGING UNDER REMARKS ANYTHING OF INTEREST NOT COVERED IN LOG.
 IF THE SPACE PROVIDED FOR REMARKS IS NOT SUFFICIENT WRITE ON BOTTOM OF LAST SHEET OF LOG.
 FILE SEC 25 T 21 R 50
 BOOK PAGE 44 LINE 11

LOG OF WELL

SHEET No. 2

District **Kansas** Owner **The Texas Co.** Farm **H. J. Pauls Unit** Well No. **1**

FORMATION		AMOUNT	COLOR	HARD OR SOFT	DEPTH CORES TAKEN	REMARKS
Surface soil & clay		15				<u>CASING RECORD:</u> Set 10-3/4" casing at 163' with 125 sacks Lehigh Cement. <u>ELEVATION:</u> 1528 KB 1526 DF 1524 GL <u>TOPS:</u> Heebner.....2507 Brown Lansing...2691 Lansing.....2717 Conglomerate....3332 Mississippian...3382 Kinderhook.....3648 Misener.....3789 Maquoketa.....3791 Viola.....3908 Simpson.....3928 Arbuckle.....4002
Shale	45	30				
Sand	52	7				
Sand-Shale	70	18				
Shale-Shells	170	100				
Shale-Shells	350	180				
Shale-Shells-Anhydrite	385	35				
Shale-Shells-Anhydrite	454	69				
Anhydrite	465	11				
Shale-Salt	535	70				
Shale-Shells	830	295				
Lime-Shale	910	80				
Shale	960	50				
Lime-Shale	1005	45				
Lime-Shale	2605	1600				
Lime	2684	79				
Lime-Shale	2740	56				
Lime	3195	455				
Lime-Shale	3325	130				
Conglomerate	3385	60				
Lime-Shale	3420	35				
Lime	3612	192				
Lime-Chert	3630	18				
Lime	3685	55				
Shale	3910	225				
Lime	3937	27				
Sand	3947	10				
Lime	3984	37				
Lime-Sand	4005	21				
Arbuckle	4055	50				
Arbuckle Lime	4070	15				
TOTAL DEPTH	4070					
PLUGGED AND ABANDONED 3-23-50						