STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely

15.185.12837.0000

lake Required Affidavit Iail or Deliver Report to:		WE	LL PL	UGGING RI	ECORD			
Conservation Division State Corporation Commission		Chaffaaa		10	04 4			
212 North Market, Insurance Bldg. Wichita, Kansas	Stafford County. Sec. 12 Twp 21 Rge 12 (E) (W) Location as "NE/CNWKSWK" or footage from lines SE/SE/SE Lease Owner Quality Supply Company Lease Name Schrepel Well No. 1 Office Address 202 Perfecteum Building, Wichita, Kansas							
NORTH								
1								
l i i	Office Address	202 Potr	oteum	Building	. Wichita.	weш No. <u></u> Kansas		
<u>-</u>	Character of V	Vell (completed a	Oil Cas	or Dry Hole)				
	Date well com							
	Date well completed 19 Application for plugging filed 19 Application for plugging approved 19 Plugging commenced 7-28 19 61 Plugging completed 7-31 19 61 Reason for abandonment of well or producing formation							
! !								
						19		
Locate well correctly on above Section Plat					r its agents before	plugging was com-		
Jame of Conservation Agent who supe	rvised plugging of th	is well Fra	nk Bro	padfoot				
roducing formation	:	Depth to top	Botto	m	Total Depth of W	$_{ m ell}$ 3517 $_{ m Feet}$		
how depth and thickness of all water,	, oil and gas formatio	ns.						
OIL, GAS OR WATER RECORD	os				CA	SING RECORD		
				 				
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED DUT		
				8 5/8" 5 5 "	531' 3481'	None		
		 		1 25	J481 ·	2662 '		
		<u> </u>						
feet for each plug se	P	lug @ 3450 op Perfore		3263				
<u> </u>								
		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~						
· · · · · · · · · · · · · · · · · · ·	Sanded to 3	250' - dur	nped 5	sks ceme	nt - pulle	<u>d</u>		
	casing - mu dumped 20 s	ks cement	- mud	ded to 35	1 - set 10	rrage -		
	rock bridge	- dumped	10 sk	s cement				
					- 7	· grand (g-m)		
	· · · · · · · · · · · · · · · · · · ·				T L W	- 1019910h		
<del> </del>				STAT	E CURPORATION C	Otton		
					AUG 2-9			
					AUGZ	- ""(C100)		
		<del></del>	_	C	ONSERVATION	DIAIDIA		
					Wichita, K	11543		
	(If addition	al description is necess	ury veo BAC	W of this shoot				
Name of Plugging Contractor. Address BOX # 572, Hu	R & D Casin	g Pulling			License	# 236		
A /								
TATE OF	-a, co	UNTY OF	Dgu	\	, ss.			
rail book for the	ones. The Ylens	(e	mployee of	=owner)-or-(own	er-or operator) of	the above-described		
vell, being first duly sworn on oath, s bove-described well as filed and that	says: That I have k	nowledge of the f	acts, staten	nents, and matter	s herein contained	and the log of the		
post-deserved were as med and that	. ше жие ие пие я		THE GOO	6/1/11				
		(Signature)	12011	luin 7	Late Bld.	Wychita		
	Ø	17	<u> </u>		Address)	· tans		
Subscribed and Sworn to before	re me this 🔏 🖊	day of	Uu	aust	196	<i>(</i>		

#### CONTRACTOR'S VERIFIED LOG

Operator Schio Petroleum Company Farm Name Schrepel Woll No. 1

Location SE SE SE 12-215-128

Pool Name Wildowt County Stafford State Kenses

Commencement Date June 8, 1947 Completion Date June 22, 1947

### LOG OF WELLS

Di	pth /	Formation	Deviation	Remarks
From	.To	1.00	from Vertical (Degrees)	· ioinal ka
				, .
	<b>∳</b> .,			
0	5	Rig Foundation	Syro 500 l	
. 5	150	Sand	Set 531	of 8 5/8"
150	235	Shale & Shells	casing de	rick floor.
235	593	Red Bed	Cemented 1	ith 350 sacks
593	620	Anhydrite	bulk cemer	t. Syfo 1000 0k
620	1075	Shale & Shells	Syfo 1500	
1075	1255	Salt & Shale : A street a good	- D . T	
1255	1575	Shale Shells	Syfo 3000	
1575	1715	Broken Line	,	
1715	1830	Line	Ron Holli	urton test
1830	1910	Broken Line		Packer set
1910	2710	Shale & Shells		5001 out
2710	2765	Shale	oil and m	
2765	2975	Proken Line	nimite te	
2975	3040	Line	(	
3040	3085	Broken Line		ľ
3085	3170	Shele		
3170	3178	Brown Line		
3178	3186	Shale		
3186	3422	Lensing Line		
3422	3465	Conglomerate	TEL:	EIVED
3465	3482	Shale	SIAIE CORPOR	TION COMMISSION
3482	3517	Arbuckle Line	ļ	J
Total D		MANUAL MANUAL	JUL	171961
TO CAT D	ehen '	$\sum_{i} \int_{-\infty}^{\infty} \frac{d^{2}x}{x^{2}} dx$	66	
***** ******	]	hank of 95184 - Cand took	CONSERVA	TION DIVISION
, arm sch	Trucor Ser	est at 3517'. Good test.	√ Wichit	a, Kansas
	ا تا العامد الا	wind with the second also self-second		
		esing derrick floor. sacks cement.	',	<u>.</u>

Depth		Committee	Deviation from Vertical (Degrees)	Remarks
From	' <b>Т</b> о	Formation	Vertical (Degrees)	пеныко
		,		<b>:</b>
				1
	<u>'</u>			
	1	,		,
	•	,		(
	<b>!</b>			
	1			
	1,		,	
				,
	1			,
				• •
	,			 
·	,			
		* **		,
			, ,,	,
		,		
	ļ			
		,		,
	a		•	
•				
	,			
	,	· · · · · · · · · · · · · · · · · · ·	* *	h

Was well to be deepened by another Contractor?

### CASING LEFT IN HOLE AFTER COMPLETION OR ABANDONMENT

Size	Wt.	Grade	Range	Thread			F	ootage		
	,				Dolivered	Run	Set At	Unused	Pulled	Left in Hole
5/8	28	A	1	8 Rđ		<u>.                                    </u>	531 D.F	•		5311
1/2	'	A	3	8 Rd			3481 D.F	•		3481
		, <del>, .</del> . ,	<del></del>		t is the		,			

The foregoing Well Log and other data are correct.

Deviati	on from vertical Data is correct :	as shown.
1,	•	• 1.
Signed:	*1	
•	Company Superintendent	
" . <del>.</del>	(This space for Company use)	•

Soldo	Petroleus	Company	
	Cor	tractor	

7 × 5 #* . . . .

W Heury Gardner