

Strike out upper line when reporting plugging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

Barton County, Sec. 25 Twp. 16S Rge. (E) 12 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines Center of the NE SW NW

Lease Owner Gulf Oil Corporation

Lease Name Martha Case Well No. 3

Office Address Box 661, Tulsa, Oklahoma

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed February 12, 1944 19

Application for plugging filed February 17, 1944 19

Application for plugging approved February 17, 1944 19

Plugging commenced February 21, 1944 19

Plugging completed March 2, 1944 19

Reason for abandonment of well or producing formation Completed as dry hole

If a producing well is abandoned, date of last production No production. 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well C. T. Alexander

Producing formation _____ Depth to top 3075' Bottom 3311' Total Depth of Well 3311' Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				10-3/4"	414'	0
				6"	3308'	1873'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Mudded from 3167' to 2920'.
Bridge; mudded to 414'.
Set plug and run 5 sacks of cement to 394'.
Mudded to 20'.
Run 8 sacks of cement to cap.

BITTING
FILE 25 16 S 12 E
BOOK PAGE 147 NE 42

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Gulf Oil Corporation.

Address Box 661, Tulsa, 2, Oklahoma

STATE OF Kansas COUNTY OF Nowata, ss.

Chas Prater (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Chas Prater

(Address)

SUBSCRIBED AND SWORN to before me this 26th day of April 19 44

My commission expires May 18, 1946

Wigil S. Stevenson
Notary Public.

WELL NO. **3** LEASE **Martha W. Case** COMPANY **Gulf Oil Corporation** A.F.E. **3852**
 DATE—DRILLING BEGAN **2-3-44** WELL COMPLETED **3-2-44** FIRST PRODUCTION
 SAND RECORD **Arbuckle Line not present (top of Pre-Cambrian 3307')** TOTAL DEPTH **3311'**
 INITIAL PRODUCTION **DRY HOLE - Plugged 3-2-44**

CASING RECORD

SIZE	WEIGHT	THD.	CLASS	MAKE	SET AT DEPTH.	SACKS CEMENT	LBS. CAL. CHLO.	PULLED	LEFT IN
10-3/4"			New		414'	375	300		414'
6"	150	10	B	Sale. St.	3300'	150		1893'	1415'
• 2 jts. 32# 8 thd. Lapw. St. 9 jts. Armo Spiral Weld (Slip Joint)									

S- 25 T- 16 R- 12W

• Perforated 6" casing 2910-1/2'-2915' Shanna Line (2911-15')
 Perforated 6" casing 3244-1/2'-3249' Kansas City Line (Top 3075')

AGITATED: 1-27-44 with 2,000 gallons - 3244-1/2'-3249'
 2-4-44 with 2,000 gallons - 2910-1/2'-2915'

0 -	65	Surface clay, shale and shells
	100	Lime rock
	250	Sand, clay, shale and shells
	395	Shale and shells
	410	Sand
	418	Shale
	545	Sand, shale and shells
	702	Red bed
	795	Red rock
	1050	Lime and shale
	1225	Shale and shells
	1365	Salt and shale
	1525	Shale, salt and shells
	1640	Shale and lime shells
	1730	Lime and shale
	1755	Lime, sandy
	1850	Lime and shale
	1865	Shale and shells
	1880	Lime
	1940	Streaks of iron pyrite and lime
	1985	Lime
	2340	Lime and shale
	2465	Lime, shale and shells
	2650	Lime and shale
	2715	Shale and lime shells
	2720	Shale
	2830	Lime
	2935	Lime and shale
	2960	Lime
	3040	Lime and shale
	3135	Lime
	3185	Kansas City lime
	3307	Lime
	3311	Quartz (total depth)

PLUGGING

FILE REC-25 T-16 R-12W
 BOOK PAGE 107 LINE 42